

# DSHS Grand Rounds



## Logistics

Registration for free continuing education (CE) hours or certificate of attendance through TRAIN at:

<https://tx.train.org>

Streamlined registration  
for individuals not requesting CE hours  
or a certificate of attendance

1. webinar: <http://extra.dshs.state.tx.us/grandrounds/webinar-noCE.htm>
2. live audience: sign in at the door

For registration questions, please contact Annette Lara,  
[CE.Service@dshs.state.tx.us](mailto:CE.Service@dshs.state.tx.us)

## Logistics (cont.)

**Slides and recorded webinar available at:**  
*[www.dshs.state.tx.us/grandrounds](http://www.dshs.state.tx.us/grandrounds)*

### Questions?

There will be a question and answer period at the end of the presentation. Remote sites can send in questions throughout the presentation by using the GoToWebinar chat box or email [GrandRounds@dshs.state.tx.us](mailto:GrandRounds@dshs.state.tx.us).

For those in the auditorium, please come to the microphone to ask your question.

**For technical difficulties, please contact:**  
GoToWebinar 1-800-263-6317(toll free) or 1-805-617-7000

3

## Disclosure to the Learner

### Requirement of Learner

Participants requesting continuing education contact hours or a certificate of attendance must register in TRAIN, attend the entire session, and complete the online evaluation within two weeks of the presentation.

### Commercial Support

This educational activity received no commercial support.

### Disclosure of Financial Interests

**Our speaker and** planning committee members have disclosed no relevant financial interests.

### Off Label Use

There will be no discussion of off-label use during this presentation.

### Non-Endorsement Statement

Accredited status does not imply endorsement by Department of State Health Services Continuing Education Services, Texas Medical Association, or American Nurses Credentialing Center of any commercial products displayed in conjunction with an activity.

4

## Introductions



David Lakey, MD  
DSHS Commissioner  
is pleased to introduce today's  
DSHS Grand Rounds speakers

5

## Child Abuse and Neglect: The Science, Myths, and Reality



James L. Lukefahr, MD  
Division of Child Abuse Pediatrics  
University of Texas Health Science Center at San  
Antonio

6

## Acknowledgements

- Thanks to my colleague Dr. Sandeep Narang for letting me use many of his graphics and photos.
- Some of the photos are borrowed from the American Academy of Pediatrics' "Visual Diagnosis of Child Abuse" CD-ROM, and others are courtesy of the Shaken Baby Alliance (Fort Worth).

7

## Learning Objectives

Participants will be able to:

1. Describe the incidence and prevalence of child abuse and neglect.
2. Identify characteristics of the client/patient history that should trigger concern for possible abuse.
3. Distinguish the physical and behavioral signs of physical abuse, sexual abuse, and child neglect.
4. Discuss Texas laws for mandatory reporting of suspected child abuse and neglect.
5. Understand the importance of a full, detailed, carefully documented history and physical examination in the evaluation of child abuse.
6. Recognize the role of the health and human service professional in reducing child maltreatment.

8

## The Scope of Abuse

- Child maltreatment: 13 per 1,000 children every year (estimate)
- Comparison incidence of diseases:
  - All childhood cancers
    - 1 to 2 per 10,000 children in the US (National Cancer Institute)
  - Type 1 & 2 Diabetes
    - 19.0 per 100,000 children; Type 2 Diabetes--5.3 per 100,000 (CDC)

9

## Texas 2013

- Child population 7,159,172
- 229,138—Reports of maltreatment
- 66,398—Confirmed victims (9.3/1000 children)
- 156 Fatalities

10

## Childhood Injuries

- Kids get hurt all the time.
- When should a provider suspect an injury is inflicted, instead of accidental?

11

## Accidental vs. Inflicted Injuries

- Is the explanation given by the caregiver(s) consistent with the mechanism of injury?
- Does the explanation for the injury remain consistent through repeated interviews and questioning?
- Is the child developmentally able to perform the action the caregiver attributes to the injury?

12



Children aren't just  
small adults

The developmental  
age of the child must  
always be considered

13

## Accidental vs. Inflicted Injuries

- Did the caregiver seek medical attention promptly?
- Are there other concerning injuries on exam or after appropriate medical workup (other fractures, head injury, failure to thrive, etc.)?
- Are there risk factors for abuse/neglect in the home?

14

## Accident...or Accident Waiting to Happen?



Just because the injury was 'unintentional' doesn't mean intervention isn't needed.

15

## Bruises



16


## Bruises

- All children get bruises
- The age of the child and where the bruise occurs is key in accidental vs. abusive
- Children move in a forward motion – we expect to find bruises on the front part of their bodies
- Accidental injuries typically occur on the forehead and extremities



17

## Bruises



Locations of most accidental bruises in mobile children.  
 NOTE: ANY bruise is suspicious for abuse in a non-mobile child  
 (less than 5-6 months of age)

Maguire 2010

18

## Normal Bruising



19


## Bruises

Bruises are more likely due to abuse if they:

- Occur on different planes of the body
- Are in different stages of healing
- Have a central distribution
- Occur on the back
- Are pattern injuries

20

## Bruises



Bruising patterns often seen in abused children.

Maguire 2010

21

## Bruises

- Abusive injuries are more likely if they:
  - Occur on different planes of the body
  - Are in different stages of healing
  - Have a central distribution
  - Occur on the back
  - Are pattern injuries



22

## “If you’re not old enough to cruise, you’re not old enough to bruise”

- Bruising and other soft tissue injury is extremely uncommon in children younger than 6 months of age
- *Any* bruising on an infant less than 6 months old should be considered suspicious for abuse



23

## Bruising in the Ear



24



25

## Facial Bruises

- Facial bruises are uncommon in non-abused children, but are a frequent finding in abused children



26

## Pattern Marks

- Handmarks
- Switches or paddles
- Mini-blind rods
- Brooms
- Flyswatters
- Belts & belt buckles
- Ropes/Cords
- Shoes
- Kitchen tools



27

## Belt and Buckle Marks



28



29

Mimickers

30

# Mongolian spots



31

# Burns



MATT GOODING

32

## Burns

- > 2,000 children die annually from burns due to all causes
- 20% of burns in children < 3 years of age are abusive
- Peak age of abusive burn victims 13-24 months

33

## Most Common Types of Burns in Children

- **Scald (Liquid) Burns**
  - Account for most of the serious burns in small children
  - Immersion
  - Splash injury
- **Contact (Object) Burns**
  - Irons
  - Glue guns
  - Heaters
  - Beauty products (curling irons, flat irons, blow dryers)


34

## Scald Burns: Accident vs. Abuse

- **Accidental scald burns** often have an **irregular pattern** to the burn that looks like a “splash” or “drip” mark.
- In contrast, **abusive burns** often have **distinct lines of demarcation** and are often referred to as “stocking” or “glove” patterns. This pattern occurs when the child’s body part is forcibly held in hot water.

35

## Scald Burns




Typical accidental scald burn pattern

Scald burn patterns highly associated with abuse

Maguire 2010


36



### Scald Burns: Accident vs. Abuse



Should the hospital call CPS? Why or why not?



## Contact Burns

- Contact burns are caused when a hot object is placed upon the skin
- Typically leave a distinct mark
  - Cigarettes
  - Cigarette lighters
  - Irons (household, curling irons, flat irons)
  - Blow dryers
  - Heaters

Curling iron



41



42

## Clothes Iron Burn



History given: 'He reached over and touched the iron.'

Any concerns?

43



Cigarette Burns

## Cigarette Burns



- ▶ **Intentional:**
  - ▶ Firm contact typically produces a sharply-defined, circular, third-degree burn
  - ▶ Approximately 5-10mm diameter
  - ▶ Often on 'exposed' areas, such as hands, feet, head, and neck
- ▶ **Accidental:**
  - ▶ Typically causes only superficial "brush" burns
    - ▶ Short duration of exposure
    - ▶ Glowing coals insulated by layer of ash

*Faller-Marquardt Foren Sci Intl 2007*

45

## Abusive Head Trauma



46

## Abusive Head Trauma

- In a typical year, 1,500 or more US children die from abuse or neglect.
- About half are under 1 year of age.
- Head injury accounts for *at least* half of deaths due to abuse in infants under 1 year of age.
- Abusive head trauma is the leading cause of death due to head injury in infants—much more common than death due to accidental head trauma (thanks to success of infant car seat campaigns).

47

## Abusive Head Trauma

- ▶ Crying is chief trigger for assault
  - Other triggers
    - Toilet training
    - Feeding problems
- ▶ Major force is required
  - Adult upper body strength

48

## Missed Abusive Head Trauma

- At least 1/3 of infants who die from abusive head trauma are seen by health care providers during the 2 weeks prior to death!
- Symptoms are often nonspecific:
  - Vomiting
  - Lethargy
  - Poor feeding
- Caregiver gives inaccurate history (lying--or may not know that infant was injured)
- Don't be too quick to diagnosis 'viral syndrome' in vomiting or lethargic infant without diarrhea or fever!

49

## Child Sexual Abuse



50

## Child Sexual Abuse

- About 10% of reports to CPS involve sexual abuse of children.
- In most cases, the child's disclosure ('outcry') is the most important evidence and initiates the investigation.
- Children rarely fabricate allegations of sexual abuse.
- If a child discloses sexual abuse, carefully document his/her words and report immediately to CPS or police.

51

## Child Sexual Abuse

***DO NOT*** question the child in detail about the abuse.

He/she will have a forensic interview later—important that you not to ask leading or confusing questions.

***DO*** talk with the child *in private* about the abuse.

***DO*** ask enough questions to determine:

Does the child have acute problems (pain, bleeding, discharge) that need immediate attention? *If so, transport to ER.*

Has the child been abused within the past 96 hours? *If so, transport to ER.*

Is the child safe going home from your clinic? **DO NOT** send a child home if he/she will have contact with a potential abuser. Call the police or CPS and keep child in your clinic until they arrive.

52

## Child Sexual Abuse

- **DO NOT** attempt a detailed genital examination unless you are qualified to do so.
- **DO** examine the child:
  - For other findings of abuse (complete physical)
  - Enough to make sure child does not have acute or severe injuries (pain, bleeding, discharge).
- **After reporting to CPS or police, DO:**
  - Refer to a qualified examiner
    - Child Advocacy Center
    - ER with Sexual Assault Nurse Examiner program
    - Child abuse pediatric center

53

## Child Neglect



Download from  
Dreamstime.com

© 2014  
All rights reserved

54

## Child Neglect

- About 70% of reports to CPS involve failure to provide for the basic needs of children:
  - Nutrition
  - Safety
  - Nurturing (psychological or emotional).

55

## Child Neglect

- Important to consider reporting to CPS when these needs are not being met and a child is being harmed or potentially harmed.
- Three common examples:
  - A child is injured because he/she was not being properly supervised.
  - Failure to thrive: when a child does not gain weight after appropriate evaluation and dietary changes have been made.
  - A child's caregiver(s) use drugs or excess alcohol.

56



57

## How do I document when I suspect abuse or neglect?

- Record the history as completely as possible. Use exact quotes when possible, and indicate *who* gives *which* history (father says..., mother says..., child says, etc.).
- Document the physical findings as accurately as possible. Use body diagrams. *Take photos if possible.*

58

## Do I *have* to report child abuse or neglect?

- In Texas, all adults are required by law to report *suspected* abuse or neglect to Protective Services or to Law Enforcement.
- The law says we must report if we have “cause to believe” a child has been abused—not just if we KNOW a child has been abused.

59

## Who Makes the Decision to Report Child Abuse?

- The person who is aware of the abuse is required to report.
- You can and should ask for advice from your supervisor or social worker.
- *What if you believe abuse occurred and your supervisor does not want a report made?*

60

## How can we work with families if we have to report child abuse?

- Parents know professionals have a duty to report child abuse.
- Many parents are overwhelmed and secretly (or openly) are crying for help!
- Not reporting is not only against the law, but also puts kids at risk for more harm.

61

## How Do We Report Suspected Abuse or Neglect?

Statewide Child/Adult Protective Services Intake  
Hotline:

**1-800-252-5400**

On-Line Reporting for *Non-Urgent* Cases:

**<https://www.txabusehotline.org>**

62

## What happens when we report?

- CPS intake worker evaluates risk, assigns priority:
  - Priority 1: local CPS makes contact within 24 hours.
  - Priority 2: contact within 72 hours.
- CPS can take emergency custody if “exigent circumstances”—i.e., child is in danger.
- Custody hearing before a judge within 14 days, then every 60-90 days.
- Final order 1 year after initial hearing.

63

## What about HIPAA? What information can I give CPS?

- State law supersedes HIPAA for reports of suspected child abuse or neglect.
- Texas law allows providers to examine and photograph children, and obtain necessary tests, *with or without parent permission*, if abuse or neglect is suspected.
- Texas law also allows reporters of suspected abuse/neglect to provide CPS or police with the pertinent medical records, *with or without parent permission*.

64

## Preventing Child Abuse

- Individual patients, families:
  - Parenting education
  - Treat mental illness
  - Recognize high-risk families
- Community efforts:
  - Education (Period of Purple Crying, others)
  - Nurse Family Partnership
  - Healthy Families Program

65

## Nurse-Family Partnership

- Community collaboration
- Identify high-risk first-time parents
- Trained health professionals support, empower parents to make better parenting decisions
- San Antonio: UHS partnering with Children's Shelter



66

## Treating Child Abuse

### Children's Advocacy Centers

Forensic interviews of children

Coordinating CPS and police investigations

Referrals for therapy & other resources

Careful medical examinations



*All in a child-friendly environment*

67

## Treating Child Abuse

### Child Abuse Centers of Excellence

- Affiliated with academic medical centers
- Pediatricians specializing in child abuse
- Emphasis on forensic evaluation
- Multidisciplinary support
  - social workers
  - therapists
  - consultants (radiology, psychology/psychiatry)
- Ready availability to CPS, law enforcement, prosecutors

68

## Summary



69

### *Identify* possible abuse or neglect

- Does the history match the child's findings?
- Are there physical, developmental, emotional, or other findings of abuse or neglect?
- If a child discloses sexual or physical abuse, take that *very seriously*.
- Remember to talk to the child *in private* about the abuse and about his/her safety.

70

### *Report* possible abuse or neglect

- *You* are responsible for reporting suspected abuse or neglect.
- Don't put it off or think someone else will do it:
  - That's against the law.
  - A child's life may be at stake.

71

### *Document* possible abuse or neglect

- Record the history and physical findings thoroughly.
- Take photos if possible.
- Provide the documentation to CPS or police upon request.


72

## *Prevent child abuse and neglect*

- Provide your patients and families with information and guidance on parenting, discipline, and child safety.
- Know your community resources and programs. Refer families to community partners when appropriate.

73

***THANK YOU FOR YOUR  
COMMITMENT TO CHILDREN!***



74

## Questions and Answers

Remote sites can send in questions by typing in the *GoToWebinar* chat box or email [GrandRounds@dshs.state.tx.us](mailto:GrandRounds@dshs.state.tx.us).

For those in the auditorium, please come to the microphone to ask your question.



Jane Burstain, Ph.D.  
Director of Policy Analysis  
Texas Department of Family  
and Protective Services  
Child Protective Services

75

## Our Next Grand Rounds

**May 14**

**Healthy Texas Babies:  
Maternal Mortality and  
Morbidity Review**

**Presenters: Lisa M. Hollier, MD, MPH,  
Medical Director, Obstetrics, Texas  
Children's Health Plan; Dorothy Mandell,  
PhD, Texas Dept. of State Health  
Services**



76