



F40-C Biothreat Specimen Submission Form (JUL 2014)

CLIA #45D0503753 CAP #2148801
 Laboratory Services Section
 South Texas Laboratory
 1301 S. Rangerville Road
 Harlingen, Texas 78552
 (956) 364-8746
 FAX: (956) 412-8794

Place DSHS Bar Code Label / Address O-Graph Here

Please PRINT-all FIELDS MUST be FILLED IN-Enter N/A if Appropriate

Has FBI been notified? YES NO

NPR assessment 1 2 3 4 5

Section 1. SUBMITTER

Section 2. Reporting Information

Submitting Agency Case #	Submission Date	Submitter #	Agency/Submitter Name		
Agency / Submitter Name			Address		
Address			City	State	Zip Code
City	State	Zip Code	Phone #	Fax #	Phone #
Email Address		Signature	Email Address		

Section 3. HAZMAT SCREEN

RESULTS OF HAZARDOUS MATERIAL SCREEN DONE BY SUBMITTING AGENCY

(The Laboratory may REJECT Specimens that have not been subject to a Hazard Material Screen)

Explosive Flammable Oxidizer
 Protein Radioactive Corrosive (pH)

Section 4. SAMPLE COLLECTION & SIZE LIMITATION

- At a minimum, all materials submitted for testing must be placed in sealed, triple containers
- Outer packaging must be treated with a disinfectant effective against bacterial spores, e.g., 10% bleach
- Material packaging must not exceed 15"x15"x15"
- If suspect material is a liquid, submit 5ml (5cc)
- Samples can only be returned to the submitter

Section 5. SUBMITTED ITEMS

All Negative Samples will be Destroyed unless otherwise Indicated

Item #	Description	Return to Submitter?
		<input type="checkbox"/> YES <input type="checkbox"/> NO
		<input type="checkbox"/> YES <input type="checkbox"/> NO
		<input type="checkbox"/> YES <input type="checkbox"/> NO
		<input type="checkbox"/> YES <input type="checkbox"/> NO

FOR LABORATORY USE ONLY: CHAIN OF CUSTODY

Case # _____

Received by: (print/sign)	Date:	Time:
Agency:		
Comment:		
Received by: (print/sign)	Date:	Time:
Agency:		
Comment:		
Received by: (print/sign)	Date:	Time:
Agency:		
Comment:		

Sample Description :

Additional Comments or Instructions:
