DSHS Clinical Chemistry (CC) Report Card - Specimen Submission

Submitter ID: Report Date: August 29, 2012

Provider Name: Report Period: Feburary 2012

Address:



Overall Performance Goal= 100%	You			Statewide Average
	Tests Requested	Tests Performed	Percentage of Specimens Tested	
Blood Lead	20	17	85.00	89.23
Total Hemoglobin	32	29	90.62	89.23
Hemoglobin Electrophoresis	0	0	0.00	91.61
Total	52	46	88.46	89.36
Overall Tests Rejected Goal= 0%	You			Statewide Average
	Tests Requested	# of Rejections	Rejection Percentage	
Blood Lead	20	3	15.00	10.76
Total Hemoglobin	32	3	9.37	10.76
Hemoglobin Electrophoresis	0	0	0	8.38
Total Tests Requested and Rejected	52	6	11.53	10.63
Your Most frequent quality issues this reporting period for Blood Lead and Total Hemoglobin	You			Statewide Average
	# Tests Rejected	# Rejection Percentage		
1) Specimen clotted.	4	7.69		4.25
2) Specimen not received.	2	3.85		0.1
3) n/a	0	0		n/a
Your Most frequent quality issues this reporting period for Hemoglobin Electrophoresis	You			Statewide Average
	# Tests Rejected	# Rejection Percentage		
1) n/a	0	0		n/a
2) n/a	0	0		n/a
3) n/a	0	0		n/a
Missing Key Demographic Information	You			Statewide Average
	Total	Percentage		
Includes missing/invalid DOC, no test ordered, or no form submitted	0	0		0.12
Missing date of birth	0	0		0
Transit Time from Collection to State Lab	You			Statewide Average
	Total	Percentage		
Blood Lead and Total Hemoglobin Specimens:	52			
Received by state laboratory within 10 days of collection	52.0	100.00		98.64
Received by state laboratory greater than 10 days of collection (Too old to test)	0	0.00		1.36
Average time to receipt in state laboratory (days)	3	n/a		5
Hemoglobin Electrophoresis Specimens:				
Received by state laboratory within 13 days of collection	0	0.00		99.58
Received by state laboratory greater than 13 days of collection (Too old to test)	0	0.00		0.42
Average time to receipt in state laboratory (days)		n/a		4

Reminder: A test rejection is a missed opportunity to identify a child's potential health issues. Out of 43,460 statewide tests requested this month 4,622 tests were rejected. Help us decrease this number!

If you have any questions, please call 512-776-7430 or email ClinicalChemistry@dshs.state.tx.us

If you need to update your contact information, please cat 512-776-7578 or e-mail: Labinfo@dshs.state.tx.us

Disclaimer: Test rejections that are beyond your control are not included in this report.