References

[1] National Association of School Nurses. (July 7, 2001). Position Statement: Infectious Diseases [On-line]. Available: http://www.NASN.org/positions/infectious.htm

[2] National Association of School Nurses. (July 7, 2001). Position Statement: Infectious Diseases [On-line]. Available: http://www.NASN.org/positions/infectious.htm

[3] National Association of School Nurses. (July 7, 2001). Position Statement: Infectious Diseases [On-line]. Available: http://www.NASN.org/positions/infectious.htm

[4] Virginia School Health Guidelines. (1999). In T. P. Keen, & N. Ford (Eds.) Universal Precautions for Handling Blood/Body Fluids in School (pp.574-581). Richmond,Virginia: Virginia Department of Health.

[5] Virginia School Health Guidelines. (1999). In T. P. Keen, & N. Ford (Eds.) Universal Precautions for Handling Blood/Body Fluids in School (pp.574-581). Richmond,Virginia: Virginia Department of Health.

[6] Virginia School Health Guidelines. (1999). In T. P. Keen, & N. Ford (Eds.) Universal Precautions for Handling Blood/Body Fluids in School (pp.574-581). Richmond,Virginia: Virginia Department of Health.

[7] Massachusetts Comprehensive School Health Manual. (1995). In I. F. Goodman, & A. H. Sheetz (Eds.) Diseases Spread Through Direct Contact: Impetigo (section. 8-36, 8-37). Boston, Massachusetts: Massachusetts Department of Health.

[8] Massachusetts Comprehensive School Health Manual. (1995). In I. F. Goodman, & A. H. Sheetz (Eds.) Diseases Spread Through Direct Contact: Impetigo (section. 8-36, 8-37). Boston, Massachusetts: Massachusetts Department of Health.

[9] Massachusetts Comprehensive School Health Manual. (1995). In I. F. Goodman, & A. H. Sheetz (Eds.) Other Intestinal Tract Diseases: Hepatitis A. (Section 8-22). Boston, Massachusetts: Massachusetts Department of Health.

[10] Massachusetts Comprehensive School Health Manual. (1995). In I. F. Goodman, & A. H. Sheetz (Eds.) Medication Administration (Section 8-22). Boston, Massachusetts: Massachusetts Department of Health.

[11] Massachusetts Comprehensive School Health Manual. (1995). In I. F. Goodman, & A. H. Sheetz (Eds.) Common Illnesses: Colds and Influenza (Section 8-25, 8-26). Boston, Massachusetts: Massachusetts Department of Health.

[12] Massachusetts Comprehensive School Health Manual. (1995). In I. F. Goodman, & A. H. Sheetz (Eds.) Common Illnesses: Colds and Influenza (Section 8-25, 8-26). Boston, Massachusetts: Massachusetts Department of Health.

[13] Massachusetts Comprehensive School Health Manual. (1995). In I. F. Goodman, & A. H. Sheetz (Eds.) Serious Respiratory Tract Illnesses: Meningococcal Illnesses (Section 8-31). Boston, Massachusetts: Massachusetts Department of Health.

[14] Behrman, R. E., Kliegman, R. M. & Jenson, H. B. (2000). Nelson Textbook of Pediatrics. (pp. 751-758). Philadelphia: W. B. Saunders.

[15] Massachusetts Comprehensive School Health Manual. (1995). In I. F. Goodman, & A. H. Sheetz (Eds.) Common Illnesses: Colds and Influenza (Section 8-25, 8-26). Boston, Massachusetts: Massachusetts Department of Health.

[16] Massachusetts Comprehensive School Health Manual. (1995). In I. F. Goodman, & A. H. Sheetz (Eds.) Common Illnesses: Chickenpox and Shingles (Section 8-28). Boston, Massachusetts: Massachusetts Department of Health.

[17] Massachusetts Comprehensive School Health Manual. (1995). In I. F. Goodman, & A. H. Sheetz (Eds.) Common Illnesses: Chickenpox and Shingles (Section 8-28). Boston, Massachusetts: Massachusetts Department of Health.

[18] Massachusetts Comprehensive School Health Manual. (1995). In I. F. Goodman, & A. H. Sheetz (Eds.) Common Illnesses: Chickenpox and Shingles (Section 8-28). Boston, Massachusetts: Massachusetts Department of Health.

[19] Massachusetts Comprehensive School Health Manual. (1995). In I. F. Goodman, & A. H. Sheetz (Eds.) Common Illnesses: Chickenpox and Shingles (Section 8-28, 8-29). Boston, Massachusetts: Massachusetts Department of Health.

[20] Virginia School Health Guidelines. (1999). In T. P. Keen, & N. Ford (Eds.) Selected Infectious Diseases: Chickenpox (Varicella-Zoster) (pp.587-588). Richmond,Virginia: Virginia Department of Health.

[21] Virginia School Health Guidelines. (1999). In T. P. Keen, & N. Ford (Eds.) Tuberculosis (pp.692-695). Richmond,Virginia: Virginia Department of Health.

[22] Behrman, R. E., Kliegman, R. M., & Jenson, H. B. (2000). Nelson Textbook of Pediatrics (16th ed., p. 885). Philadelphia: W.B. Saunders.

[23] Behrman, R. E., Kliegman, R. M., & Jenson, H. B. (2000). Nelson Textbook of Pediatrics (16th ed., p. 886). Philadelphia: W.B. Saunders.

[24] Behrman, R. E., Kliegman, R. M., & Jenson, H. B. (2000). Nelson Textbook of Pediatrics (16th ed., p. 886). Philadelphia: W.B. Saunders.

[25] Behrman, R. E., Kliegman, R. M., & Jenson, H. B. (2000). Nelson Textbook of Pediatrics (16th ed., p. 886). Philadelphia: W.B. Saunders.

[26] McComb, M. (2001) Memo. Texas Department of Health.

[27] Virginia School Health Guidelines. (1999). In T. P. Keen, & N. Ford (Eds.) Tuberculosis (pp.692-695). Richmond,Virginia: Virginia Department of Health.

[28] Texas Department of Health. (2001). Pediculosis (Head Lice) [On-line]. Available: http://www.tdh.state.us/schoolhealth/lice%5f1.htm

[29] Texas Department of Health. (2001). Pediculosis (Head Lice) [On-line]. Available: http://www.tdh.state.us/schoolhealth/lice%5f1.htm

[30] Texas Department of Health. (2001). Pediculosis (Head Lice) [On-line]. Available: http://www.tdh.state.us/schoolhealth/lice%5f1.htm

[31] Virginia School Health Guidelines. (1999). In T. P. Keen, & N. Ford (Eds.) Pediculosis (Head Lice) (pp.651-654). Richmond,Virginia: Virginia Department of Health.

[32] Virginia School Health Guidelines. (1999). In T. P. Keen, & N. Ford (Eds.) Tinea Capitis (Ringworm of the Scalp) (p.688). Richmond,Virginia: Virginia Department of Health.

[33] Virginia School Health Guidelines. (1999). In T. P. Keen, & N. Ford (Eds.) Tinea Capitis (Ringworm of the Scalp) (p.688). Richmond,Virginia: Virginia Department of Health.

[34] Lembo, R. M. (1996). Fever and Rash. In Kliegman, R. M. (Ed.), Practical Strategies in Pediatric Diagnosis and Therapy (pp. 934-937, 944-945). Philadelphia, W. B. Saunders.

[35] The Merck Manual. (July 16, 2001). Table 265-8 Ch. 265 Childhood Infections [On-line]. Available: www.merck.com/pubs/mmanual/tables/265t68.htm

Health Services

Student Name_____
Campus_____

Parent Signature_____
Date_____

This questionnaire is about tuberculosis. Tuberculosis can be transmitted to children by adults who live with or spend a great deal of time with them. Tuberculosis is transmitted by a person who has tuberculosis to another person through airborne droplets that are coughed or sneezed into the air and then breathed in by the child. This transmission of infection is more likely to occur when the child and the infectious person spend a lot of time together in a closed environment such as a car, a small room, or other similar situations.

Adults who have tuberculosis will often have the following symptoms: cough for more than two weeks duration, loss of appetite, weight loss of ten or more pounds over a short period of time, fever, chills and night sweats.

Children with tuberculosis frequently do not have symptoms. A person can have a tuberculosis infection and not have active tuberculosis.

- **Not everyone who coughs has tuberculosis.**
- **TB can cause (low grade) fever of long duration, unexplained weight loss, failure to maintain adequate growth in children, weakness, chest pain, a bad cough, hoarseness, and/or coughing up blood.**
- **Tuberculosis is preventable and treatable.**
- **Children with active TB often do not show signs of illness. Infants are more likely to have symptoms.**

Date of student's last TB skin test (if known)_____
Results_____

	YES	**NO**
Has anyone in your family had tuberculosis?		
Do you know of any situation where your child was around an adult who has been diagnosed or suspected of having TB?		
Has your child been around anyone who has fever of long duration, unexplained weight loss, weakness, chest pain, a bad cough, hoarseness or coughing up blood?		
Has your child had any of the above problems?		
To your knowledge, has your child had close contact with anyone who: has been in a homeless shelter?		
is/has been in jail or prison?		
is/has been an intravenous (IV) drug user?		
is HIV infected?		

Has your child recently moved to the U.S. from a foreign country or traveled to a foreign country? If yes, which country?_		

Servicios de salud

Nombre del estudiante_____
Escuela_____

Firma de uno de los padres_____
Fecha_____

Este cuestionario es sobre tuberculosis. La tuberculosis pueden contagiarla los adultos a los niños si viven o pasan mucho tiempo con ellos. Se trasmite de una persona que la tiene a otra, mediante gotitas llevadas por el aire cuando uno tose o estornuda y luego el niño(a) las respira. Es más probable que esta transmisión o infección se produzca cuando el niño(a) y la persona infectada pasan mucho tiempo juntos en un ambiente cerrado, como un auto, un cuarto pequeño o alguna otra situación parecida.

Los adultos con tuberculosis tendrán a menudo estos síntomas: tos durante más de dos semanas, pérdida de apetito, y de diez o más libras de peso en poco tiempo, fiebre, ratos de frío y sudores nocturnos.

Los niños con tuberculosis frecuentemente no tienen síntomas. Una persona puede tener la infección y no padecer tuberculosis activa.

- **No todo el que tose tiene tuberculosis.**
- **La TB puede causar fibre (pocos grados) mucho tiempo, pérdida inexplicable de peso, el no poder mantener un crecimiento adecuado en niños, debilidad, dolor del pecho, una tos perniciosa, ronquera y/o toser sangre.**
- **La tuberculosis puede prevenirse y tratarse.**
- **Los niños con TB activa a menudo no dan señales del mal. Es más probable que haya síntomas en los infantes.**

Fecha de la última prueba cutanea de TB (si se sabe)_____Resultados_____

	SÍ	**NO**
¿Alguien de su familia ha tenido tuberculosis?		
¿Sabe de alguna situación en que su hijo(a) haya estado con un adulto al que se ha diagnosticado o se sospecha que tenga tuberculosis?		
¿Ha andado su niño(a) en torno a alguien con fiebre de mucho tiempo, pérdida inexplicable de peso, debilidad, dolor del pecho, tos perniciosa, ronquera o que haya tosido sangre?		
¿Ha tenido su niño(a) alguno de los problemas anteriores?		
Que usted sepa, ¿ha tenido su niño(a) contacto con alguien que: haya estado en un refugio para gente sin hogar?		
esté o haya estado en la cárcel o en prisión?		
sea o haya sido usuario de drogas por (IV) vía intravenosa?		
esté infectado con el HIV (virus de inmunodeficiencia adquirida)?		
haya venido recientemente a los Estados Unidos de un país extranjero o que haya viajado a él? Si es así, ¿de qué país se trata?		