



Texas Department of State Health Services

P.O. Box 149347  
Austin, Texas 78714-9347  
(512) 834-6676  
Fax (512) 483-3430

**GENERAL LICENSE ACKNOWLEDGMENT (GLA) SELF-EVALUATION FORM**

Company Name: \_\_\_\_\_ Acknowledgement No. \_\_\_\_\_

Mailing Address: _____
Use Location Address: _____
Records Location Address: _____

Responsible Person: _____	<b>NUMBER OF SOURCES</b> Possessed on date of this report: _____ At the time of last report: _____ Received since the last report: _____ Transferred since the last report: _____
Office Telephone No: _____	
Cell Telephone No: _____	
FAX Telephone No: _____	
Email Address: _____	

**(Check as Appropriate and Complete as Applicable)**

1. Do you have the following subsections in Title 25 of the Texas Administrative Code (TAC) available for employee review: §289.201, §289.202(wv) and (xx), §289.204, §289.205, §289.251, and §289.257?

If "NO," you should obtain copies from <http://dshs.texas.gov/radiation/>

	YES	NO	N/A
--	-----	----	-----

**LABEL REQUIREMENTS:**

2a. Are the required labels present and legible on all generally-licensed devices containing radioactive sources?

2b. If "NO" for 2a, were all missing/damaged labels replaced, as required?

	YES	NO	N/A
--	-----	----	-----

**TESTING REQUIREMENTS:**

3a. Were all sealed sources in devices tested for leakage, as required by agency regulation or the device label?

3b. If reportable leakage was confirmed by the test provider, was the agency notified immediately by telephone, followed by 30-day written report? §289.202(bbb)

4a. Were all device "On-Off" mechanisms tested at the proper interval?

4b. List the company name for the individual who conducted tests of "On-Off" mechanisms:

4c. List (serial #) devices with "On-Off" mechanisms that failed to function as designed:

4d. Were "On-Off" mechanism failures reported to the agency within 24 hours of discovery? List report dates: \_\_\_\_\_

5a. Were the tests described in 3a and 4a, performed by a person specifically licensed to perform the tests OR performed in accordance with the device manufacturer's instructions?

5b. If the tests described in 3a and/or 4a were performed by your company, are copies of the manufacturer's instructions available for review?

	YES	NO	N/A
<b>SERVICE/REPAIR:</b>			
6a. Have any major services or repairs been performed on any device since your last self-inspection/evaluation report? (e.g., beam alignment, device removal or repair, device installation or relocation)			
6b. Name of person(s) who performed services referenced in 6a: _____ Company Name of each major service provider: _____			
7a. Are records documenting all activities described in 3, 4, and 6 maintained for inspection?			
7b. Is all information required by §289.251(f)(4)(H)(iv)(IV) present on these records?			
8a. Has any failure of, or damage to, the radioactive material source shielding been identified? If "YES", specify the device(s) by serial number: _____			
8b. If "YES" for 8a, was use of that device suspended immediately? Was the failure or damage reported to the agency <u>within 24 hours</u> ? §289.202(xx)(7)(B) Report Date(s): _____			
8c. If "YES" for 8a, <u>list</u> the device serial # and whether the device was: <b>1)</b> repaired by the manufacturer or by another Specific Licensee or, <b>2)</b> "disposed" by transfer to a Specific Licensee authorized to possess the radioactive material: _____			
<b>DEVICE DISPOSITION:</b>			
9 Identify any devices (by serial number) which were permanently transferred or disposed since your last self-evaluation: _____			
10a. Were any generally-licensed devices transferred to another General Licensee (i.e., site purchased)? <b>This can be done ONLY in accordance with §289. 251(f)(4)(H)(iv)(IX).</b>			
10b. If "YES", for 10a, was a report of the transfer submitted to the agency <u>within 30 days</u> ?			
10c. Did the report contain all information required by §289. 251(f)(4)(H)(iv)(XI) when transferring to a Specific Licensee or (XII)(-a-) when transferring to a General Licensee?			
11a. Were any devices/sources lost since the last evaluation? If "YES," list serial #'s below: _____			
11b. If "YES" for 11a, were all devices listed in 11a reported to the agency? Report Date(s): _____			
12a. Do you have any devices/sources <u>not in use, inoperable, or in storage</u> at this time?			
12b. If "YES" to 12a, are all such devices secured against unauthorized removal or disposal? If "YES" to 12a, have the devices been in storage for more than 2 years? If "YES" to 12a, are the devices being stored for future use?			
<b>PORTABLE/MOBILE DEVICES:</b>			
13. Number of portable/mobile generally-licensed devices currently possessed: _____			
Questions 14 & 15 only apply to portable/mobile devices are possessed under your GLA.			
14a. Are assignment (utilization) logs maintained for each portable/mobile device possessed?			
14b. Is all information required by §289. 251(f)(4)(H)(iv)(V) present on the log(s)?			
15a. Are copies of device operating manuals available at each temporary job site?			
15b. Is the assignment (utilization) log for devices maintained at that job site?			

I certify the above information is true and correct.

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

**GLA SELF-EVALUATION INVENTORY**▶▶▶ *SUBMIT THIS INVENTORY TO THE AGENCY and please maintain a copy for inspection by the Texas Department of State Health Services* ◀◀◀

<b>DEVICE SERIAL NUMBER</b>								
Device Manufacturer (Name of Company):								
Device Model Number:								
Isotope (Cs-137, Sr-90, Co-60, Am-241):								
Activity of source in millicuries (mCi) or Curies								
Sealed Source Serial Number:								
Physical Location of the device within your facility:								
Date the device was received at your facility:								
Device Label present and legible? ("Yes" / "No")								
Leak Test Date (most recent):								
"On-Off" Mechanism Test Date (most recent)								
Date of device transfer, or sent for disposal:								

<b>DEVICE SERIAL NUMBER</b>								
Device Manufacturer (Name of Company):								
Device Model Number:								
Isotope (Cs-137, Sr-90, Co-60, Am-241):								
Activity of source in millicuries (mCi) or Curies								
Sealed Source Serial Number:								
Physical Location of the device within your facility:								
Date the device was received at your facility:								
Device Label present and legible? ("Yes" / "No")								
Leak Test Date (most recent):								
"On-Off" Mechanism Test Date (most recent):								
Date of device transfer, or sent for disposal:								

Details of any major repairs performed on any device: \_\_\_\_\_

I certify the above information is true and correct as verified by a physical inventory and checking the information on the labels of the devices.

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

## **Instructions for the GLA Self Evaluation Form -- (Form CI-40 and CI-40w)**

**To comply with the license condition on your General License Acknowledgement, the Self-Evaluation and Inventory must be completed and returned within 30 days of receipt to:**

FAX: 512-483-3430    **-OR-**    Attn: Radioactive Materials Group Manager    **-OR-**    E-mail:  
    Texas Department of State Health Services                      RamNotice@dshs.texas.gov  
    Inspection Unit - MC 1986  
    PO Box 149347  
    Austin TX 78714-9347

The attached form specifies that "**Yes**" or "**No**" blocks be checked in response to some questions, and that blanks be completed with specific information in response to others. (Also, in some cases, "**N/A**" is the appropriate blank to check.) If you do not have sufficient room to respond to any question, you may include one or more supplemental pages with your submission. On each additional page, please include your General License Acknowledgment Number, and also reference the number to which each response applies.

*If you have questions concerning the completion of these forms, please contact the **Radioactive Materials Inspection Group Manager** at **(512) 834-6676***

### **Maintain a Copy of the Completed Forms for Your Records**

#### **Instructions for Completing Form CI-40**

**Company Name.....** The GLA Holder. This is "Item 1" of your GLA.

**Acknowledgment No....** This is "Item 4" of your GLA.

**Mailing Address, City, Zip** This is "Item 3" of your GLA.

**Use Location Address, City, Zip...** This is "Item 12A" of your GLA.

**Records Location ...** This is either "Item 12B or Item 12C" of your GLA.

**Responsible Person.....** This is "Item 2" of your GLA.

**Phone and Fax No.....** These are the telephone and fax numbers for the "Contact Person" listed on your GLA.

**Note:** 25 TAC §289.251(k) and a Condition on your GLA require you to notify this agency, in writing, within 30 days of any change which renders information in the GLA no longer accurate. Please direct any such notification, when necessary, to the "**Industrial Licensing Program – GLA**" Your correspondence should also include a specific request to amend your GLA accordingly. **To expedite processing, amendment requests may be faxed to (512) 834-6690.**

#### **Label Requirements:**

Number    Explanation

**1** Self-explanatory.

**2a** Proper and legible warning/information labels are required on all devices possessed under your GLA.

**2b** If any labels were found to be missing or illegible, they must be replaced with new manufacturer-supplied labels.

#### **Testing Requirements:**

Number    Explanation

**3a** The sealed source(s) of radioactive material installed in any device possessed under your GLA must be tested for leakage/contamination at six-month intervals or at such other intervals as may be specified on the device label.

**3b** Sources found to have 0.005 µCi or more of leakage/contamination must be reported to the agency immediately. Provide the REPORT DATE for the agency notification of such leaking sources.

**4a** "On-Off" mechanisms for all devices possessed under your GLA must be periodically tested for proper operation.

**4b** Self-explanatory.

**4c** If any "On-Off" mechanisms were found to be inoperable, list the serial number of any affected device.

**4d** Any "On-Off" mechanism that fails to operate as designed must be reported to the agency within 24 hours of determining the failure. Provide the REPORT DATE for each such device.

**5a** Required testing (for leakage/contamination and proper operation of the "On-Off" mechanism) can be performed either by the GLA Holder or by a specifically licensed person. The tests must be conducted in accordance with instructions provided by the manufacturer of the device, unless performed by an entity specifically licensed to provide the service.

**5b** The General Licensee is required to maintain (for review by the agency) copies of all manufacturer instructions if the tests are performed by the General Licensee.

**Service/Repair:**

**6a** Sometimes one or more component failures require the repair or replacement of a generally-licensed device. Major servicing of these devices may not be performed by the General Licensee UNLESS specifically authorized to do so by a Condition on the GLA.

**6b** Write the name of any individual technician(s) who performed major ONSITE servicing, repairs and/or relocation of your devices. Also, name any company whose personnel performed major device servicing/repairs either onsite or at their own facility.

**7a** Records of leak testing, mechanism testing, and major servicing must be maintained for inspection by the agency.

**7b** For records described in 7a to be complete, they must include all information specified in the referenced regulation.

**8a** If there has been any failure or damage or indication of a possible failure or damage to shielding of a device authorized by the GLA, identify the devices by serial number. Please note that actual damage does not have to occur; there only has to be a significant indication of possible failure or damage to the shielding.

**8b** If the response to 8a is "Yes," any such devices must be removed from service and reported to the agency within 24 hours.

**8c** Self-explanatory.

**Device Disposition:**

**9** Self-explanatory.

**10a** Possession and control of generally-licensed sources may not be transferred to another General Licensee except under very limited circumstances. (Usually the device must be returned to the manufacturer FIRST, and then redistributed to the new General Licensee.)

**10b & c** If generally-licensed radioactive material is transferred to an entity which is not specifically licensed to receive it, this agency must be notified, in writing, of certain information within 30 days.

**11a & b** "Loss-of-control" (loss or theft) of a generally-licensed source constitutes an INCIDENT; and, specific information must be reported to this agency immediately, and also in writing within 30 days of the event.

**12a** Devices in this category could include any which have been removed from their place of installation or any which may have been purchased and delivered, but not installed.

**12b** Generally-licensed radioactive material must be physically secured against unauthorized removal from the storage/use location.

**For Portable / Mobile Devices:**

**13** Self-explanatory. (Insert "0" if no such devices are possessed.)

**14a** Assignment/Utilization Logs (check-out/check-in records) must be maintained for each portable/mobile device possessed under your GLA.

**14b** Information specified in the referenced regulation must be included on all assignment/utilization records.

**15a** Copies of appropriate operating and instruction manuals (from device manufacturer), plus any additional procedures established by the General Licensee, must be available for each portable/mobile device authorized by your GLA.

**15b** During the time that a portable/mobile device authorized by your GLA is in use at a temporary jobsite (any site not specifically listed on your GLA), the daily assignment/utilization log must be available for inspection by this agency at the jobsite.

**SIGN and DATE at the Bottom of Page 2**

Instructions for Completing Form CI-40w – Physical Inventory  
(The form is self-explanatory. It is to be completed, signed, dated, and submitted to the agency.)

**To avoid inadvertent VIOLATIONS of the regulations, the following notification requirements should be reviewed periodically by the Responsible (Contact) Person:**

<b>25 TAC §289.251(k)</b> Whenever changes result in inaccurate information being present on your GLA (Company Name, mailing address, Physical Address, or the responsible (Contact Person), etc.
<b>25 TAC §289.251(f)(4)(H)(iv)(VII)</b> Whenever any of the following is determined: radioactive source leakage/contamination > 0.005 µCi; OR failure, real or potential damage/failure involving any "on-off" mechanism or source shielding.
<b>25 TAC §289.251(f)(4)(H)(iv)(IX)</b> Whenever a device is <u>permanently</u> transferred to a Specific Licensee (not for repair & return).
<b>25 TAC §289.251(f)(4)(H)(iv)(XII)</b> Whenever a device is transferred to a General Licensee in accordance with this clause.
<b>25 TAC §289.202(xx)(1) or (2)</b> Whenever circumstances have required immediate or 24-hour notification.

In addition to the preceding, a General Licensee must also notify this agency: in writing, no less than 30 days prior to vacating a storage/use location designated on the GLA [25 TAC §289.251(j)(2)]; immediately in writing when the decision is made to terminate activities involving all generally-licensed devices and to transfer all such devices [25 TAC §289.251(j)(1)]; in writing, immediately following the filing of a voluntary or involuntary petition for bankruptcy [25 TAC §289.251(i)(3)]; immediately if an event described in 25 TAC §289.202(ww)(1)(A) occurs (i.e., the loss or theft of a source-containing device); within 30 days if an event described in 25 TAC §289.202(ww)(1)(B) occurs (i.e., the loss or theft of a source-containing device); immediately if an event described in 25 TAC §289.202(xx)(1) occurs (i.e., an INCIDENT), and within 24-hours if an event described in 25 TAC §289.202(xx)(2) occurs (i.e., an INCIDENT).