


# POSTOPERATIVE WOUND DEHISCENCE: RISK-ADJUSTED COMPLICATION RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

page=1




# POSTOPERATIVE WOUND DEHISCENCE: RISK-ADJUSTED COMPLICATION RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

page=2




# POSTOPERATIVE WOUND DEHISCENCE: RISK-ADJUSTED COMPLICATION RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

page=3




# POSTOPERATIVE WOUND DEHISCENCE: RISK-ADJUSTED COMPLICATION RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

page=4




# POSTOPERATIVE WOUND DEHISCENCE: RISK-ADJUSTED COMPLICATION RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

page=5




# POSTOPERATIVE WOUND DEHISCENCE: RISK-ADJUSTED COMPLICATION RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

page=6



# POSTOPERATIVE WOUND DEHISCENCE: RISK-ADJUSTED COMPLICATION RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

page=7




# POSTOPERATIVE WOUND DEHISCENCE: RISK-ADJUSTED COMPLICATION RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

page=8




# POSTOPERATIVE WOUND DEHISCENCE: RISK-ADJUSTED COMPLICATION RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

page=9




# POSTOPERATIVE WOUND DEHISCENCE: RISK-ADJUSTED COMPLICATION RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

page=10




# POSTOPERATIVE WOUND DEHISCENCE: RISK-ADJUSTED COMPLICATION RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

page=11




# POSTOPERATIVE WOUND DEHISCENCE: RISK-ADJUSTED COMPLICATION RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

page=12



# POSTOPERATIVE WOUND DEHISCENCE: RISK-ADJUSTED COMPLICATION RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

page=13

