

TEXAS YOUTH TOBACCO SURVEY

STATE

Prevalence of Tobacco Use among Public Middle and High School Students

Grades 6-12

SPRING 2010

**OVERALL PREVALENCE
(CURRENT / PAST 30-DAY USE)**

MIDDLE SCHOOL

<i>Current (Past 30-day) Use of ...</i>	<i>Percent</i>
Any Tobacco	11.7%
Cigarettes	8.6%
Chewing Tobacco, Snuff or Dip	4.2%
Tobacco in a Pipe	3.3%
Tobacco using a Hookah or Water pipe	3.0%
Cigars, Cigarillos or Little Cigars	7.4%

HIGH SCHOOL

<i>Current (Past 30-day) Use of ...</i>	<i>Percent</i>
Any Tobacco	27.0%
Cigarettes	19.7%
Chewing Tobacco, Snuff or Dip	9.7%
Tobacco in a Pipe	5.5%
Tobacco using a Hookah or Water pipe	8.4%
Cigars, Cigarillos or Little Cigars	16.2%

The frequencies have been weighted so that the analysis reflects
the distribution of students by grade level in the district

CURRENT USE OF ANY TOBACCO

<i>GRADE</i>	<i>Percent</i>
Grade 6	7.5%
Grade 7	11.8%
Grade 8	15.8%
Grade 9	22.8%
Grade 10	22.5%
Grade 11	28.9%
Grade 12	35.4%

<i>Sex</i>	<i>Middle School</i>	<i>High School</i>
Female	8.7%	17.9%
Male	14.7%	35.8%

<i>Race</i>	<i>Middle School</i>	<i>High School</i>
White	8.6%	30.0%
Black or African American	10.1%	21.0%
Hispanic or Latino	13.7%	25.2%

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

CURRENT USE OF CIGARETTES

<i>GRADE</i>	<i>Percent</i>
Grade 6	5.6%
Grade 7	8.6%
Grade 8	11.4%
Grade 9	16.9%
Grade 10	16.2%
Grade 11	20.5%
Grade 12	26.3%

<i>Sex</i>	<i>Middle School</i>	<i>High School</i>
Female	7.4%	14.1%
Male	9.7%	25.2%

<i>Race</i>	<i>Middle School</i>	<i>High School</i>
White	5.3%	21.2%
Black or African American	7.4%	13.1%
Hispanic or Latino	10.8%	19.7%

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

CURRENT USE OF CHEWING TOBACCO, SNUFF OR DIP

<i>GRADE</i>	<i>Percent</i>
Grade 6	3.5%
Grade 7	4.7%
Grade 8	4.4%
Grade 9	8.8%
Grade 10	7.3%
Grade 11	11.7%
Grade 12	11.2%

<i>Sex</i>	<i>Middle School</i>	<i>High School</i>
Female	1.9%	2.2%
Male	6.6%	17.2%

<i>Race</i>	<i>Middle School</i>	<i>High School</i>
White	4.2%	13.1%
Black or African American	3.2%	5.4%
Hispanic or Latino	3.3%	6.7%

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

CURRENT USE OF TOBACCO IN A PIPE

<i>GRADE</i>	<i>Percent</i>
Grade 6	2.7%
Grade 7	3.1%
Grade 8	4.2%
Grade 9	5.2%
Grade 10	5.5%
Grade 11	5.2%
Grade 12	6.2%

<i>Sex</i>	<i>Middle School</i>	<i>High School</i>
Female	2.6%	3.4%
Male	4.0%	7.7%

<i>Race</i>	<i>Middle School</i>	<i>High School</i>
White	1.9%	4.5%
Black or African American	2.6%	5.8%
Hispanic or Latino	4.0%	5.5%

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

CURRENT USE OF TOBACCO IN A HOOKAH OR WATER PIPE

<i>GRADE</i>	<i>Percent</i>
Grade 6	2.5%
Grade 7	2.8%
Grade 8	3.8%
Grade 9	6.3%
Grade 10	7.2%
Grade 11	7.9%
Grade 12	12.9%

<i>Sex</i>	<i>Middle School</i>	<i>High School</i>
Female	2.5%	6.2%
Male	3.5%	10.4%

<i>Race</i>	<i>Middle School</i>	<i>High School</i>
White	1.9%	8.7%
Black or African American	2.8%	5.5%
Hispanic or Latino	3.1%	7.9%

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

CURRENT USE OF CIGARS, CIGARILLOS OR LITTLE CIGARS

<i>GRADE</i>	<i>Percent</i>
Grade 6	4.8%
Grade 7	7.3%
Grade 8	10.2%
Grade 9	13.3%
Grade 10	13.9%
Grade 11	17.2%
Grade 12	21.3%

<i>Sex</i>	<i>Middle School</i>	<i>High School</i>
Female	5.8%	9.2%
Male	9.1%	23.0%

<i>Race</i>	<i>Middle School</i>	<i>High School</i>
White	4.0%	14.5%
Black or African American	6.9%	16.6%
Hispanic or Latino	10.0%	17.5%

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

AVAILABILITY OF TOBACCO PRODUCTS

<i>How easy is it for people your age to obtain tobacco products in your community?</i>	<i>Middle School</i>	<i>High School</i>
Very easy	13.9%	33.6%
Easy	16.9%	28.9%
Difficult	4.0%	3.6%
Very difficult	2.2%	1.3%
Don't know	62.9%	32.4%

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

TOBACCO EDUCATION AT SCHOOL

During this school year, did you practice in any of your classes ways to say no to tobacco?

	<i>Middle School</i>	<i>High School</i>
Not sure	18.0%	13.6%
No	37.8%	64.2%
Yes	44.2%	22.2%

During this school year, were you taught in any of your classes that most people your age do not smoke cigarettes?

	<i>Middle School</i>	<i>High School</i>
Not sure	25.7%	15.6%
No	45.1%	66.7%
Yes	29.2%	17.7%

During this school year, has what you have learned in school helped you feel it is okay to say no to friends who offer you cigarettes?

	<i>Middle School</i>	<i>High School</i>
Not sure	14.2%	17.3%
No	13.9%	34.4%
Yes	72.0%	48.3%

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

EXPOSURE TO ANTI-SMOKING MESSAGES

<i>During the past 12 months, have you participated in any school-based events to discourage people your age from using cigarettes, chewing tobacco, snuff, or dip?</i>	<i>Middle School</i>	<i>High School</i>
No	67.1%	81.4%
Yes	32.9%	18.6%

<i>I saw or heard an ad with a duck that said Tobacco is Foul</i>	<i>Middle School</i>	<i>High School</i>
No	79.5%	82.8%
Yes	20.5%	17.2%

<i>I saw or heard an ad that asks if tobacco is worth it</i>	<i>Middle School</i>	<i>High School</i>
No	67.4%	73.4%
Yes	32.6%	26.6%

<i>I saw an ad about the effects of smokeless tobacco</i>	<i>Middle School</i>	<i>High School</i>
No	64.4%	68.0%
Yes	35.6%	32.0%

<i>I have participated in a DUCK event where I learned different ways to say no to tobacco</i>	<i>Middle School</i>	<i>High School</i>
No	88.4%	92.1%
Yes	11.6%	7.9%

<i>Have you seen any ads for the American Cancer Society quit line (1-877-YES-QUIT)?</i>	<i>Middle School</i>	<i>High School</i>
I don't know	42.3%	35.5%
No	26.3%	35.0%
Yes	31.4%	29.5%

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

BELIEFS REGARDING HEALTH EFFECTS OF TOBACCO

<i>How dangerous do you think it is for a person your age to use - Cigarettes?</i>	<i>Middle School</i>	<i>High School</i>
Very Dangerous	65.7%	50.9%
Somewhat dangerous	24.4%	35.0%
Not Very Dangerous	7.3%	9.7%
Not Dangerous At All	2.7%	4.3%

<i>How dangerous do you think it is for a person your age to use - Cigars, Cigarillos?</i>	<i>Middle School</i>	<i>High School</i>
Very Dangerous	68.0%	49.7%
Somewhat dangerous	22.7%	33.3%
Not Very Dangerous	6.5%	11.6%
Not Dangerous At All	2.8%	5.3%

<i>How dangerous do you think it is for a person your age to use - Chewing Tobacco?</i>	<i>Middle School</i>	<i>High School</i>
Very Dangerous	69.9%	54.1%
Somewhat dangerous	20.7%	30.3%
Not Very Dangerous	6.9%	10.9%
Not Dangerous At All	2.6%	4.7%

<i>How dangerous do you think it is for a person your age to use - Dip?</i>	<i>Middle School</i>	<i>High School</i>
Very Dangerous	70.7%	54.3%
Somewhat dangerous	20.2%	29.9%
Not Very Dangerous	6.2%	10.9%
Not Dangerous At All	3.0%	4.8%

The frequencies have been weighted so that the analysis reflects
the distribution of students by grade level in the district

<i>How dangerous do you think it is for a person your age to use - Snus?</i>	<i>Middle School</i>	<i>High School</i>
Very Dangerous	72.9%	54.4%
Somewhat dangerous	18.9%	30.7%
Not Very Dangerous	5.4%	9.5%
Not Dangerous At All	2.8%	5.4%

<i>How dangerous do you think it is for a person your age to use - Alcohol?</i>	<i>Middle School</i>	<i>High School</i>
Very Dangerous	65.2%	52.4%
Somewhat dangerous	19.6%	27.1%
Not Very Dangerous	9.0%	12.0%
Not Dangerous At All	6.2%	8.5%

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

MARGINAL TABLES

How old are you?

<i>Q1</i>	<i>Frequency</i>	<i>Percent</i>
<i>11 years old or younger</i>	255	3.3
<i>12 years old</i>	961	12.4
<i>13 years old</i>	1198	15.5
<i>14 years old</i>	1109	14.3
<i>15 years old</i>	1241	16.0
<i>16 years old</i>	1157	15.0
<i>17 years old</i>	1053	13.6
<i>18 years old or older</i>	759	9.8

Frequency Missing = 15.426695121

What is your sex?

<i>Q2</i>	<i>Frequency</i>	<i>Percent</i>
<i>Female</i>	3900	51.4
<i>Male</i>	3690	48.6

Frequency Missing = 158.39983335

In what grade are you?

<i>Q3</i>	<i>Frequency</i>	<i>Percent</i>
<i>6th Grade</i>	1124	14.7
<i>7th Grade</i>	1142	15.0
<i>8th Grade</i>	1138	14.9
<i>9th Grade</i>	1214	15.9
<i>10th Grade</i>	1057	13.8
<i>11th Grade</i>	1011	13.2
<i>12th Grade</i>	947	12.4

Frequency Missing = 116.73162893

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Which one of these groups BEST describes you?

	Q4	Frequency	Percent
<i>White</i>		3329	43.7
<i>Black or African American</i>		821	10.8
<i>Hispanic or Latino</i>		2907	38.2
<i>Asian</i>		262	3.4
<i>Native Hawaiian or other Pacific Islander</i>		30	0.4
<i>American Indian or Alaska Native</i>		54	0.7
<i>Other</i>		214	2.8

Frequency Missing = 131.35314708

If you are Hispanic or Latino, would you also say that you are:

	Q4a	Frequency	Percent
<i>White</i>		1289	23.9
<i>Black or African American</i>		273	5.1
<i>Asian</i>		55	1.0
<i>Native Hawaiian or other Pacific Islander</i>		51	0.9
<i>American Indian or Alaska Native</i>		283	5.3
<i>More than one race or other</i>		802	14.9
<i>I am not Hispanic or Latino</i>		2639	48.9

Frequency Missing = 2355.1372046

On average, what grades did you get in school last year?

Q5	Frequency	Percent
<i>Mostly As</i>	2736	36.2
<i>Mostly Bs</i>	3757	49.8
<i>Mostly Cs</i>	878	11.6
<i>Mostly Ds</i>	80	1.1
<i>Mostly Fs</i>	99	1.3

Frequency Missing = 199.00284714

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

*Have you ever tried
cigarette smoking, even
one or two puffs?*

Q6	Frequency	Percent
No	4919	65.7
Yes	2569	34.3

Frequency Missing = 260.01326007

*How old were you when you smoked a whole cigarette for the
first time?*

	Q7	Frequency	Percent
<i>I have never smoked a whole cigarette</i>		5337	71.4
<i>7 years old or younger</i>		171	2.3
<i>8 or 9 years old</i>		128	1.7
<i>10 or 11 years old</i>		291	3.9
<i>12 or 13 years old</i>		558	7.5
<i>14 or 15 years old</i>		625	8.4
<i>16 or 17 years old</i>		316	4.2
<i>18 years old or older</i>		50	0.7

Frequency Missing = 272.8918794

*Have you ever smoked
cigarettes daily, that is, at
least one cigarette every
day for 30 days?*

Q8	Frequency	Percent
No	6963	91.5
Yes	647	8.5

Frequency Missing = 137.48498248

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

During the past 30 days, on how many days did you smoke cigarettes?

<i>Q9a</i>	<i>Frequency</i>	<i>Percent</i>
<i>0 days</i>	6433	85.2
<i>1 to 2 days</i>	412	5.5
<i>3 to 9 days</i>	268	3.6
<i>10 to 29 days</i>	204	2.7
<i>All 30 days</i>	230	3.0

Frequency Missing = 202.18992206

During the past 30 days, on how many days did you smoke cigarettes on school property?

<i>Q9b</i>	<i>Frequency</i>	<i>Percent</i>
<i>0 days</i>	6893	95.2
<i>1 to 2 days</i>	128	1.8
<i>3 to 9 days</i>	87	1.2
<i>10 to 29 days</i>	53	0.7
<i>All 30 days</i>	79	1.1

Frequency Missing = 507.38365225

During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

	<i>Q10</i>	<i>Frequency</i>	<i>Percent</i>
<i>I did not smoke cigarettes during the past 30 days</i>		6433	84.9
<i>Less than 1 cigarette per day</i>		294	3.9
<i>1 cigarette per day</i>		201	2.7
<i>2 to 5 cigarettes per day</i>		387	5.1
<i>6 to 10 cigarettes per day</i>		116	1.5
<i>11 to 20 cigarettes per day</i>		56	0.7
<i>More than 20 cigarettes per day</i>		87	1.1

Frequency Missing = 173.72211635

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Are the cigarettes you usually smoke menthol cigarettes?

Q11	Frequency	Percent
<i>I do not smoke cigarettes</i>	5936	78.5
<i>No</i>	859	11.4
<i>Yes</i>	763	10.1

Frequency Missing = 190.20193155

During the past 30 days, how did you usually get your own cigarettes?

	Q12	Frequency	Percent
<i>I did not smoke cigarettes during the past 30 days</i>		6191	88.7
<i>I bought them in a store such as a convenience store, supermarket, or gas station</i>		242	3.5
<i>I bought them from a vending machine</i>		42	0.6
<i>I gave someone else money to buy them for me</i>		209	3.0
<i>I borrowed them from someone else</i>		294	4.2

Frequency Missing = 770.16849579

During the past 30 days, where did you buy the last pack of cigarettes you bought?

	Q13	Frequency	Percent
<i>I did not buy a pack of cigarettes during the past 30 days</i>		6597	89.2
<i>A gas station</i>		346	4.7
<i>A convenience store</i>		126	1.7
<i>A discount store</i>		16	0.2
<i>A grocery store</i>		18	0.2
<i>A drugstore</i>		37	0.5
<i>A vending machine</i>		30	0.4
<i>I bought them over the Internet</i>		27	0.4
<i>I bought them somewhere else</i>		203	2.7

Frequency Missing = 348.5338949

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

How easy is it for people your age to obtain tobacco products in your community?

Q14	Frequency	Percent
<i>Very easy</i>	1879	24.8
<i>Easy</i>	1785	23.6
<i>Difficult</i>	288	3.8
<i>Very difficult</i>	131	1.7
<i>Don't know</i>	3491	46.1

Frequency Missing = 173.41920956

When you bought or tried to buy cigarettes in a store during the past 30 days, were you ever asked to show proof of age?

Q15a	Frequency	Percent
<i>I did not try to buy cigarettes in a store during the past 30 days</i>	6599	89.2
<i>No</i>	473	6.4
<i>Yes</i>	330	4.5

Frequency Missing = 345.92521626

When you bought or tried to buy cigarettes in a store during the past 30 days, did anyone ever refuse to sell you cigarettes because of your age?

Q15b	Frequency	Percent
<i>I did not try to buy cigarettes in a store during the past 30 days</i>	6373	88.3
<i>No</i>	599	8.3
<i>Yes</i>	242	3.4

Frequency Missing = 533.97031419

Are you planning to quit smoking cigarettes within the next 6 months?

Q16	Frequency	Percent
<i>I do not smoke now</i>	6037	93.1
<i>I have already quit</i>	451	6.9

Frequency Missing = 1260.5773167

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Do you think you would be able to quit smoking cigarettes if you wanted to?

Q17	Frequency	Percent
<i>I do not smoke now</i>	6170	100.0

Frequency Missing = 1577.8072016

How many times, if any, have you tried to quit smoking in the last 6 months?

Q18	Frequency	Percent
<i>I have not smoked in the last 6 months</i>	5686	79.8
<i>None</i>	1096	15.4
<i>1 time</i>	344	4.8

Frequency Missing = 622.56356098

During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip?

Q19a	Frequency	Percent
<i>0 Days</i>	6928	92.8
<i>1 TO 2 days</i>	163	2.2
<i>3 to 9 days</i>	135	1.8
<i>10 to 29 days</i>	79	1.1
<i>All 30 days</i>	162	2.2

Frequency Missing = 280.33427381

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

During the past 30 days, on how many days did you smoke tobacco in a pipe?

<i>Q19b</i>	<i>Frequency</i>	<i>Percent</i>
<i>0 Days</i>	7010	95.5
<i>1 TO 2 days</i>	162	2.2
<i>3 to 9 days</i>	53	0.7
<i>10 to 29 days</i>	36	0.5
<i>All 30 days</i>	80	1.1

Frequency Missing = 406.61751607

During the past 30 days, on how many days did you smoke tobacco using a hookah or a water pipe?

<i>Q19c</i>	<i>Frequency</i>	<i>Percent</i>
<i>0 Days</i>	6866	94.0
<i>1 TO 2 days</i>	194	2.7
<i>3 to 9 days</i>	119	1.6
<i>10 to 29 days</i>	46	0.6
<i>All 30 days</i>	80	1.1

Frequency Missing = 443.60392343

During the past 30 days, on how many days did you use chewing tobacco, snuff or dip on school property?

<i>Q19d</i>	<i>Frequency</i>	<i>Percent</i>
<i>0 Days</i>	6975	95.5
<i>1 TO 2 days</i>	91	1.2
<i>3 to 9 days</i>	76	1.0
<i>10 to 29 days</i>	53	0.7
<i>All 30 days</i>	111	1.5

Frequency Missing = 442.03630218

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Have you ever tried using spitless tobacco such as Skoal Dry, Camel Snus or Marlboro Snus?

Q20	Frequency	Percent
No, never heard of	2705	46.6
No	2516	43.3
Yes	584	10.1

Frequency Missing = 1944.0783626

During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

Q21	Frequency	Percent
0 Days	6568	87.7
1 TO 2 days	373	5.0
3 to 9 days	258	3.4
10 to 29 days	140	1.9
All 30 days	148	2.0

Frequency Missing = 260.84886394

What is the youngest age a person can legally buy cigarettes in Texas?

Q22	Frequency	Percent
Less than 16 years old	136	1.8
16 years old	81	1.1
17 years old	66	0.9
18 years old	5015	65.8
19 years old	57	0.7
20 years old	45	0.6
21 years old or older	569	7.5
Not sure	1649	21.6

Frequency Missing = 129.71335973

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

According to Texas law, can you be fined up to \$250 and be required to take a tobacco education course if you are less than 18 and caught in possession of tobacco products?

Q23a	Frequency	Percent
Not sure	4087	53.9
No	217	2.9
Yes	3273	43.2

Frequency Missing = 171.79357704

According to Texas law, can your driver's license be suspended if you are less than 18 and caught in possession of tobacco products?

Q23b	Frequency	Percent
Not sure	4108	54.9
No	606	8.1
Yes	2766	37.0

Frequency Missing = 267.89063058

Would the possibility of losing your driver's license if you are caught in possession of tobacco products

	Q24	Frequency	Percent
<i>Make you not want to smoke?</i>		3285	45.1
<i>Make you think about not smoking?</i>		1797	24.7
<i>Not have any impact?</i>		2199	30.2

Frequency Missing = 467.43364855

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

*Do you know anyone who
has received a ticket for
using or possessing
tobacco products?*

Q25	Frequency	Percent
No	5831	77.5
Yes	1692	22.5

Frequency Missing = 224.65378311

Do you think that you will try a cigarette soon?

Q26	Frequency	Percent
<i>I have already tried smoking cigarettes</i>	1573	20.8
No	5532	73.1
Yes	463	6.1

Frequency Missing = 180.25613509

*Do you think you will smoke a
cigarette at any time during the next
year?*

Q27a	Frequency	Percent
<i>Definitely yes</i>	609	8.1
<i>Probably yes</i>	766	10.1
<i>Probably not</i>	1132	15.0
<i>Definitely not</i>	5047	66.8

Frequency Missing = 194.12874962

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Do you think you would smoke a cigarette if one of your best friends offered you one?

Q27b	Frequency	Percent
<i>Definitely yes</i>	585	7.8
<i>Probably yes</i>	768	10.3
<i>Probably not</i>	1199	16.0
<i>Definitely not</i>	4928	65.9

Frequency Missing = 267.49812141

Do your parents or guardians know that you smoke cigarettes?

Q28	Frequency	Percent
<i>I do not smoke cigarettes</i>	5933	78.1
<i>No</i>	1092	14.4
<i>Yes</i>	571	7.5

Frequency Missing = 152.57020301

Have your parents or guardians ever told you NOT TO smoke cigarettes?

Q29	Frequency	Percent
<i>No</i>	1047	13.8
<i>Yes</i>	6515	86.2

Frequency Missing = 186.03668864

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

In the past 12 months, how often have your parents or guardians discussed the dangers of tobacco use with you?

Q30	Frequency	Percent
Never	2213	29.2
Rarely	2168	28.6
Sometimes	1907	25.1
Often	767	10.1
Very Often	536	7.1

Frequency Missing = 156.70879253

Do you think smoking can help people when they are bored?

Q31a	Frequency	Percent
Definitely yes	580	7.8
Probably yes	1169	15.7
Probably not	1506	20.2
Definitely not	4194	56.3

Frequency Missing = 299.52778209

Do you think cigarette smoking helps people relax?

Q31b	Frequency	Percent
Definitely yes	1102	14.9
Probably yes	2360	32.0
Probably not	1021	13.8
Definitely not	2891	39.2

Frequency Missing = 373.28811581

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Do you think smoking cigarettes helps people feel more comfortable at parties and in other social situations?

Q31c	Frequency	Percent
<i>Definitely yes</i>	770	10.6
<i>Probably yes</i>	2006	27.5
<i>Probably not</i>	1487	20.4
<i>Definitely not</i>	3031	41.6

Frequency Missing = 454.2769407

Do you think young people who smoke cigarettes have more friends?

Q31d	Frequency	Percent
<i>Definitely yes</i>	377	5.2
<i>Probably yes</i>	790	10.9
<i>Probably not</i>	2188	30.1
<i>Definitely not</i>	3914	53.9

Frequency Missing = 479.14116665

Do you think smoking cigarettes makes young people look cool or fit in?

Q31e	Frequency	Percent
<i>Definitely yes</i>	421	5.8
<i>Probably yes</i>	806	11.1
<i>Probably not</i>	1360	18.7
<i>Definitely not</i>	4676	64.4

Frequency Missing = 484.30783705

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Do you think smoking is a sign of being older or more grown-up?

<i>Q31f</i>	<i>Frequency</i>	<i>Percent</i>
<i>Definitely yes</i>	405	5.6
<i>Probably yes</i>	659	9.1
<i>Probably not</i>	1283	17.6
<i>Definitely not</i>	4925	67.7

Frequency Missing = 475.29069248

Do you think smoking cigarettes is good for weight control?

<i>Q31g</i>	<i>Frequency</i>	<i>Percent</i>
<i>Definitely yes</i>	308	4.3
<i>Probably yes</i>	569	7.9
<i>Probably not</i>	1700	23.8
<i>Definitely not</i>	4578	64.0

Frequency Missing = 592.66070136

Do you think the smoke from other people's cigarettes is harmful to you?

<i>Q31h</i>	<i>Frequency</i>	<i>Percent</i>
<i>Definitely yes</i>	4489	61.4
<i>Probably yes</i>	1307	17.9
<i>Probably not</i>	525	7.2
<i>Definitely not</i>	990	13.5

Frequency Missing = 436.89253495

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Do you think tobacco smoke smells and tastes horrible?

<i>Q31i</i>	<i>Frequency</i>	<i>Percent</i>
<i>Definitely yes</i>	3615	49.4
<i>Probably yes</i>	1660	22.7
<i>Probably not</i>	752	10.3
<i>Definitely not</i>	1292	17.7

Frequency Missing = 429.3125647

Which BEST describes your opinion about smoking in indoor public places?

	<i>Q32</i>	<i>Frequency</i>	<i>Percent</i>
<i>Not allowed in ANY indoor public place</i>		4380	62.0
<i>Allowed ONLY in smoking areas</i>		2442	34.6
<i>Allowed in ALL indoor places</i>		237	3.4

Frequency Missing = 689.04984986

How dangerous do you think it is for a person your age to use - Cigarettes?

<i>Q33a</i>	<i>Frequency</i>	<i>Percent</i>
<i>Very Dangerous</i>	4284	57.5
<i>Somewhat dangerous</i>	2253	30.3
<i>Not Very Dangerous</i>	644	8.7
<i>Not Dangerous At All</i>	266	3.6

Frequency Missing = 301.0262754

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

*How dangerous do you think it is for a person
your age to use - Cigars, Cigarillos?*

<i>Q33b</i>	<i>Frequency</i>	<i>Percent</i>
<i>Very Dangerous</i>	4281	57.9
<i>Somewhat dangerous</i>	2110	28.6
<i>Not Very Dangerous</i>	687	9.3
<i>Not Dangerous At All</i>	310	4.2

Frequency Missing = 359.41888808

*How dangerous do you think it is for a person
your age to use - Chewing Tobacco?*

<i>Q33c</i>	<i>Frequency</i>	<i>Percent</i>
<i>Very Dangerous</i>	4490	61.2
<i>Somewhat dangerous</i>	1910	26.0
<i>Not Very Dangerous</i>	668	9.1
<i>Not Dangerous At All</i>	275	3.7

Frequency Missing = 405.90993987

*How dangerous do you think it is for a person
your age to use - Dip?*

<i>Q33d</i>	<i>Frequency</i>	<i>Percent</i>
<i>Very Dangerous</i>	4522	61.7
<i>Somewhat dangerous</i>	1874	25.5
<i>Not Very Dangerous</i>	645	8.8
<i>Not Dangerous At All</i>	293	4.0

Frequency Missing = 413.30529255

The frequencies have been weighted so that the analysis reflects
the distribution of students by grade level in the district

*How dangerous do you think it is for a person
your age to use - Snus?*

<i>Q33e</i>	<i>Frequency</i>	<i>Percent</i>
<i>Very Dangerous</i>	4585	62.7
<i>Somewhat dangerous</i>	1861	25.4
<i>Not Very Dangerous</i>	561	7.7
<i>Not Dangerous At All</i>	308	4.2

Frequency Missing = 433.24283553

*How dangerous do you think it is for a person
your age to use - Alcohol?*

<i>Q33f</i>	<i>Frequency</i>	<i>Percent</i>
<i>Very Dangerous</i>	4294	58.1
<i>Somewhat dangerous</i>	1752	23.7
<i>Not Very Dangerous</i>	788	10.7
<i>Not Dangerous At All</i>	553	7.5

Frequency Missing = 360.78044331

It would be stupid for me to smoke

<i>Q34</i>	<i>Frequency</i>	<i>Percent</i>
<i>Definitely yes</i>	5123	70.0
<i>Probably yes</i>	1244	17.0
<i>Probably not</i>	544	7.4
<i>Definitely not</i>	413	5.6

Frequency Missing = 424.29845064

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Has a doctor or someone in a doctor's office talked to you about the dangers of tobacco use in the past 12 month?

<i>Q35a</i>	<i>Frequency</i>	<i>Percent</i>
<i>I have not visited a doctors/dentists office in the past 12 months</i>	1452	19.5
<i>No</i>	4074	54.7
<i>Yes</i>	1928	25.9

Frequency Missing = 294.13685898

Has a dentist or someone in a dentist's office talked to you about the dangers of tobacco use in the past 12 month?

<i>Q35b</i>	<i>Frequency</i>	<i>Percent</i>
<i>I have not visited a doctors/dentists office in the past 12 months</i>	1516	20.5
<i>No</i>	4320	58.3
<i>Yes</i>	1569	21.2

Frequency Missing = 342.80905187

During this school year, did you practice in any of your classes ways to say no to tobacco?

<i>Q36a</i>	<i>Frequency</i>	<i>Percent</i>
<i>Not sure</i>	1169	15.6
<i>No</i>	3930	52.4
<i>Yes</i>	2402	32.0

Frequency Missing = 247.65965107

During this school year, were you taught in any of your classes that most people your age do not smoke cigarettes?

<i>Q36BC</i>	<i>Frequency</i>	<i>Percent</i>
<i>Not sure</i>	1299	17.3
<i>No</i>	4165	55.4
<i>Yes</i>	2051	27.3

Frequency Missing = 233.84722598

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

During this school year, has what you have learned in school helped you feel it is okay to say no to friends who offer you cigarettes?

<i>Q36d</i>	<i>Frequency</i>	<i>Percent</i>
<i>Not sure</i>	1179	15.9
<i>No</i>	1872	25.2
<i>Yes</i>	4365	58.9

Frequency Missing = 333.17252438

How many of your four closest friends smoke cigarettes?

<i>Q37a</i>	<i>Frequency</i>	<i>Percent</i>
<i>None</i>	3852	51.6
<i>One</i>	839	11.2
<i>Two</i>	674	9.0
<i>Three</i>	384	5.1
<i>Four</i>	628	8.4
<i>Not sure</i>	1095	14.7

Frequency Missing = 276.15213636

How many of your four closest friends use chewing tobacco, snuff, or dip?

<i>Q37b</i>	<i>Frequency</i>	<i>Percent</i>
<i>None</i>	4811	65.0
<i>One</i>	611	8.3
<i>Two</i>	345	4.7
<i>Three</i>	208	2.8
<i>Four</i>	411	5.6
<i>Not sure</i>	1016	13.7

Frequency Missing = 345.22653459

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

How many of your four closest friends use spitless tobacco such as Skoal Dry, Camel Snus, or Marlboro Snus?

<i>Q37c</i>	<i>Frequency</i>	<i>Percent</i>
<i>None</i>	5291	71.5
<i>One</i>	349	4.7
<i>Two</i>	181	2.4
<i>Three</i>	114	1.5
<i>Four</i>	261	3.5
<i>Not sure</i>	1204	16.3

Frequency Missing = 348.27921632

During the past 7 days, on how many days were you in the same room with someone who was smoking cigarettes?

<i>Q38a</i>	<i>Frequency</i>	<i>Percent</i>
<i>0 days</i>	4247	56.7
<i>1 or 2 days</i>	1418	18.9
<i>3 or 4 days</i>	517	6.9
<i>5 or 6 days</i>	244	3.3
<i>7 days</i>	1070	14.3

Frequency Missing = 253.27439844

During the past 7 days, on how many days did you ride in a car with someone who was smoking cigarettes?

<i>Q38b</i>	<i>Frequency</i>	<i>Percent</i>
<i>0 days</i>	4683	62.8
<i>1 or 2 days</i>	1160	15.5
<i>3 or 4 days</i>	462	6.2
<i>5 or 6 days</i>	236	3.2
<i>7 days</i>	922	12.4

Frequency Missing = 284.39122947

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Besides yourself, does anyone who lives in your home smoke cigarettes now?

Q39	Frequency	Percent
No	4418	62.6
Yes	2639	37.4

Frequency Missing = 691.68922135

During the past 12 months, have you participated in any school-based events to discourage people your age from using cigarettes, chewing tobacco, snuff, or dip?

Q40	Frequency	Percent
No	5547	75.0
Yes	1849	25.0

Frequency Missing = 351.27032607

I saw or heard an ad with a duck that said Tobacco is Foul

Q41a	Frequency	Percent
No	5988	81.3
Yes	1378	18.7

Frequency Missing = 382.43532876

I saw or heard an ad that asks if tobacco is worth it

Q41b	Frequency	Percent
No	5181	70.7
Yes	2146	29.3

Frequency Missing = 420.46793152

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

I saw an ad about the effects of smokeless tobacco

Q41c	Frequency	Percent
No	4850	66.4
Yes	2456	33.6

Frequency Missing = 441.56937681

I have participated in a DUCK event where I learned different ways to say no to tobacco

Q41d	Frequency	Percent
No	6561	90.4
Yes	696	9.6

Frequency Missing = 491.67157287

Have you seen any ads for the American Cancer Society quit line (1-877-YES-QUIT)?

Q42	Frequency	Percent
<i>I don't know</i>	2832	38.5
No	2287	31.1
Yes	2229	30.3

Frequency Missing = 399.58772758

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

When you watch TV or go to the movies, how often do you see actors smoking?

	Q43	Frequency	Percent
<i>I Don't watch TV or go to the movies</i>		179	2.4
<i>Most of the time</i>		2080	28.1
<i>Some of the time</i>		3893	52.5
<i>Hardly ever</i>		917	12.4
<i>Never</i>		339	4.6

Frequency Missing = 339.12800501

When you are searching the Internet or web, how often do you see ads for tobacco products?

	Q44	Frequency	Percent
<i>I Don't search the Internet</i>		290	3.9
<i>Most of the time</i>		1029	13.9
<i>Some of the time</i>		2458	33.1
<i>Hardly ever</i>		2513	33.9
<i>Never</i>		1127	15.2

Frequency Missing = 330.91923999

When you go to a convenience store or gas station, how often do you see advertisements for cigarettes, chewing tobacco, snuff or dip?

	Q45	Frequency	Percent
<i>I never go to convenience stores or gas stations</i>		194	2.6
<i>A lot</i>		4766	64.2
<i>Sometimes</i>		1836	24.7
<i>Never</i>		624	8.4

Frequency Missing = 327.96065867

When you go to a grocery store, drug store or discount store, how often do you see advertisements for cigarettes, chewing tobacco, snuff or dip?

	Q46	Frequency	Percent
<i>I never go to grocery stores, drug stores or discount stores</i>		228	4.3

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

When you go to a grocery store, drug store or discount store, how often do you see advertisements for cigarettes, chewing tobacco, snuff or dip?

<i>Q46</i>	<i>Frequency</i>	<i>Percent</i>
<i>A lot</i>	2542	48.2
<i>Sometimes</i>	1373	26.0
<i>Never</i>	1134	21.5

Frequency Missing = 2471.8645393

During the past 12 months, did you buy or receive anything that has a tobacco company name or picture on it?

<i>Q47</i>	<i>Frequency</i>	<i>Percent</i>
<i>No</i>	5824	80.4
<i>Yes</i>	1421	19.6

Frequency Missing = 502.92769219

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district