

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Physical education and physical activity	63.6	56.0 - 70.6	127	57.2	50.9 - 63.3	183	53.0	38.7 - 66.8	45	59.0	54.4 - 63.5	355
b. Nutrition	52.8	44.6 - 60.8	127	49.9	43.3 - 56.6	181	46.3	33.1 - 60.0	45	50.5	45.7 - 55.4	353
c. Tobacco-use prevention	51.0	43.3 - 58.6	127	43.5	36.6 - 50.7	181	46.3	33.1 - 60.0	45	46.6	41.7 - 51.5	353
d. Chronic health conditions (e.g., asthma, food allergies)	48.3	40.5 - 56.2	127	35.0	28.6 - 42.1	181	45.1	32.1 - 58.7	44	41.1	36.4 - 45.9	352
e. Unintentional injury and violence prevention (safety)	48.3	40.8 - 55.9	127	37.0	30.6 - 43.9	181	41.5	29.6 - 54.4	43	41.7	37.1 - 46.4	351
f. Sexual health, including HIV, other STD, and pregnancy prevention	49.2	41.7 - 56.8	126	32.2	25.9 - 39.1	179	35.3	23.5 - 49.2	42	38.8	34.2 - 43.6	347

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	56.5	48.1 - 64.5	122	55.3	48.3 - 62.2	183	71.2	55.9 - 82.8	45	57.7	52.6 - 62.5	350
b. Physical education	56.1	47.8 - 64.2	122	62.5	55.6 - 69.0	182	73.1	59.8 - 83.2	45	61.6	56.6 - 66.2	349
c. Physical activity	55.9	47.3 - 64.1	122	55.4	48.4 - 62.2	182	66.1	52.9 - 77.1	45	56.9	51.8 - 61.7	349
d. School meal programs	48.0	39.7 - 56.4	122	43.3	36.6 - 50.3	182	59.4	47.4 - 70.3	45	46.9	42.1 - 51.8	349
e. Foods and beverages available at school outside the school meal programs	42.8	34.6 - 51.4	122	36.8	30.8 - 43.3	182	44.1	32.4 - 56.5	45	39.8	35.2 - 44.6	349
f. Health services	58.5	49.7 - 66.9	121	54.4	47.7 - 60.9	182	63.5	51.6 - 73.9	45	56.9	52.0 - 61.7	348
g. Counseling, psychological, and social services	76.8	68.9 - 83.2	121	73.4	67.6 - 78.6	181	66.1	54.5 - 76.0	45	73.7	69.5 - 77.6	347
h. Physical environment	69.2	60.8 - 76.6	121	69.6	63.2 - 75.4	181	72.1	57.2 - 83.4	44	69.8	65.0 - 74.2	346
i. Social and emotional climate	84.1	77.1 - 89.2	121	80.7	74.5 - 85.7	181	78.8	64.9 - 88.2	43	81.7	77.5 - 85.3	345
j. Family engagement	86.6	79.4 - 91.6	120	87.9	82.3 - 91.9	181	85.9	74.7 - 92.7	43	87.2	83.3 - 90.3	344
k. Community involvement	84.4	76.9 - 89.8	119	89.4	84.0 - 93.1	178	90.6	77.5 - 96.4	43	87.8	83.9 - 90.8	340
l. Employee wellness	55.9	46.7 - 64.8	118	48.7	41.9 - 55.6	175	54.8	41.8 - 67.2	43	52.0	46.9 - 57.1	336

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
56.0	48.9 - 62.8	116	52.7	45.8 - 59.5	179	63.5	49.7 - 75.5	41	55.1	50.4 - 59.7	336

*Among schools that engaged in an improvement planning process during the past year.

N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that did the following activities during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Reviewed district's local wellness policy	85.7	78.6 - 90.7	127	84.7	78.6 - 89.3	184	84.7	73.3 - 91.7	46	85.1	81.0 - 88.4	357
b. Helped revise district's local wellness policy	72.3	63.7 - 79.6	127	59.1	52.9 - 65.0	183	77.4	66.0 - 85.8	46	66.1	61.5 - 70.4	356
c. Communicated to school staff about district's local wellness policy	79.6	71.5 - 85.8	127	77.5	71.0 - 83.0	183	76.2	64.2 - 85.1	46	78.1	73.6 - 82.1	356
d. Communicated to parents and families about district's local wellness policy	74.0	65.5 - 81.1	127	67.5	60.7 - 73.6	183	76.2	64.2 - 85.1	46	70.9	66.1 - 75.2	356
e. Communicated to students about district's local wellness policy	74.3	66.3 - 81.0	127	68.2	61.4 - 74.4	183	80.9	68.6 - 89.2	46	72.0	67.3 - 76.2	356
f. Measured school's compliance with district's local wellness policy	68.1	59.3 - 75.7	127	62.2	54.7 - 69.2	182	75.3	60.9 - 85.7	45	65.9	60.7 - 70.8	354
g. Developed an action plan that describes steps to meet requirements of district's local wellness policy	61.3	52.6 - 69.3	127	58.1	50.8 - 65.1	181	70.9	55.5 - 82.6	45	60.8	55.6 - 65.8	353

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
90.2	84.3 - 94.0	129	90.6	85.7 - 93.9	186	93.5	82.1 - 97.8	46	90.8	87.6 - 93.3	361

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have one or more than one group (e.g., a school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
71.3	62.7 - 78.6	129	63.1	56.0 - 69.7	185	67.0	55.3 - 76.8	46	66.6	61.6 - 71.1	360

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identified student health needs based on a review of relevant data	83.3	74.1 - 89.7	86	78.4	69.8 - 85.1	115	89.9	73.6 - 96.6	30	81.7	76.1 - 86.1	231
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	79.2	69.4 - 86.6	86	81.9	74.2 - 87.7	115	75.4	59.2 - 86.6	30	80.1	74.7 - 84.6	231
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	61.2	49.9 - 71.4	86	51.1	42.6 - 59.6	115	59.4	43.2 - 73.8	30	55.9	49.6 - 62.1	231
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	87.4	78.9 - 92.8	86	87.1	80.4 - 91.7	115	96.6	80.9 - 99.5	30	88.4	83.9 - 91.7	231
e. Reviewed health-related curricula or instructional materials	76.2	66.5 - 83.8	86	76.9	68.3 - 83.8	115	83.2	67.4 - 92.2	30	77.4	71.7 - 82.3	231
f. Assessed the availability of physical activity opportunities for students	80.5	70.4 - 87.8	86	84.1	76.4 - 89.6	114	89.4	72.2 - 96.4	30	83.4	78.0 - 87.7	230
g. Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	48.2	38.5 - 58.0	85	40.5	31.9 - 49.7	114	62.6	49.0 - 74.4	29	46.0	40.0 - 52.1	228

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
71.1	63.0 - 78.0	121	59.1	52.5 - 65.5	185	41.0	31.6 - 51.0	45	61.1	56.5 - 65.5	351

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	82.1	74.8 - 87.6	123	82.4	76.1 - 87.2	185	73.8	58.2 - 85.1	45	81.2	76.9 - 84.9	353
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	73.1	65.8 - 79.2	118	68.9	62.3 - 74.9	184	59.6	48.1 - 70.1	44	69.2	64.7 - 73.4	346

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
47.8	40.5 - 55.1	120	21.6	16.1 - 28.2	184	14.5	9.8 - 20.9	45	29.8	25.8 - 34.2	349

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	74.7	66.8 - 81.3	122	64.7	58.0 - 70.8	186	51.8	39.6 - 63.8	45	66.6	62.0 - 71.0	353
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	94.3	88.8 - 97.2	122	93.1	89.1 - 95.8	186	84.4	70.7 - 92.4	45	92.5	89.5 - 94.7	353
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	77.0	68.9 - 83.4	121	66.7	60.1 - 72.7	186	60.1	45.6 - 73.0	45	69.5	64.8 - 73.8	352
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	52.9	44.6 - 61.1	121	37.9	31.4 - 44.8	186	39.0	25.1 - 54.9	44	43.2	38.3 - 48.2	351
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	54.3	45.6 - 62.7	121	40.8	34.6 - 47.3	185	37.7	24.5 - 53.1	43	45.1	40.4 - 50.0	349

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
99.1	94.6 - 99.9	123	96.7	93.1 - 98.5	186	100.0	†	45	97.9	95.9 - 99.0	354

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.1	89.8 - 97.8	122	99.4	96.1 - 99.9	185	97.8	86.9 - 99.7	45	97.7	95.6 - 98.8	352

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
97.6	93.1 - 99.2	123	97.9	94.9 - 99.2	184	96.1	86.4 - 99.0	45	97.6	95.6 - 98.7	352

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Sixth grade	§	§	§	98.7	95.4 - 99.7	148	100.0	†	32	98.9	96.1 - 99.7	180
b. Seventh grade	§	§	§	96.5	92.7 - 98.3	181	100.0	†	41	97.1	93.9 - 98.6	222
c. Eighth grade	§	§	§	83.0	77.1 - 87.6	175	100.0	†	41	86.0	81.2 - 89.8	216
d. Ninth grade	97.6	93.2 - 99.2	114	-	-	1	97.7	86.7 - 99.6	44	97.6	94.2 - 99.1	159
e. Tenth grade	84.7	78.5 - 89.3	107	§	§	§	83.6	71.5 - 91.2	43	84.4	79.0 - 88.6	150
f. Eleventh grade	79.3	71.5 - 85.4	104	§	§	§	78.3	64.8 - 87.7	42	79.0	72.5 - 84.4	146
g. Twelfth grade	80.0	72.1 - 86.0	102	§	§	§	78.3	64.8 - 87.7	42	79.5	73.0 - 84.8	144

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
87.7	81.2 - 92.1	121	93.7	90.9 - 95.7	181	86.6	76.1 - 93.0	45	90.7	87.9 - 92.9	347

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Goals, objectives, and expected outcomes for physical education	96.9	92.3 - 98.8	121	94.1	89.8 - 96.6	184	91.4	79.8 - 96.6	45	94.7	92.0 - 96.6	350
b. A chart describing the annual scope and sequence of instruction for physical education	87.4	81.7 - 91.5	121	84.5	79.0 - 88.7	184	79.6	68.9 - 87.3	45	84.9	81.3 - 87.9	350
c. Plans for how to assess student performance in physical education	88.9	83.2 - 92.8	121	91.9	87.5 - 94.9	184	86.6	79.7 - 91.5	45	90.2	87.3 - 92.5	350
d. A written physical education curriculum	85.3	79.6 - 89.7	121	76.6	70.9 - 81.5	184	67.1	54.7 - 77.6	45	78.5	74.7 - 81.9	350
e. Resources for fitness testing	96.7	91.9 - 98.7	121	99.0	96.3 - 99.7	184	93.3	82.1 - 97.7	45	97.5	95.4 - 98.7	350
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	71.8	63.6 - 78.7	120	68.2	62.1 - 73.7	182	54.1	41.8 - 65.9	45	67.7	63.2 - 71.9	347

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
30.9	23.4 - 39.6	121	42.0	35.4 - 49.0	183	50.8	38.7 - 62.7	45	39.2	34.5 - 44.2	349

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
54.3	45.5 - 62.8	121	67.2	61.0 - 72.8	186	56.6	45.7 - 66.9	45	61.4	56.8 - 65.9	352

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
83.5	75.6 - 89.3	121	86.8	82.0 - 90.4	186	93.2	81.3 - 97.7	44	86.4	82.7 - 89.4	351

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Before the school day	80.3	72.8 - 86.1	121	70.2	63.7 - 75.9	185	81.8	69.2 - 90.0	45	75.1	70.7 - 79.1	351
b. After the school day	91.0	84.2 - 95.0	118	85.2	79.4 - 89.6	180	93.0	87.2 - 96.3	43	88.2	84.4 - 91.1	341

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical activity or sports facilities	54.8	45.5 - 63.8	120	67.6	61.4 - 73.3	184	40.6	28.3 - 54.3	45	59.9	55.0 - 64.6	349
b. Kitchen facilities and equipment	23.4	16.9 - 31.5	118	22.6	17.2 - 29.2	183	22.1	12.4 - 36.1	45	22.8	18.8 - 27.4	346

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools			
Percent	95% Confidence Interval		Percent	95% Confidence Interval		N	Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N			Interval	N		Interval	N
100.0	†	122	97.2	93.6 - 98.8	185	100.0	†	45	98.5	96.6 - 99.4	352	

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

24. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Cigarettes	100.0	†	118	96.6	92.9 - 98.4	182	100.0	†	43	98.2	96.2 - 99.2	343
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	100.0	†	118	96.1	92.3 - 98.1	182	100.0	†	43	97.9	95.8 - 99.0	343
c. Cigars	100.0	†	117	96.0	92.1 - 98.1	179	97.6	86.1 - 99.6	42	97.6	95.4 - 98.8	338
d. Pipes	100.0	†	117	96.0	92.1 - 98.1	179	97.6	86.1 - 99.6	42	97.6	95.4 - 98.8	338
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	99.1	94.3 - 99.9	116	95.5	91.5 - 97.7	179	100.0	†	42	97.3	95.0 - 98.5	337

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

24. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	100.0	†	118	95.6	91.6 - 97.7	182	100.0	†	43	97.6	95.5 - 98.8	343
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	100.0	†	118	95.0	90.9 - 97.3	181	100.0	†	43	97.4	95.1 - 98.6	342
c. Cigars	100.0	†	117	95.0	90.8 - 97.3	179	97.6	86.1 - 99.6	42	97.0	94.7 - 98.4	338
d. Pipes	100.0	†	116	95.0	90.8 - 97.3	179	97.6	86.1 - 99.6	42	97.0	94.7 - 98.4	337
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	99.1	94.3 - 99.9	116	94.5	90.2 - 96.9	179	100.0	†	42	96.7	94.3 - 98.1	337

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

24. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	100.0	†	118	95.1	91.0 - 97.4	182	100.0	†	43	97.4	95.1 - 98.6	343
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	99.3	95.7 - 99.9	118	94.5	90.2 - 96.9	179	97.6	86.6 - 99.6	42	96.5	94.1 - 98.0	339
c. Cigars	100.0	†	117	94.5	90.2 - 96.9	179	95.2	83.9 - 98.7	42	96.5	94.0 - 97.9	338
d. Pipes	100.0	†	116	93.8	89.3 - 96.5	179	95.2	83.9 - 98.7	42	96.1	93.6 - 97.7	337
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	99.1	94.3 - 99.8	115	93.3	88.8 - 96.1	177	97.6	86.6 - 99.6	42	95.8	93.2 - 97.5	334

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	99.3	95.7 - 99.9	118	96.1	92.3 - 98.1	182	100.0	†	43	97.7	95.5 - 98.8	343
b. During non-school hours	87.3	80.7 - 91.9	118	86.3	80.6 - 90.5	179	97.6	86.1 - 99.6	42	88.0	84.3 - 90.9	339

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	99.3	95.7 - 99.9	118	93.9	89.5 - 96.5	182	100.0	†	43	96.5	94.1 - 98.0	343
b. During non-school hours	81.0	73.4 - 86.8	118	79.6	73.0 - 84.9	179	92.8	80.8 - 97.6	42	81.6	77.2 - 85.3	339

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	99.3	95.7 - 99.9	117	93.5	89.0 - 96.2	181	97.6	86.1 - 99.6	42	96.0	93.4 - 97.6	340
b. During non-school hours	80.8	73.2 - 86.6	117	80.0	73.5 - 85.2	177	90.5	77.7 - 96.3	42	81.5	77.1 - 85.2	336

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	100.0	†	117	96.6	92.9 - 98.4	181	100.0	†	43	98.2	96.2 - 99.2	341
b. Outside on school grounds, including parking lots and playing fields	99.1	94.3 - 99.9	117	96.6	92.9 - 98.4	181	100.0	†	43	97.9	95.7 - 98.9	341
c. On school buses or other vehicles used to transport students	100.0	†	117	96.6	92.7 - 98.4	178	100.0	†	42	98.2	96.1 - 99.1	337
d. At off-campus, school-sponsored events	99.3	95.7 - 99.9	117	96.6	92.7 - 98.4	178	100.0	†	42	97.9	95.8 - 99.0	337

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	100.0	†	117	96.6	92.9 - 98.4	181	100.0	†	43	98.2	96.2 - 99.2	341
b. Outside on school grounds, including parking lots and playing fields	98.2	93.5 - 99.5	117	96.6	92.7 - 98.4	178	100.0	†	42	97.5	95.3 - 98.7	337
c. On school buses or other vehicles used to transport students	100.0	†	117	96.6	92.7 - 98.4	178	100.0	†	42	98.2	96.1 - 99.1	337
d. At off-campus, school-sponsored events	96.8	92.2 - 98.7	117	94.9	90.7 - 97.3	177	95.2	83.5 - 98.7	42	95.6	93.0 - 97.3	336

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	100.0	†	116	96.1	92.2 - 98.1	181	100.0	†	43	97.9	95.8 - 99.0	340
b. Outside on school grounds, including parking lots and playing fields	98.2	93.4 - 99.5	116	94.4	90.1 - 96.9	178	95.2	83.5 - 98.7	42	95.8	93.2 - 97.5	336
c. On school buses or other vehicles used to transport students	100.0	†	116	96.0	92.1 - 98.0	178	97.6	86.1 - 99.6	42	97.6	95.4 - 98.8	336
d. At off-campus, school-sponsored events	94.9	89.4 - 97.6	115	89.5	85.1 - 92.7	177	82.9	67.9 - 91.7	41	90.6	87.4 - 93.0	333

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

26N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
75.1	67.1 - 81.8	114	71.0	64.4 - 76.8	172	73.1	60.5 - 82.8	41	72.7	68.1 - 76.9	327

*Responses to question 24 (a, b, c, and d), question 25 (a and b), and question 26 (a, b, c, and d) are all "yes."

N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
83.8	75.7 - 89.5	119	74.7	69.0 - 79.7	177	83.3	71.6 - 90.8	45	79.0	74.8 - 82.6	341

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

28. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at celebrations when foods and beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Foods or beverages are not offered at school celebrations	5.5	3.1 - 9.7	122	6.0	3.4 - 10.3	181	6.7	3.6 - 12.2	45	5.9	4.1 - 8.5	348
b. Never	0.7	0.1 - 4.1	122	5.7	3.5 - 9.4	181	0.0	†	45	3.2	2.0 - 5.3	348
c. Rarely	13.0	8.3 - 19.9	122	14.8	10.5 - 20.4	181	4.5	1.2 - 15.4	45	12.9	9.9 - 16.6	348
d. Sometimes	43.5	35.9 - 51.4	122	38.2	31.8 - 45.0	181	37.3	23.6 - 53.4	45	39.9	35.2 - 44.9	348
e. Always or almost always	37.3	30.4 - 44.8	122	35.3	29.8 - 41.2	181	51.6	36.1 - 66.7	45	38.0	33.7 - 42.5	348

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that offer fruits or non-fried vegetables in vending machines or school stores, and almost always or always at celebrations when foods and beverages are offered.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
14.5	9.3 - 22.0	119	7.2	4.5 - 11.5	180	7.1	2.4 - 19.6	45	9.8	7.1 - 13.2	344

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
73.0	65.6 - 79.4	122	51.0	44.2 - 57.7	181	49.0	34.6 - 63.5	45	58.5	53.8 - 63.1	348

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Chocolate candy	15.8	10.4 - 23.4	121	12.9	9.2 - 17.7	180	4.8	1.3 - 16.6	45	12.9	10.0 - 16.6	346
b. Other kinds of candy	18.3	12.3 - 26.4	121	15.0	11.0 - 20.0	180	7.4	2.5 - 20.2	45	15.2	12.0 - 19.1	346
c. Salty snacks that are not low in fat (e.g., regular potato chips)	25.6	19.0 - 33.5	121	22.9	17.5 - 29.2	180	20.1	11.5 - 32.9	45	23.5	19.6 - 28.0	346
d. Low sodium or "no added salt" pretzels, crackers, or chips	53.7	45.2 - 62.1	121	39.8	33.2 - 46.9	180	31.1	19.1 - 46.3	45	43.7	38.8 - 48.7	346
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	22.3	15.7 - 30.6	121	20.8	15.8 - 26.8	179	14.1	6.4 - 28.3	45	20.5	16.7 - 24.9	345
f. Ice cream or frozen yogurt that is not low in fat	21.3	15.2 - 29.0	121	16.6	11.8 - 22.7	180	15.7	7.6 - 29.5	45	18.1	14.5 - 22.4	346
g. 2% or whole milk (plain or flavored)	33.7	26.5 - 41.9	121	21.4	16.1 - 28.0	180	22.2	12.0 - 37.3	45	25.9	21.7 - 30.5	346
h. Nonfat or 1% (low-fat) milk (plain)	45.3	36.7 - 54.2	121	32.3	26.1 - 39.2	180	24.4	13.5 - 39.9	45	35.9	31.2 - 41.0	346
i. Water ices or frozen slushes that do not contain juice	19.7	14.0 - 26.9	121	19.8	14.6 - 26.3	179	9.4	3.6 - 22.3	45	18.5	14.8 - 22.8	345
j. Soda pop or fruit drinks that are not 100% juice	23.9	17.3 - 31.9	121	12.7	9.0 - 17.6	179	10.6	4.5 - 23.0	45	16.4	13.1 - 20.3	345
k. Sports drinks (e.g., Gatorade)	44.1	36.1 - 52.4	121	23.6	18.2 - 30.1	179	20.2	13.1 - 29.9	45	30.5	26.3 - 35.0	345

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
l. Energy drinks (e.g., Red Bull, Monster)	7.7	4.1 - 14.1	121	4.0	2.3 - 6.8	179	0.0	†	45	4.8	3.1 - 7.3	345
m. Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	66.1	57.7 - 73.6	121	43.2	36.9 - 49.8	179	46.7	33.1 - 60.9	45	51.7	47.0 - 56.4	345
n. Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	39.0	31.8 - 46.8	121	14.5	10.0 - 20.5	178	12.8	6.8 - 22.7	45	23.0	19.3 - 27.2	344
o. 100% fruit or vegetable juice	44.7	36.2 - 53.5	121	28.7	22.9 - 35.3	178	30.8	19.3 - 45.2	45	34.7	30.0 - 39.6	344
p. Foods or beverages containing caffeine	29.4	22.3 - 37.6	121	10.2	6.5 - 15.7	178	4.2	1.1 - 14.6	45	16.3	12.9 - 20.3	344
q. Fruits (not fruit juice)	36.2	28.4 - 44.7	121	28.1	22.0 - 35.2	177	22.2	12.0 - 37.3	45	30.2	25.7 - 35.2	343
r. Non-fried vegetables (not vegetable juice)	32.7	24.5 - 42.0	115	22.3	16.4 - 29.6	171	19.9	10.5 - 34.7	45	25.7	21.1 - 30.8	331

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	18.9	13.3 - 26.3	118	14.3	9.9 - 20.2	180	11.5	4.8 - 24.9	44	15.6	12.2 - 19.7	342
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	55.1	46.5 - 63.3	117	38.3	31.7 - 45.4	180	45.4	30.9 - 60.8	44	45.0	40.0 - 50.1	341
c. Provided information to students or families on the nutrition and caloric content of foods available	66.8	57.7 - 74.7	117	59.8	53.3 - 66.0	180	63.4	46.5 - 77.5	44	62.7	57.6 - 67.4	341
d. Conducted taste tests to determine food preferences for nutritious items	51.7	42.6 - 60.6	117	35.2	28.9 - 42.1	179	34.1	21.0 - 50.0	44	40.8	35.8 - 45.9	340
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	30.1	22.6 - 38.9	117	21.7	16.2 - 28.3	179	31.0	19.7 - 45.2	44	25.7	21.4 - 30.6	340
f. Served locally or regionally grown foods in the cafeteria or classrooms	24.0	17.6 - 31.9	117	26.8	21.4 - 33.0	179	22.5	14.2 - 33.7	44	25.3	21.4 - 29.7	340
g. Planted a school food or vegetable garden	22.9	16.2 - 31.2	117	26.7	20.8 - 33.5	179	32.1	21.7 - 44.5	44	26.0	21.8 - 30.7	340
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	80.9	72.9 - 86.9	117	79.2	72.8 - 84.5	179	71.2	57.3 - 82.0	44	78.8	74.3 - 82.7	340

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	74.7	66.2 - 81.6	117	68.0	60.7 - 74.5	179	59.8	47.6 - 71.0	44	69.3	64.3 - 73.9	340
j. Offered a self-serve salad bar to students	32.6	25.2 - 41.0	117	23.7	18.0 - 30.4	179	31.3	19.9 - 45.6	44	27.7	23.4 - 32.5	340
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	40.3	32.3 - 48.8	117	34.2	28.4 - 40.5	177	38.9	25.1 - 54.7	44	36.9	32.3 - 41.7	338
l. Encouraged students to drink plain water	79.9	73.0 - 85.4	116	78.6	71.9 - 84.1	179	77.8	63.7 - 87.5	44	79.0	74.5 - 82.8	339
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	49.9	42.3 - 57.5	117	36.7	30.3 - 43.7	178	45.4	31.7 - 59.9	44	42.4	37.7 - 47.3	339
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	40.4	32.5 - 48.9	116	33.6	27.3 - 40.5	172	37.2	24.7 - 51.6	43	36.4	31.7 - 41.4	331

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In the school building	69.1	60.8 - 76.3	121	68.0	60.9 - 74.4	179	72.9	58.4 - 83.8	44	69.0	64.0 - 73.6	344
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	58.7	50.0 - 66.8	121	65.1	58.0 - 71.7	179	68.4	52.9 - 80.6	44	63.2	58.1 - 68.1	344
c. On school buses or other vehicles used to transport students	68.2	60.2 - 75.3	121	70.7	63.4 - 77.0	179	72.9	58.4 - 83.8	44	70.1	65.1 - 74.6	344
d. In school publications (e.g., newsletters, newspapers, web sites, other school publications)	60.6	52.1 - 68.5	121	63.8	56.6 - 70.4	179	68.0	52.4 - 80.4	44	63.2	58.1 - 68.0	344
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	64.3	55.9 - 72.0	120	62.9	55.5 - 69.7	179	64.1	49.3 - 76.6	44	63.5	58.4 - 68.4	343

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	78.1	71.2 - 83.7	120	74.2	67.7 - 79.8	179	84.1	72.7 - 91.2	44	76.8	72.5 - 80.6	343
b. Yes, in certain locations	18.7	13.8 - 24.9	120	20.5	15.5 - 26.6	179	13.7	7.4 - 24.0	44	19.0	15.7 - 23.0	343
c. No	3.2	1.2 - 7.9	120	5.3	3.0 - 9.2	179	2.3	0.4 - 13.3	44	4.2	2.6 - 6.6	343

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

33N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
96.8	92.1 - 98.8	120	94.7	90.8 - 97.0	179	97.7	86.7 - 99.6	44	95.8	93.4 - 97.4	343

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cafeteria during breakfast	97.3	92.3 - 99.1	119	96.7	93.0 - 98.4	177	97.7	86.4 - 99.6	43	97.0	94.7 - 98.3	339
b. Cafeteria during lunch	97.3	92.3 - 99.1	119	96.7	93.0 - 98.4	177	97.7	86.4 - 99.6	43	97.0	94.7 - 98.3	339
c. Gymnasium or other indoor physical activity facilities	99.1	94.5 - 99.9	120	97.1	93.4 - 98.7	178	95.1	83.0 - 98.7	44	97.6	95.3 - 98.7	342
d. Outdoor physical activity facilities or sports fields	93.0	87.0 - 96.4	119	86.9	81.7 - 90.8	170	88.0	74.4 - 94.8	43	89.3	85.8 - 92.0	332
e. Hallways throughout the school	99.1	94.5 - 99.9	121	97.6	94.1 - 99.1	180	100.0	†	44	98.4	96.5 - 99.3	345

*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
83.6	76.8 - 88.7	122	81.5	76.6 - 85.6	183	56.7	44.3 - 68.3	44	79.3	75.6 - 82.6	349

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
24.5	17.8 - 32.6	122	28.2	22.0 - 35.3	182	16.7	9.1 - 28.7	43	25.5	21.3 - 30.3	347

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
24.0	16.7 - 33.1	121	23.3	17.9 - 29.7	182	9.5	3.7 - 22.2	44	21.9	17.8 - 26.6	347

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	1.4	0.4 - 4.9	120	0.0	†	181	0.0	†	44	0.5	0.1 - 1.8	345
b. HIV treatment (ongoing medical care for persons living with HIV)	0.7	0.1 - 4.2	120	0.0	†	181	0.0	†	44	0.2	0.0 - 1.5	345
c. STD testing	1.4	0.4 - 4.9	120	0.0	†	181	0.0	†	44	0.5	0.1 - 1.8	345
d. STD treatment	1.4	0.4 - 4.9	120	0.0	†	181	0.0	†	44	0.5	0.1 - 1.8	345
e. Pregnancy testing	1.4	0.4 - 4.9	120	0.7	0.1 - 4.0	180	0.0	†	44	0.8	0.3 - 2.4	344
f. Provision of condoms	1.6	0.4 - 5.7	120	0.0	†	181	0.0	†	44	0.5	0.1 - 2.0	345
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.7	0.1 - 4.3	119	0.0	†	181	0.0	†	44	0.2	0.0 - 1.5	344
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.7	0.1 - 4.3	119	0.0	†	181	2.3	0.4 - 13.3	44	0.5	0.1 - 1.9	344
i. Prenatal care	3.3	1.3 - 8.2	114	0.0	†	178	0.0	†	43	1.1	0.4 - 2.9	335

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
j. Human papillomavirus (HPV) vaccine administration	2.3	0.8 - 6.5	120	2.7	1.2 - 6.2	181	0.0	†	44	2.2	1.2 - 4.3	345
k. Assessment for alcohol or other drug use, abuse, or dependency	27.4	20.5 - 35.5	119	26.4	20.5 - 33.4	181	18.2	9.1 - 33.2	44	25.8	21.5 - 30.6	344
l. Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	84.1	77.1 - 89.3	119	86.7	81.3 - 90.7	181	84.6	70.6 - 92.6	44	85.5	81.6 - 88.7	344
m. Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	65.0	56.3 - 72.9	119	74.3	67.9 - 79.8	180	70.9	57.1 - 81.7	44	70.6	65.9 - 75.0	343
n. Case management for students with chronic health conditions (e.g., asthma, diabetes)	77.5	69.6 - 83.8	116	76.2	69.8 - 81.6	177	62.7	46.0 - 76.9	42	75.0	70.4 - 79.2	335

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	33.7	25.0 - 43.7	104	17.5	12.5 - 24.0	159	14.7	6.6 - 29.6	41	22.7	18.4 - 27.7	304
b. HIV treatment (ongoing medical care for persons living with HIV)	39.0	30.2 - 48.6	119	25.4	19.5 - 32.3	179	15.5	7.4 - 29.6	44	29.0	24.3 - 34.1	342
c. nPEP (non-occupational post-exposure prophylaxis for HIV-- a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	34.9	26.4 - 44.5	119	23.5	18.0 - 30.2	179	15.5	7.4 - 29.6	44	26.5	22.1 - 31.5	342
d. STD testing	31.7	23.5 - 41.3	101	20.0	14.5 - 27.0	159	14.7	6.6 - 29.6	41	23.3	18.9 - 28.3	301
e. STD treatment	29.6	21.6 - 39.0	102	19.1	13.7 - 25.9	162	12.5	5.4 - 26.7	40	21.8	17.6 - 26.7	304
f. Pregnancy testing	32.5	24.1 - 42.3	96	22.2	16.7 - 28.8	153	15.4	7.0 - 30.5	39	24.8	20.4 - 29.8	288
g. Provision of condoms	21.4	14.6 - 30.3	107	14.8	10.3 - 20.8	169	9.4	3.6 - 22.4	43	16.3	12.7 - 20.7	319

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
h. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	20.6	14.0 - 29.3	106	12.3	8.4 - 17.7	169	9.4	3.6 - 22.4	43	14.7	11.4 - 18.9	318
i. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	20.6	14.0 - 29.3	106	14.7	10.2 - 20.6	169	11.7	4.9 - 25.4	43	16.3	12.7 - 20.6	318
j. Prenatal care	32.8	23.8 - 43.2	93	21.1	15.9 - 27.6	155	17.5	8.5 - 32.8	40	24.4	20.0 - 29.5	288
k. Human papillomavirus (HPV) vaccine administration	41.4	32.8 - 50.6	118	29.9	23.6 - 37.0	178	17.7	8.8 - 32.4	44	32.5	27.7 - 37.6	340
l. Alcohol or other drug abuse treatment	56.7	47.7 - 65.2	118	44.3	37.7 - 51.1	178	42.2	27.7 - 58.2	43	48.4	43.3 - 53.5	339

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
70.6	62.1 - 77.9	117	68.0	61.8 - 73.6	177	67.3	53.8 - 78.4	43	68.8	64.2 - 73.1	337

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Asthma	98.2	93.4 - 99.5	119	97.9	94.8 - 99.2	180	95.4	84.2 - 98.8	44	97.7	95.6 - 98.8	343
b. Food allergies	96.6	91.5 - 98.7	119	97.4	94.1 - 98.9	180	95.4	84.2 - 98.8	44	96.9	94.5 - 98.2	343
c. Diabetes	96.6	91.6 - 98.7	119	97.4	94.1 - 98.9	180	95.4	84.2 - 98.8	44	96.9	94.6 - 98.2	343
d. Epilepsy or seizure disorder	94.1	88.3 - 97.1	119	96.7	93.1 - 98.5	180	93.2	81.3 - 97.7	44	95.4	92.7 - 97.1	343
e. Obesity	42.6	33.9 - 51.8	119	43.3	36.3 - 50.5	180	36.3	23.6 - 51.4	44	42.2	37.1 - 47.5	343
f. Hypertension/high blood pressure	74.3	65.1 - 81.7	119	75.4	68.7 - 81.0	180	66.1	53.2 - 77.0	44	73.9	69.0 - 78.2	343
g. Oral health condition (e.g., abscess, tooth decay)	49.1	40.4 - 58.0	118	44.8	37.6 - 52.1	179	30.1	18.2 - 45.5	43	44.6	39.4 - 49.8	340

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Asthma	56.3	46.8 - 65.4	119	53.4	46.0 - 60.7	179	38.3	25.7 - 52.7	44	52.6	47.2 - 57.9	342
b. Food allergies	55.4	45.8 - 64.7	119	51.7	44.3 - 59.1	179	40.6	28.4 - 54.2	44	51.7	46.2 - 57.0	342
c. Diabetes	57.0	47.5 - 66.0	119	52.8	45.3 - 60.1	179	42.9	31.0 - 55.6	44	53.1	47.7 - 58.4	342
d. Epilepsy or seizure disorder	55.4	45.8 - 64.7	119	52.8	45.3 - 60.1	179	38.3	25.7 - 52.7	44	51.9	46.5 - 57.4	342
e. Obesity	45.9	36.5 - 55.5	119	42.7	36.4 - 49.3	179	26.9	15.8 - 41.7	44	41.9	36.9 - 47.1	342
f. Hypertension/high blood pressure	54.7	45.2 - 63.9	119	51.1	43.7 - 58.3	179	36.0	24.2 - 49.9	44	50.5	45.2 - 55.9	342
g. Oral health condition (e.g., abscess, tooth decay)	54.5	45.1 - 63.6	116	50.6	43.6 - 57.7	179	31.4	19.7 - 46.1	44	49.6	44.4 - 54.9	339

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not provide any sexual or reproductive health services	79.1	70.9 - 85.5	111	87.5	81.8 - 91.6	173	83.7	69.4 - 92.1	43	84.1	79.9 - 87.6	327
b. Parental consent is required before any sexual or reproductive health services are provided	15.8	10.6 - 23.0	111	10.3	6.6 - 15.6	173	16.3	7.9 - 30.6	43	12.9	9.9 - 16.8	327
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	1.7	0.5 - 6.3	111	1.7	0.6 - 4.7	173	0.0	†	43	1.5	0.6 - 3.3	327
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	0.7	0.1 - 4.6	111	0.0	†	173	0.0	†	43	0.3	0.0 - 1.6	327
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	2.6	0.9 - 7.5	111	0.6	0.1 - 3.4	173	0.0	†	43	1.2	0.5 - 3.0	327
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	0.0	†	111	0.0	†	173	0.0	†	43	0.0	†	327

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not refer any sexual or reproductive health services	49.5	39.1 - 59.8	89	67.6	59.6 - 74.6	144	75.7	57.7 - 87.7	37	62.6	56.7 - 68.2	270
b. Parental consent is required before any sexual or reproductive health services are referred	36.4	27.3 - 46.7	89	24.9	18.5 - 32.6	144	16.2	7.2 - 32.3	37	27.6	22.6 - 33.1	270
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about referrals provided only upon request	2.5	0.7 - 8.7	89	2.0	0.7 - 5.6	144	0.0	†	37	1.9	0.8 - 4.2	270
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the referral provided	7.1	3.5 - 13.9	89	2.6	1.0 - 6.5	144	5.8	1.5 - 19.9	37	4.5	2.7 - 7.5	270
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all referrals provided	2.1	0.6 - 7.6	89	2.3	0.8 - 6.6	144	2.4	0.4 - 13.8	37	2.2	1.0 - 4.8	270
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any referrals provided	2.5	0.7 - 8.5	89	0.7	0.1 - 4.1	144	0.0	†	37	1.2	0.4 - 3.3	270

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	24.0	17.5 - 32.0	119	27.6	21.8 - 34.2	177	9.2	3.5 - 22.0	44	24.1	20.0 - 28.6	340
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	57.4	48.7 - 65.6	119	58.0	51.3 - 64.4	177	30.1	17.3 - 46.9	44	54.4	49.4 - 59.3	340
c. Involved parents as school volunteers in the delivery of health education activities and services	31.4	24.1 - 39.7	118	35.6	29.4 - 42.2	177	24.8	13.9 - 40.1	44	32.8	28.3 - 37.6	339
d. Linked parents and families to health services and programs in the community	74.3	66.4 - 80.8	118	71.3	64.7 - 77.1	174	53.3	38.9 - 67.2	44	70.1	65.4 - 74.4	336
e. Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	48.7	40.9 - 56.7	115	49.0	42.0 - 56.0	172	36.7	24.1 - 51.5	44	47.3	42.4 - 52.3	331

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
83.0	75.2 - 88.7	119	86.3	81.3 - 90.2	176	84.6	70.6 - 92.6	44	84.9	81.0 - 88.2	339

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
42.0	34.7 - 49.6	117	43.2	37.0 - 49.6	178	24.9	15.6 - 37.5	44	40.5	36.2 - 45.1	339

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
69.1	60.9 - 76.3	119	54.0	46.7 - 61.1	177	47.0	33.7 - 60.6	43	58.5	53.5 - 63.4	339

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
86.3	78.6 - 91.5	119	87.7	82.0 - 91.8	175	79.4	68.2 - 87.4	44	86.2	82.2 - 89.4	338

TEXAS

2018 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
68.6	59.1 - 76.7	119	57.1	49.8 - 64.2	176	58.5	42.8 - 72.6	44	61.4	56.0 - 66.5	339