

**TABLE VI**  
**REPORTED DISEASES BY HEALTH SERVICE REGION 2013**

DISEASE	HSR 1	HSR 2	HSR 3	HSR 4	HSR 5	HSR 6	HSR 7	HSR 8	HSR 9	HSR 10	HSR 11	TOTAL
AMEBIASIS	1	0	65	0	0	59	26	22	0	4	6	183
AMEBIC CNS	0	0	0	0	0	0	0	0	1	0	0	1
BABESIOSIS	0	0	0	0	0	0	0	1	0	0	0	1
BOTULISM, FOODBORNE	4	0	0	0	0	0	0	0	0	0	0	4
BOTULISM, INFANT <sup>1</sup>	0	0	0	2	0	1	2	1	1	0	0	7
BOTULISM, WOUND	0	0	2	0	0	0	0	0	0	0	0	2
BRUCELLOSIS	0	0	1	1	0	3	0	4	0	0	2	11
CAMPYLOBACTERIOSIS	188	38	606	26	19	444	537	384	45	56	297	2,640
CHAGAS, CHRONIC INDETERMINATE	0	0	5	0	2	2	4	3	0	0	2	18
CHAGAS, CHRONIC SYMPTOMATIC	0	0	0	0	0	0	0	1	0	0	0	1
CHICKENPOX (VARICELLA)	47	48	513	39	19	312	306	207	72	15	296	1,874
CREUTZFELDT-JAKOB DISEASE	1	0	1	1	0	4	2	2	1	0	2	14
CRYPTOSPORIDIOSIS	29	4	128	6	7	78	59	57	14	1	29	412
CYCLOSPORIASIS	1	4	183	6	2	98	28	8	11	3	7	351
CYSTICERCOSIS	0	0	3	0	0	3	0	0	0	1	0	7
DENGUE	0	3	13	0	0	12	7	7	0	1	52	95
<i>EHRlichia chaffeensis</i>	0	0	1	2	1	0	1	1	1	0	1	8
<i>ESCHERICHIA COLI</i> , SHIGA TOXIN-PRODUCING (STEC)	9	15	162	13	8	249	68	45	2	7	28	606
<i>HAEMOPHILUS INFLUENZAE</i> TYPE B, INVASIVE	1	0	0	0	0	1	0	1	2	0	0	5
HANTAVIRUS PULMONARY SYNDROME	0	0	0	0	0	1	0	0	0	0	0	1
HEMOLYTIC UREMIC SYNDROME	1	0	5	1	0	3	6	2	0	0	2	20
HEPATITIS A, ACUTE	5	3	27	5	1	30	13	15	2	3	5	109
HEPATITIS B, ACUTE	4	4	24	10	4	39	30	11	5	1	10	142
HEPATITIS B, PERINATAL <sup>2</sup> (AGE <24 MONTHS)	0	0	1	0	0	0	0	0	1	0	0	2
HEPATITIS C, ACUTE	0	4	11	1	2	4	2	4	0	0	0	28
HEPATITIS E, ACUTE	0	0	4	0	1	1	0	1	0	0	0	7
INFLUENZA-ASSOCIATED PEDIATRIC MORTALITY <sup>3</sup>	0	0	2	0	0	4	4	3	0	1	3	17
LEGIONELLOSIS	2	3	68	6	3	40	18	21	1	2	4	168
LEISHMANIASIS	0	0	5	0	0	0	5	0	1	0	0	11
LISTERIOSIS	1	0	9	1	0	6	1	2	2	0	6	28
LYME DISEASE	1	9	17	8	2	24	17	1	0	0	3	82
MALARIA	4	0	35	0	0	37	11	0	0	1	1	89
MEASLES	0	0	25	0	0	2	0	0	0	0	0	27
MENINGOCOCCAL INFECTION	2	0	13	0	2	5	2	3	0	2	1	30
MUMPS	1	0	1	0	0	6	2	3	0	0	0	13
PERTUSSIS	162	77	1,850	78	20	456	522	191	148	66	415	3,985
POLIOMYELITIS	0	0	0	0	0	0	0	1	0	0	0	1
Q FEVER, ACUTE	3	0	1	1	0	2	3	1	2	0	6	19
Q FEVER, CHRONIC	0	1	0	0	0	0	0	0	0	0	0	1
SALMONELLOSIS	150	133	1,142	196	120	1,164	793	554	83	120	491	4,946
SHIGELLOSIS	31	41	667	67	11	1,075	172	104	10	31	177	2,386
SPOTTED FEVER GP RICKETTSIOSES	0	1	7	3	2	8	8	1	0	0	53	83
ST LOUIS ENCEPHALITIS VIRUS, NEUROINVASIVE	0	0	0	0	0	0	0	0	0	0	1	1
<i>STREPTOCOCCUS</i> , GROUP A	29	5	118	20	4	100	60	37	10	1	35	419
<i>STREPTOCOCCUS</i> , GROUP B	45	19	281	30	9	239	135	138	21	12	121	1,050
<i>STREPTOCOCCUS PNEUMONIAE</i>	74	14	499	76	27	380	223	191	57	41	133	1,715
TETANUS	0	0	0	0	0	1	0	0	0	0	1	2
TULAREMIA	0	0	0	0	0	0	0	1	0	0	0	1
TYPHOID FEVER	0	0	7	0	0	4	0	1	0	0	1	13
TYPHUS, MURINE	0	0	4	0	0	20	19	5	0	0	174	222
<i>VIBRIO PARAHAEMOLYTICUS</i>	0	0	5	0	2	6	3	3	0	0	3	22
<i>VIBRIO VULNIFICUS</i>	0	0	0	2	3	11	1	3	0	0	2	22
<i>VIBRIO</i> , OTHER/UNSPECIFIED	0	1	5	0	0	19	3	5	0	0	7	40
VISA	0	1	2	1	0	0	3	1	0	0	0	8
WEST NILE FEVER	32	2	24	0	1	3	0	1	5	1	1	70
WEST NILE NEUROINVASIVE DISEASE	28	7	25	3	1	12	0	2	14	16	5	113
YERSINIOSIS	1	0	12	3	1	7	3	8	0	0	0	35

<sup>1</sup> Infant botulism rates are calculated using the HSR populations under 1 year of age.

<sup>2</sup> Perinatal hepatitis B cases are defined as infants >1 months through 24 months of age. The rates were calculated using the HSR populations under 2 years of age, which approximates this cohort.

<sup>3</sup> Influenza-associated pediatric mortality rates were calculated for the HSR populations <18 years of age.