



**FY08 Quarterly ECT Summary (All Facilities)  
for Treatments Given September 1, 2007 to November 30, 2007**

Number of patients, reported quarterly, to have received ECT: 433

<u>Race</u>	<u>Sex</u>	<u>Age</u>											
343 White	302 female	16	0	30	9	44	11	58	8	72	8	86	4
27 Black	131 male	17	0	31	6	45	8	59	5	73	5	87	0
49 Latin	433 reports reflected	18	0	32	4	46	11	60	8	74	6	88	1
11 Asian		19	3	33	6	47	8	61	13	75	2	89	0
3 Other		20	3	34	7	48	11	62	2	76	4	90	1
433 reports reflected		21	4	35	7	49	12	63	5	77	6	91	0
		22	5	36	7	50	7	64	5	78	2	92	0
<u>Hospital admission status</u>		23	1	37	6	51	3	65	10	79	2	93	0
423 voluntary patient consenting		24	3	38	8	52	13	66	6	80	3	94	1
2 involuntary patient consenting		25	8	39	9	53	6	67	4	81	0	95	0
8 guardian consenting for patient		26	3	40	11	54	11	68	6	82	2	96	0
433 reports reflected		27	1	41	4	55	15	69	5	83	1	97	0
		28	2	42	10	56	13	70	7	84	4	98	0
<u>Primary source of payment for ECT</u>		29	5	43	8	57	16	71	9	85	3	99	0
235 private 3rd party (insurer, HMO, etc)													433 reports reflected
189 public 3rd party (county, state, Medicaid, etc.)													433 reports reflected
7 own/family funds													433 reports reflected
2 other													433 reports reflected
433 reports reflected													433 reports reflected

Any of the following that occurred within fourteen (14) days of ECT

0 apnea	25 reported memory loss
0 fracture	2 death
0 cardiac arrest	1 autopsy obtained*

Avg Total Treatments administered during this reporting period

1.5	667	maintenance treatments administered
0.5	222	average maintenance treatments per month
5.2	2239	series treatments planned
4.2	1808	series treatments administered
5.7	2479	total number of ECT treatments administered

Status of series treatments

77 ongoing
141 concluded
51 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	159	205	49	18	2	n/a	0	433
2-4 weeks after ECT	123	240	48	2	0	18	2	433
<u>Level of symptom severity present</u>								
before ECT	5	40	59	246	83	n/a	0	433
2-4 weeks after ECT	53	249	98	11	0	19	3	433

\*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Summary (All Facilities)  
for Treatments Given December 1, 2007 to February 29, 2008**

Number of patients, reported quarterly, to have received ECT: 434

<u>Race</u>	<u>Sex</u>	<u>Age</u>							
357 White	301 female	16 0	30 8	44 8	58 6	72 9	86 6		
19 Black	133 male	17 0	31 3	45 12	59 8	73 3	87 0		
42 Latin	434 reports reflected	18 1	32 7	46 8	60 15	74 5	88 0		
11 Asian		19 2	33 6	47 9	61 9	75 4	89 0		
5 Other		20 3	34 10	48 14	62 2	76 5	90 1		
434 reports reflected		21 4	35 6	49 12	63 6	77 4	91 1		
		22 3	36 7	50 10	64 1	78 2	92 0		
<u>Hospital admission status</u>		23 2	37 3	51 15	65 8	79 3	93 2		
429 voluntary patient consenting		24 2	38 4	52 8	66 7	80 2	94 0		
0 involuntary patient consenting		25 3	39 7	53 12	67 3	81 1	95 0		
5 guardian consenting for patient		26 5	40 8	54 5	68 4	82 1	96 0		
434 reports reflected		27 0	41 4	55 14	69 4	83 3	97 0		
		28 3	42 10	56 15	70 7	84 2	98 0		
<u>Primary source of payment for ECT</u>		29 4	43 11	57 18	71 9	85 5	99 0		
241 private 3rd party (insurer, HMO, etc)								434 reports reflected	
186 public 3rd party (county, state, Medicaid, etc.)								reflected	
7 own/family funds									
0 other									
434 reports reflected									
<u>Any of the following that occurred within fourteen (14) days of ECT</u>									
			0 apnea			19 reported memory loss			
			0 fracture			2 death			
			0 cardiac arrest			0 autopsy obtained*			

Avg Total Treatments administered during this reporting period

1.4	610	maintenance treatments administered
0.5	203	average maintenance treatments per month
6.2	2674	series treatments planned
4.5	1954	series treatments administered
5.9	2566	total number of ECT treatments administered

Status of series treatments

71 ongoing
158 concluded
52 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	155	205	61	10	2	n/a	1	434
2-4 weeks after ECT	139	252	34	1	0	6	2	434
<u>Level of symptom severity present</u>								
before ECT	3	50	68	235	78	n/a	0	434
2-4 weeks after ECT	86	244	84	8	0	7	5	434

\*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Summary (All Facilities)  
for Treatments Given March 1, 2008 to May 31, 2008**

Number of patients, reported quarterly, to have received ECT: 438

<u>Race</u>	<u>Sex</u>	<u>Age</u>						
349 White	310 female	16 0	30 7	44 12	58 6	72 4	86 4	
27 Black	128 male	17 0	31 7	45 6	59 7	73 3	87 3	
51 Latin	438 reports reflected	18 0	32 7	46 13	60 12	74 1	88 0	
9 Asian		19 2	33 9	47 5	61 9	75 2	89 0	
2 Other		20 3	34 7	48 6	62 4	76 5	90 1	
438 reports reflected		21 4	35 7	49 13	63 3	77 5	91 0	
		22 2	36 8	50 13	64 7	78 4	92 0	
<u>Hospital admission status</u>		23 3	37 11	51 8	65 4	79 3	93 1	
427 voluntary patient consenting		24 2	38 13	52 10	66 7	80 3	94 0	
4 involuntary patient consenting		25 3	39 13	53 11	67 6	81 2	95 0	
7 guardian consenting for patient		26 2	40 6	54 11	68 1	82 0	96 0	
438 reports reflected		27 3	41 13	55 12	69 5	83 1	97 0	
		28 1	42 10	56 13	70 8	84 2	98 0	
<u>Primary source of payment for ECT</u>		29 5	43 11	57 18	71 5	85 0	99 0	
237 private 3rd party (insurer, HMO, etc)								438 reports reflected
195 public 3rd party (county, state, Medicaid, etc.)								
3 own/family funds								
3 other								
438 reports reflected								
<u>Any of the following that occurred within fourteen (14) days of ECT</u>								
			0 apnea			21 reported memory loss		
			0 fracture			0 death		
			0 cardiac arrest			0 autopsy obtained*		

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.5	669	maintenance treatments administered	
0.5	223	average maintenance treatments per month	
6.1	2683	series treatments planned	75 ongoing
4.3	1864	series treatments administered	145 concluded
5.8	2534	total number of ECT treatments administered	54 stopped

**Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578**

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 1 magnetic seizure therapy

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	138	233	48	18	1	n/a	0	438
2-4 weeks after ECT	98	284	47	1	0	6	2	438
<u>Level of symptom severity present</u>								
before ECT	3	33	69	245	88	n/a	0	438
2-4 weeks after ECT	86	241	96	7	0	5	3	438

\*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY08 Quarterly ECT Summary (All Facilities)  
for Treatments Given June 1, 2008 to August 31, 2008**

Number of patients, reported quarterly, to have received ECT: 455

<u>Race</u>	<u>Sex</u>	<u>Age</u>							
374 White	323 female	16 0	30 10	44 13	58 12	72 7	86 3		
27 Black	132 male	17 0	31 6	45 9	59 9	73 4	87 2		
41 Latin	455 reports reflected	18 0	32 9	46 6	60 5	74 4	88 0		
9 Asian		19 2	33 5	47 10	61 10	75 3	89 1		
4 Other		20 4	34 8	48 8	62 4	76 3	90 1		
455 reports reflected		21 4	35 7	49 11	63 3	77 5	91 0		
		22 3	36 5	50 13	64 4	78 6	92 1		
<u>Hospital admission status</u>									
443 voluntary patient consenting		23 7	37 8	51 6	65 5	79 3	93 0		
5 involuntary patient consenting		24 0	38 11	52 12	66 6	80 2	94 0		
7 guardian consenting for patient		25 3	39 9	53 12	67 10	81 0	95 0		
455 reports reflected		26 4	40 8	54 13	68 3	82 1	96 0		
		27 1	41 13	55 17	69 8	83 2	97 0		
		28 6	42 14	56 10	70 5	84 2	98 0		
<u>Primary source of payment for ECT</u>									
243 private 3rd party (insurer, HMO, etc)		29 5	43 10	57 13	71 5	85 1	99 0		
205 public 3rd party (county, state, Medicaid, etc.)									455 reports reflected
2 own/family funds		<u>Any of the following that occurred within fourteen (14) days of ECT</u>							
5 other		0 apnea							25 reported memory loss
455 reports reflected		0 fracture							1 death
		0 cardiac arrest							0 autopsy obtained*

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.5	692	maintenance treatments administered	
0.5	231	average maintenance treatments per month	
6.1	2787	series treatments planned	63 ongoing
4.2	1926	series treatments administered	149 concluded
5.7	2605	total number of ECT treatments administered	56 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 3 magnetic seizure therapy

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	157	230	52	6	10	n/a	0	455
2-4 weeks after ECT	142	251	55	0	0	5	2	455
<u>Level of symptom severity present</u>								
before ECT	2	42	77	237	97	n/a	0	455
2-4 weeks after ECT	67	287	80	11	0	5	5	455

\*Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.