

**Baylor All Saints Medical Center-FY13 ECT Summary
for Treatments Given September 1, 2012 to August 31, 2013**

Number of patients, reported quarterly, to have received ECT:		64 *				
<u>Race/Ethnicity</u>		Q1	Q2	Q3	Q4	Total
White/Caucasian		19	14	12	15	60
Black or African American		0	0	0	0	0
Hispanic or Latino		0	1	0	1	2
Asian		1	1	0	0	2
Other		0	0	0	0	0
Reports reflected						64
<u>Gender</u>						
Female		13	10	8	13	44
Male		7	6	4	3	20
Reports reflected						64
<u>Age</u>						
16-17		0	0	0	0	0
18-24		2	0	0	0	2
25-44		2	4	2	6	14
45-64		12	8	5	6	31
65 +		4	4	5	4	17
Reports reflected						64
<u>Hospital Admission Status</u>						
Voluntary patient consenting		20	16	12	16	64
Involuntary patient consenting		0	0	0	0	0
Guardian consenting for patient		0	0	0	0	0
Reports reflected						64
<u>Primary Source of Payment for ECT</u>						
Private 3rd party (insurer, HMO, etc)		13	10	8	13	44
Public 3rd party (county, state, Medicaid, etc)		7	6	4	3	20
Own/family funds		0	0	0	0	0
Other		0	0	0	0	0
Reports reflected						64
<u>Other Reportable Events that Occurred within 14 Days of ECT</u>						
Apnea		0	0	0	0	0
Fracture		0	0	0	0	0
Cardiac arrest		0	0	0	0	0
Reported memory loss		0	0	0	0	0
Death		0	0	0	0	0
Autopsy obtained**		0	0	0	0	0
<u>Treatments Administered during this Reporting Period</u>						
Ongoing series treatments reported		2	2	1	2	7
Concluded series treatments reported		5	2	2	4	13
Stopped series treatments reported		4	0	0	2	6
<u>Other reportable psychiatric therapies</u>						
Prolonging Remission in Depressed Elderly (PRIDE)		0	0	0	0	0

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

Baylor All Saints Medical Center-FY13 ECT Summary (Cont')
for Treatments Given September 1, 2012 to August 31, 2013

Number of patients, reported quarterly, to have received ECT:		64 *				
Total		Q1	Q2	Q3	Q4	Total
Maintenance Treatments Administered		24	23	16	16	79
Average Maintenance Treatments		8.00	7.67	5.33	5.33	6.58
Series Treatments Planned		79	48	37	111	275
Series Treatments Administered		52	25	13	89	179
Complete Series of Treatments Administered		31	12	12	63	118
Total Number of ECT Treatments Administered		76	48	29	105	258
Average						
Maintenance Treatments Administered		1.20	1.44	1.33	1.00	1.23
Average Maintenance Treatments		0.40	0.48	0.44	0.33	0.41
Series Treatments Planned		3.95	3.00	3.08	6.94	4.30
Series Treatments Administered		2.60	1.56	1.08	5.56	2.80
Complete Series of Treatments Administered		1.55	0.75	1.00	3.94	1.84
Total Number of ECT Treatments Administered		3.80	3.00	2.42	6.56	4.03
Physicians Assessment						
Level of Memory Impairment Before ECT						
None		19	15	10	1	45
Mild		1	1	2	0	4
Moderate		0	0	0	0	0
Severe		0	0	0	0	0
Extreme		0	0	0	15	15
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						64
Level of Memory Impairment 2-4 Weeks After ECT						
None		9	9	5	2	25
Mild		11	7	7	13	38
Moderate		0	0	0	1	1
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						64
Level of Symptom Severity Before ECT						
None		0	0	0	12	12
Mild		0	0	0	3	3
Moderate		0	0	0	0	0
Severe		0	1	0	0	1
Extreme		20	15	12	1	48
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						64
Level of Symptom Severity 2-4 Weeks After ECT						
None		0	1	0	2	3
Mild		11	6	9	13	39
Moderate		8	9	2	1	20
Severe		1	0	0	0	1
Extreme		0	0	1	0	1
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						64

*This number may reflect patients who have received ECT in more than one quarter this year.

**Christus Spohn Memorial Hospital-FY13 ECT Summary
for Treatments Given September 1, 2012 to August 31, 2013**

Number of patients, reported quarterly, to have received ECT:		7 *				
<u>Race/Ethnicity</u>		Q1	Q2	Q3	Q4	Total
White/Caucasian		1	2	1	0	4
Black or African American		0	0	0	0	0
Hispanic or Latino		0	1	1	1	3
Asian		0	0	0	0	0
Other		0	0	0	0	0
Reports reflected						7
<u>Gender</u>						
Female		1	3	2	1	7
Male		0	0	0	0	0
Reports reflected						7
<u>Age</u>						
16-17		0	0	0	0	0
18-24		0	0	0	0	0
25-44		0	0	1	1	2
45-64		1	3	1	0	5
65 +		0	0	0	0	0
Reports reflected						7
<u>Hospital Admission Status</u>						
Voluntary patient consenting		1	3	2	1	7
Involuntary patient consenting		0	0	0	0	0
Guardian consenting for patient		0	0	0	0	0
Reports reflected						7
<u>Primary Source of Payment for ECT</u>						
Private 3rd party (insurer, HMO, etc)		1	2	1	1	5
Public 3rd party (county, state, Medicaid, etc)		0	1	1	0	2
Own/family funds		0	0	0	0	0
Other		0	0	0	0	0
Reports reflected						7
<u>Other Reportable Events that Occurred within 14 Days of ECT</u>						
Apnea		0	0	0	0	0
Fracture		0	0	0	0	0
Cardiac arrest		0	0	0	0	0
Reported memory loss		0	0	0	0	0
Death		0	0	0	0	0
Autopsy obtained**		0	0	0	0	0
<u>Treatments Administered during this Reporting Period</u>						
Ongoing series treatments reported		1	1	0	0	2
Concluded series treatments reported		0	1	0	0	1
Stopped series treatments reported		0	1	2	1	4
<u>Other reportable psychiatric therapies</u>						
Prolonging Remission in Depressed Elderly (PRIDE)		0	0	0	0	0

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

Christus Spohn Memorial Hospital-FY13 ECT Summary (Cont')
for Treatments Given September 1, 2012 to August 31, 2013

Number of patients, reported quarterly, to have received ECT:		7 *				
Total		Q1	Q2	Q3	Q4	Total
Maintenance Treatments Administered		0	0	0	0	0
Average Maintenance Treatments		0.00	0.00	0.00	0.00	0.00
Series Treatments Planned		12	36	24	12	84
Series Treatments Administered		7	22	8	9	46
Complete Series of Treatments Administered		0	12	0	0	12
Total Number of ECT Treatments Administered		7	22	8	9	46
Average						
Maintenance Treatments Administered		0.00	0.00	0.00	0.00	0.00
Average Maintenance Treatments		0.00	0.00	0.00	0.00	0.00
Series Treatments Planned		12.00	12.00	12.00	12.00	12.00
Series Treatments Administered		7.00	7.33	4.00	9.00	6.57
Complete Series of Treatments Administered		0.00	4.00	0.00	0.00	1.71
Total Number of ECT Treatments Administered		7.00	7.33	4.00	9.00	6.57
Physicians Assessment						
Level of Memory Impairment Before ECT						
None		0	0	1	0	1
Mild		1	3	1	1	6
Moderate		0	0	0	0	0
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						7
Level of Memory Impairment 2-4 Weeks After ECT						
None		0	0	0	0	0
Mild		1	2	1	0	4
Moderate		0	1	1	1	3
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						7
Level of Symptom Severity Before ECT						
None		0	0	0	0	0
Mild		0	0	0	0	0
Moderate		0	0	0	0	0
Severe		1	2	2	0	5
Extreme		0	1	0	1	2
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						7
Level of Symptom Severity 2-4 Weeks After ECT						
None		0	0	0	0	0
Mild		0	1	1	0	2
Moderate		1	2	1	1	5
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						7

*This number may reflect patients who have received ECT in more than one quarter this year.

**Cypress Creek Hospital-FY13 ECT Summary
for Treatments Given September 1, 2012 to August 31, 2013**

Number of patients, reported quarterly, to have received ECT: 314 *		Q1	Q2	Q3	Q4	Total
<u>Race/Ethnicity</u>						
White/Caucasian		57	73	69	79	278
Black or African American		7	3	0	7	17
Hispanic or Latino		4	6	5	4	19
Asian		0	0	0	0	0
Other		0	0	0	0	0
Reports reflected						314
<u>Gender</u>						
Female		52	63	58	66	239
Male		16	19	16	24	75
Reports reflected						314
<u>Age</u>						
16-17		0	0	0	0	0
18-24		8	10	4	6	28
25-44		26	27	25	33	111
45-64		25	36	36	37	134
65 +		9	9	9	14	41
Reports reflected						314
<u>Hospital Admission Status</u>						
Voluntary patient consenting		68	82	74	90	314
Involuntary patient consenting		0	0	0	0	0
Guardian consenting for patient		0	0	0	0	0
Reports reflected						314
<u>Primary Source of Payment for ECT</u>						
Private 3rd party (insurer, HMO, etc)		41	49	27	40	157
Public 3rd party (county, state, Medicaid, etc)		26	31	45	50	152
Own/family funds		1	0	1	0	2
Other		0	2	1	0	3
Reports reflected						314
<u>Other Reportable Events that Occurred within 14 Days of ECT</u>						
Apnea		0	0	0	0	0
Fracture		0	0	0	0	0
Cardiac arrest		0	0	0	0	0
Reported memory loss		0	0	0	0	0
Death		0	0	0	0	0
Autopsy obtained**		0	0	0	0	0
<u>Treatments Administered during this Reporting Period</u>						
Ongoing series treatments reported		8	12	2	2	24
Concluded series treatments reported		24	32	36	29	121
Stopped series treatments reported		6	2	6	19	33
<u>Other reportable psychiatric therapies</u>						
Prolonging Remission in Depressed Elderly (PRIDE)		0	0	0	0	0

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

Cypress Creek Hospital-FY13 ECT Summary (Cont')
for Treatments Given September 1, 2012 to August 31, 2013

Number of patients, reported quarterly, to have received ECT:		314 *				
Total		Q1	Q2	Q3	Q4	Total
Maintenance Treatments Administered		138	139	160	184	621
Average Maintenance Treatments		46.00	46.33	53.33	61.33	51.75
Series Treatments Planned		370	473	439	575	1,857
Series Treatments Administered		220	380	334	401	1,335
Complete Series of Treatments Administered		188	309	300	304	1,101
Total Number of ECT Treatments Administered		358	519	494	585	1,956
Average						
Maintenance Treatments Administered		2.03	1.70	2.16	2.04	1.98
Average Maintenance Treatments		0.68	0.57	0.72	0.68	0.66
Series Treatments Planned		5.44	5.77	5.93	6.39	5.91
Series Treatments Administered		3.24	4.63	4.51	4.46	4.25
Complete Series of Treatments Administered		2.76	3.77	4.05	3.38	3.51
Total Number of ECT Treatments Administered		5.26	6.33	6.68	6.50	6.23
Physicians Assessment						
Level of Memory Impairment Before ECT						
None		46	36	1	44	127
Mild		22	46	72	43	183
Moderate		0	0	1	3	4
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						314
Level of Memory Impairment 2-4 Weeks After ECT						
None		7	4	0	11	22
Mild		61	78	74	72	285
Moderate		0	0	0	7	7
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						314
Level of Symptom Severity Before ECT						
None		0	0	0	0	0
Mild		0	0	0	0	0
Moderate		1	1	0	5	7
Severe		61	72	62	77	272
Extreme		6	9	12	8	35
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						314
Level of Symptom Severity 2-4 Weeks After ECT						
None		0	0	0	0	0
Mild		60	76	70	72	278
Moderate		8	6	4	17	35
Severe		0	0	0	1	1
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						314

*This number may reflect patients who have received ECT in more than one quarter this year.

**DePaul Center-FY13 ECT Summary
for Treatments Given September 1, 2012 to August 31, 2013**

Number of patients, reported quarterly, to have received ECT: 49 *						
<u>Race/Ethnicity</u>		Q1	Q2	Q3	Q4	Total
White/Caucasian		12	10	13	14	49
Black or African American		0	0	0	0	0
Hispanic or Latino		0	0	0	0	0
Asian		0	0	0	0	0
Other		0	0	0	0	0
Reports reflected						49
<u>Gender</u>						
Female		8	8	8	5	29
Male		4	2	5	9	20
Reports reflected						49
<u>Age</u>						
16-17		0	0	0	0	0
18-24		0	1	1	0	2
25-44		6	3	4	5	18
45-64		5	5	6	5	21
65 +		1	1	2	4	8
Reports reflected						49
<u>Hospital Admission Status</u>						
Voluntary patient consenting		12	10	13	14	49
Involuntary patient consenting		0	0	0	0	0
Guardian consenting for patient		0	0	0	0	0
Reports reflected						49
<u>Primary Source of Payment for ECT</u>						
Private 3rd party (insurer, HMO, etc)		6	5	7	5	23
Public 3rd party (county, state, Medicaid, etc)		6	5	6	9	26
Own/family funds		0	0	0	0	0
Other		0	0	0	0	0
Reports reflected						49
<u>Other Reportable Events that Occurred within 14 Days of ECT</u>						
Apnea		0	0	0	0	0
Fracture		0	0	0	0	0
Cardiac arrest		0	0	0	0	0
Reported memory loss		0	0	0	0	0
Death		0	0	0	0	0
Autopsy obtained**		0	0	0	0	0
<u>Treatments Administered during this Reporting Period</u>						
Ongoing series treatments reported		2	3	2	2	9
Concluded series treatments reported		3	1	2	1	7
Stopped series treatments reported		4	3	6	7	20
<u>Other reportable psychiatric therapies</u>						
Prolonging Remission in Depressed Elderly (PRIDE)		0	0	0	0	0

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

DePaul Center-FY13 ECT Summary (Cont')
for Treatments Given September 1, 2012 to August 31, 2013

Number of patients, reported quarterly, to have received ECT: 49 *						
Total		Q1	Q2	Q3	Q4	Total
Maintenance Treatments Administered		15	12	16	16	59
Average Maintenance Treatments		5.00	4.00	5.33	5.33	4.92
Series Treatments Planned		106	106	144	144	500
Series Treatments Administered		56	47	30	56	189
Complete Series of Treatments Administered		25	11	7	9	52
Total Number of ECT Treatments Administered		71	59	46	72	248
Average						
Maintenance Treatments Administered		1.25	1.20	1.23	1.14	1.20
Average Maintenance Treatments		0.42	0.40	0.41	0.38	0.40
Series Treatments Planned		8.83	10.60	11.08	10.29	10.20
Series Treatments Administered		4.67	4.70	2.31	4.00	3.86
Complete Series of Treatments Administered		2.08	1.10	0.54	0.64	1.06
Total Number of ECT Treatments Administered		5.92	5.90	3.54	5.14	5.06
Physicians Assessment						
Level of Memory Impairment Before ECT						
None		12	9	13	13	47
Mild		0	1	0	0	1
Moderate		0	0	0	1	1
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						49
Level of Memory Impairment 2-4 Weeks After ECT						
None		11	9	12	14	46
Mild		1	1	0	0	2
Moderate		0	0	1	0	1
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						49
Level of Symptom Severity Before ECT						
None		1	1	1	2	5
Mild		0	1	0	0	1
Moderate		1	2	4	2	9
Severe		9	5	6	7	27
Extreme		1	1	2	3	7
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						49
Level of Symptom Severity 2-4 Weeks After ECT						
None		1	3	3	2	9
Mild		3	0	2	1	6
Moderate		4	5	5	8	22
Severe		4	1	2	2	9
Extreme		0	1	1	1	3
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						49

*This number may reflect patients who have received ECT in more than one quarter this year.

**Green Oaks Hospital-FY13 ECT Summary
for Treatments Given September 1, 2012 to August 31, 2013**

Number of patients, reported quarterly, to have received ECT:		242 *				
<u>Race/Ethnicity</u>		Q1	Q2	Q3	Q4	Total
White/Caucasian		43	53	57	57	210
Black or African American		3	4	1	2	10
Hispanic or Latino		4	1	3	4	12
Asian		3	2	2	2	9
Other		0	0	1	0	1
Reports reflected						242
<u>Gender</u>						
Female		33	39	46	45	163
Male		20	21	18	20	79
Reports reflected						242
<u>Age</u>						
16-17		0	0	0	0	0
18-24		2	3	3	4	12
25-44		8	16	20	19	63
45-64		35	34	30	33	132
65 +		8	7	11	9	35
Reports reflected						242
<u>Hospital Admission Status</u>						
Voluntary patient consenting		53	60	64	65	242
Involuntary patient consenting		0	0	0	0	0
Guardian consenting for patient		0	0	0	0	0
Reports reflected						242
<u>Primary Source of Payment for ECT</u>						
Private 3rd party (insurer, HMO, etc)		33	37	40	35	145
Public 3rd party (county, state, Medicaid, etc)		19	21	24	30	94
Own/family funds		0	2	0	0	2
Other		1	0	0	0	1
Reports reflected						242
<u>Other Reportable Events that Occurred within 14 Days of ECT</u>						
Apnea		0	0	0	0	0
Fracture		0	0	0	0	0
Cardiac arrest		0	0	0	0	0
Reported memory loss		0	0	0	0	0
Death		0	0	0	0	0
Autopsy obtained**		0	0	0	0	0
<u>Treatments Administered during this Reporting Period</u>						
Ongoing series treatments reported		2	5	8	2	17
Concluded series treatments reported		31	28	28	33	120
Stopped series treatments reported		2	6	5	5	18
<u>Other reportable psychiatric therapies</u>						
Prolonging Remission in Depressed Elderly (PRIDE)		0	0	0	0	0

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

Green Oaks Hospital-FY13 ECT Summary (Cont')
for Treatments Given September 1, 2012 to August 31, 2013

Number of patients, reported quarterly, to have received ECT: 242 *						
Total		Q1	Q2	Q3	Q4	Total
Maintenance Treatments Administered		93	157	115	183	548
Average Maintenance Treatments		31.00	52.33	38.33	61.00	45.67
Series Treatments Planned		270	382	391	427	1,470
Series Treatments Administered		220	287	322	359	1,188
Complete Series of Treatments Administered		202	235	266	326	1,029
Total Number of ECT Treatments Administered		313	444	437	542	1,736
Average						
Maintenance Treatments Administered		1.75	2.62	1.80	2.82	2.26
Average Maintenance Treatments		0.58	0.87	0.60	0.94	0.75
Series Treatments Planned		5.09	6.37	6.11	6.57	6.07
Series Treatments Administered		4.15	4.78	5.03	5.52	4.91
Complete Series of Treatments Administered		3.81	3.92	4.16	5.02	4.25
Total Number of ECT Treatments Administered		5.91	7.40	6.83	8.34	7.17
Physicians Assessment						
Level of Memory Impairment Before ECT						
None		52	40	43	60	195
Mild		1	19	18	5	43
Moderate		0	1	3	0	4
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						242
Level of Memory Impairment 2-4 Weeks After ECT						
None		30	25	24	39	118
Mild		23	26	33	19	101
Moderate		0	8	7	7	22
Severe		0	1	0	0	1
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						242
Level of Symptom Severity Before ECT						
None		0	0	0	0	0
Mild		0	3	0	0	3
Moderate		0	6	0	8	14
Severe		41	33	38	36	148
Extreme		12	18	26	21	77
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						242
Level of Symptom Severity 2-4 Weeks After ECT						
None		1	8	5	9	23
Mild		40	38	32	39	149
Moderate		12	13	24	17	66
Severe		0	1	2	0	3
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	1	0	1
Reports Reflected						242

*This number may reflect patients who have received ECT in more than one quarter this year.

**Las Palmas Medical Center-FY13 ECT Summary
for Treatments Given September 1, 2012 to August 31, 2013**

Number of patients, reported quarterly, to have received ECT:		6 *				
<u>Race/Ethnicity</u>		Q1	Q2	Q3	Q4	Total
White/Caucasian		2	3	0	0	5
Black or African American		0	0	0	0	0
Hispanic or Latino		1	0	0	0	1
Asian		0	0	0	0	0
Other		0	0	0	0	0
Reports reflected						6
<u>Gender</u>						
Female		3	2	0	0	5
Male		0	1	0	0	1
Reports reflected						6
<u>Age</u>						
16-17		0	0	0	0	0
18-24		0	0	0	0	0
25-44		1	1	0	0	2
45-64		1	1	0	0	2
65 +		1	1	0	0	2
Reports reflected						6
<u>Hospital Admission Status</u>						
Voluntary patient consenting		3	3	0	0	6
Involuntary patient consenting		0	0	0	0	0
Guardian consenting for patient		0	0	0	0	0
Reports reflected						6
<u>Primary Source of Payment for ECT</u>						
Private 3rd party (insurer, HMO, etc)		0	1	0	0	1
Public 3rd party (county, state, Medicaid, etc)		3	2	0	0	5
Own/family funds		0	0	0	0	0
Other		0	0	0	0	0
Reports reflected						6
<u>Other Reportable Events that Occurred within 14 Days of ECT</u>						
Apnea		0	0	0	0	0
Fracture		0	0	0	0	0
Cardiac arrest		0	0	0	0	0
Reported memory loss		0	0	0	0	0
Death		0	0	0	0	0
Autopsy obtained**		0	0	0	0	0
<u>Treatments Administered during this Reporting Period</u>						
Ongoing series treatments reported		0	3	0	0	3
Concluded series treatments reported		0	0	0	0	0
Stopped series treatments reported		3	0	0	0	3
<u>Other reportable psychiatric therapies</u>						
Prolonging Remission in Depressed Elderly (PRIDE)		0	0	0	0	0

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

Las Palmas Medical Center-FY13 ECT Summary (Cont')
for Treatments Given September 1, 2012 to August 31, 2013

Number of patients, reported quarterly, to have received ECT:		6 *				
<u>Total</u>		<u>Q1</u>	<u>Q2</u>	<u>Q3</u>	<u>Q4</u>	<u>Total</u>
Maintenance Treatments Administered		0	0	0	0	0
Average Maintenance Treatments		0.00	0.00	0.00	0.00	0.00
Series Treatments Planned		42	36	0	0	78
Series Treatments Administered		21	17	0	0	38
Complete Series of Treatments Administered		0	0	0	0	0
Total Number of ECT Treatments Administered		21	17	0	0	38
<u>Average</u>						
Maintenance Treatments Administered		0.00	0.00	0.00	0.00	0.00
Average Maintenance Treatments		0.00	0.00	0.00	0.00	0.00
Series Treatments Planned		14.00	12.00	0.00	0.00	13.00
Series Treatments Administered		7.00	5.67	0.00	0.00	6.33
Complete Series of Treatments Administered		0.00	0.00	0.00	0.00	0.00
Total Number of ECT Treatments Administered		7.00	5.67	0.00	0.00	6.33
<u>Physicians Assessment</u>						
Level of Memory Impairment Before ECT						
None		0	0	0	0	0
Mild		2	0	0	0	2
Moderate		1	1	0	0	2
Severe		0	2	0	0	2
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						6
Level of Memory Impairment 2-4 Weeks After ECT						
None		0	0	0	0	0
Mild		3	3	0	0	6
Moderate		0	0	0	0	0
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						6
Level of Symptom Severity Before ECT						
None		0	0	0	0	0
Mild		0	0	0	0	0
Moderate		2	0	0	0	2
Severe		1	2	0	0	3
Extreme		0	1	0	0	1
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						6
Level of Symptom Severity 2-4 Weeks After ECT						
None		1	1	0	0	2
Mild		0	2	0	0	2
Moderate		2	0	0	0	2
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						6

*This number may reflect patients who have received ECT in more than one quarter this year.

**Laurel Ridge Hospital-FY13 ECT Summary
for Treatments Given September 1, 2012 to August 31, 2013**

Number of patients, reported quarterly, to have received ECT: 260 *						
<u>Race/Ethnicity</u>		Q1	Q2	Q3	Q4	Total
White/Caucasian		52	53	43	53	201
Black or African American		1	1	3	5	10
Hispanic or Latino		9	11	15	14	49
Asian		0	0	0	0	0
Other		0	0	0	0	0
Reports reflected						260
<u>Gender</u>						
Female		39	47	47	49	182
Male		23	18	14	23	78
Reports reflected						260
<u>Age</u>						
16-17		0	0	0	0	0
18-24		6	8	6	7	27
25-44		25	23	24	29	101
45-64		24	25	23	28	100
65 +		7	9	8	8	32
Reports reflected						260
<u>Hospital Admission Status</u>						
Voluntary patient consenting		62	65	61	72	260
Involuntary patient consenting		0	0	0	0	0
Guardian consenting for patient		0	0	0	0	0
Reports reflected						260
<u>Primary Source of Payment for ECT</u>						
Private 3rd party (insurer, HMO, etc)		43	45	40	43	171
Public 3rd party (county, state, Medicaid, etc)		19	19	21	28	87
Own/family funds		0	1	0	1	2
Other		0	0	0	0	0
Reports reflected						260
<u>Other Reportable Events that Occurred within 14 Days of ECT</u>						
Apnea		0	0	0	0	0
Fracture		0	0	0	0	0
Cardiac arrest		0	0	0	0	0
Reported memory loss		3	0	0	0	3
Death		0	0	0	0	0
Autopsy obtained**		0	0	0	0	0
<u>Treatments Administered during this Reporting Period</u>						
Ongoing series treatments reported		11	11	8	15	45
Concluded series treatments reported		14	13	11	12	50
Stopped series treatments reported		8	6	13	11	38
<u>Other reportable psychiatric therapies</u>						
Prolonging Remission in Depressed Elderly (PRIDE)		0	0	0	0	0

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

Laurel Ridge Hospital-FY13 ECT Summary (Cont')
for Treatments Given September 1, 2012 to August 31, 2013

Number of patients, reported quarterly, to have received ECT:		260 *				
Total		Q1	Q2	Q3	Q4	Total
Maintenance Treatments Administered		170	186	172	207	735
Average Maintenance Treatments		56.67	62.00	57.33	69.00	61.25
Series Treatments Planned		389	360	384	456	1,589
Series Treatments Administered		241	209	212	243	905
Complete Series of Treatments Administered		120	95	93	115	423
Total Number of ECT Treatments Administered		411	395	384	450	1,640
Average						
Maintenance Treatments Administered		2.74	2.86	2.82	2.88	2.83
Average Maintenance Treatments		0.91	0.95	0.94	0.96	0.94
Series Treatments Planned		6.27	5.54	6.30	6.33	6.11
Series Treatments Administered		3.89	3.22	3.48	3.38	3.48
Complete Series of Treatments Administered		1.94	1.46	1.52	1.60	1.63
Total Number of ECT Treatments Administered		6.63	6.08	6.30	6.25	6.31
Physicians Assessment						
Level of Memory Impairment Before ECT						
None		27	35	20	49	131
Mild		35	29	37	23	124
Moderate		0	1	4	0	5
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						260
Level of Memory Impairment 2-4 Weeks After ECT						
None		19	29	13	42	103
Mild		42	34	43	30	149
Moderate		1	2	5	0	8
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						260
Level of Symptom Severity Before ECT						
None		0	0	0	0	0
Mild		21	32	24	40	117
Moderate		31	27	31	31	120
Severe		10	6	6	1	23
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						260
Level of Symptom Severity 2-4 Weeks After ECT						
None		0	0	1	0	1
Mild		44	58	41	68	211
Moderate		16	7	17	4	44
Severe		2	0	2	0	4
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						260

*This number may reflect patients who have received ECT in more than one quarter this year.

**The Methodist Hospital-FY13 ECT Summary
for Treatments Given September 1, 2012 to August 31, 2013**

Number of patients, reported quarterly, to have received ECT:		93 *				
<u>Race/Ethnicity</u>		Q1	Q2	Q3	Q4	Total
White/Caucasian		18	21	20	23	82
Black or African American		1	0	0	0	1
Hispanic or Latino		2	2	2	2	8
Asian		0	0	0	2	2
Other		0	0	0	0	0
Reports reflected						93
<u>Gender</u>						
Female		12	12	14	15	53
Male		9	11	8	12	40
Reports reflected						93
<u>Age</u>						
16-17		1	1	1	0	3
18-24		1	0	0	0	1
25-44		1	6	7	7	21
45-64		9	1	4	7	21
65 +		9	15	10	13	47
Reports reflected						93
<u>Hospital Admission Status</u>						
Voluntary patient consenting		21	23	22	27	93
Involuntary patient consenting		0	0	0	0	0
Guardian consenting for patient		0	0	0	0	0
Reports reflected						93
<u>Primary Source of Payment for ECT</u>						
Private 3rd party (insurer, HMO, etc)		16	17	16	22	71
Public 3rd party (county, state, Medicaid, etc)		5	6	5	4	20
Own/family funds		0	0	0	0	0
Other		0	0	1	1	2
Reports reflected						93
<u>Other Reportable Events that Occurred within 14 Days of ECT</u>						
Apnea		0	0	0	0	0
Fracture		0	0	0	0	0
Cardiac arrest		0	0	0	0	0
Reported memory loss		0	0	0	0	0
Death		0	0	0	0	0
Autopsy obtained**		0	0	0	0	0
<u>Treatments Administered during this Reporting Period</u>						
Ongoing series treatments reported		1	4	1	3	9
Concluded series treatments reported		13	9	10	12	44
Stopped series treatments reported		1	1	0	1	3
<u>Other reportable psychiatric therapies</u>						
Prolonging Remission in Depressed Elderly (PRIDE)		0	0	0	0	0

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

The Methodist Hospital-FY13 ECT Summary (Cont')
for Treatments Given September 1, 2012 to August 31, 2013

Number of patients, reported quarterly, to have received ECT:		93 *				
Total		Q1	Q2	Q3	Q4	Total
Maintenance Treatments Administered		19	14	28	33	94
Average Maintenance Treatments		6.33	4.67	9.33	11.00	7.83
Series Treatments Planned		127	107	80	145	459
Series Treatments Administered		118	79	61	122	380
Complete Series of Treatments Administered		109	60	56	103	328
Total Number of ECT Treatments Administered		137	93	89	155	474
Average						
Maintenance Treatments Administered		0.90	0.61	1.27	1.22	1.01
Average Maintenance Treatments		0.30	0.20	0.42	0.41	0.33
Series Treatments Planned		6.05	4.65	3.64	5.37	4.94
Series Treatments Administered		5.62	3.43	2.77	4.52	4.09
Complete Series of Treatments Administered		5.19	2.61	2.55	3.81	3.53
Total Number of ECT Treatments Administered		6.52	4.04	4.05	5.74	5.10
Physicians Assessment						
Level of Memory Impairment Before ECT						
None		13	0	16	19	48
Mild		8	3	5	8	24
Moderate		0	3	1	0	4
Severe		0	14	0	0	14
Extreme		0	3	0	0	3
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						93
Level of Memory Impairment 2-4 Weeks After ECT						
None		3	6	9	4	22
Mild		16	15	9	21	61
Moderate		2	2	4	2	10
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						93
Level of Symptom Severity Before ECT						
None		0	8	0	0	8
Mild		0	13	0	1	14
Moderate		1	0	2	1	4
Severe		10	2	18	16	46
Extreme		10	0	2	9	21
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						93
Level of Symptom Severity 2-4 Weeks After ECT						
None		5	4	6	6	21
Mild		15	17	15	19	66
Moderate		1	2	1	1	5
Severe		0	0	0	1	1
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						93

*This number may reflect patients who have received ECT in more than one quarter this year.

**Methodist Richardson Medical Center-FY13 ECT Summary
for Treatments Given September 1, 2012 to August 31, 2013**

Number of patients, reported quarterly, to have received ECT:		54 *				
<u>Race/Ethnicity</u>		Q1	Q2	Q3	Q4	Total
White/Caucasian		6	9	15	17	47
Black or African American		0	2	2	1	5
Hispanic or Latino		0	0	0	2	2
Asian		0	0	0	0	0
Other		0	0	0	0	0
Reports reflected						54
<u>Gender</u>						
Female		4	10	11	14	39
Male		2	1	6	6	15
Reports reflected						54
<u>Age</u>						
16-17		0	0	0	0	0
18-24		0	0	1	1	2
25-44		4	3	6	9	22
45-64		2	8	9	10	29
65 +		0	0	1	0	1
Reports reflected						54
<u>Hospital Admission Status</u>						
Voluntary patient consenting		6	11	17	20	54
Involuntary patient consenting		0	0	0	0	0
Guardian consenting for patient		0	0	0	0	0
Reports reflected						54
<u>Primary Source of Payment for ECT</u>						
Private 3rd party (insurer, HMO, etc)		6	10	15	17	48
Public 3rd party (county, state, Medicaid, etc)		0	1	2	2	5
Own/family funds		0	0	0	1	1
Other		0	0	0	0	0
Reports reflected						54
<u>Other Reportable Events that Occurred within 14 Days of ECT</u>						
Apnea		0	0	0	0	0
Fracture		0	0	0	0	0
Cardiac arrest		0	0	0	0	0
Reported memory loss		5	10	11	16	42
Death		0	0	0	0	0
Autopsy obtained**		0	0	0	0	0
<u>Treatments Administered during this Reporting Period</u>						
Ongoing series treatments reported		0	3	2	3	8
Concluded series treatments reported		5	5	12	12	34
Stopped series treatments reported		1	2	1	0	4
<u>Other reportable psychiatric therapies</u>						
Prolonging Remission in Depressed Elderly (PRIDE)		0	0	0	0	0

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

Methodist Richardson Medical Center-FY13 ECT Summary (Cont')
for Treatments Given September 1, 2012 to August 31, 2013

Number of patients, reported quarterly, to have received ECT:		54 *				
<u>Total</u>		<u>Q1</u>	<u>Q2</u>	<u>Q3</u>	<u>Q4</u>	<u>Total</u>
Maintenance Treatments Administered		7	8	26	15	56
Average Maintenance Treatments		2.33	2.67	8.67	5.00	4.67
Series Treatments Planned		66	90	153	147	456
Series Treatments Administered		56	62	128	127	373
Complete Series of Treatments Administered		49	39	110	111	309
Total Number of ECT Treatments Administered		63	70	154	142	429
<u>Average</u>						
Maintenance Treatments Administered		1.17	0.73	1.53	0.75	1.04
Average Maintenance Treatments		0.39	0.24	0.51	0.25	0.35
Series Treatments Planned		11.00	8.18	9.00	7.35	8.44
Series Treatments Administered		9.33	5.64	7.53	6.35	6.91
Complete Series of Treatments Administered		8.17	3.55	6.47	5.55	5.72
Total Number of ECT Treatments Administered		10.50	6.36	9.06	7.10	7.94
<u>Physicians Assessment</u>						
Level of Memory Impairment Before ECT						
None		1	0	0	0	1
Mild		5	5	15	19	44
Moderate		0	6	2	1	9
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						54
Level of Memory Impairment 2-4 Weeks After ECT						
None		1	0	0	0	1
Mild		3	7	6	11	27
Moderate		2	4	11	9	26
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						54
Level of Symptom Severity Before ECT						
None		0	0	0	0	0
Mild		0	0	0	0	0
Moderate		2	0	0	0	2
Severe		4	11	17	20	52
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						54
Level of Symptom Severity 2-4 Weeks After ECT						
None		0	0	1	0	1
Mild		4	4	10	12	30
Moderate		2	7	6	8	23
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						54

*This number may reflect patients who have received ECT in more than one quarter this year.

**Methodist Specialty & Transplant Hospital-FY13 ECT Summary
for Treatments Given September 1, 2012 to August 31, 2013**

Number of patients, reported quarterly, to have received ECT:		188 *				
<u>Race/Ethnicity</u>		Q1	Q2	Q3	Q4	Total
White/Caucasian		31	32	36	29	128
Black or African American		3	3	3	5	14
Hispanic or Latino		15	10	9	10	44
Asian		1	1	0	0	2
Other		0	0	0	0	0
Reports reflected						188
<u>Gender</u>						
Female		40	39	39	34	152
Male		10	7	9	10	36
Reports reflected						188
<u>Age</u>						
16-17		0	0	0	0	0
18-24		2	2	2	2	8
25-44		9	9	9	11	38
45-64		27	22	22	19	90
65 +		12	13	15	12	52
Reports reflected						188
<u>Hospital Admission Status</u>						
Voluntary patient consenting		50	46	48	44	188
Involuntary patient consenting		0	0	0	0	0
Guardian consenting for patient		0	0	0	0	0
Reports reflected						188
<u>Primary Source of Payment for ECT</u>						
Private 3rd party (insurer, HMO, etc)		18	20	18	13	69
Public 3rd party (county, state, Medicaid, etc)		32	24	29	29	114
Own/family funds		0	1	0	0	1
Other		0	1	1	2	4
Reports reflected						188
<u>Other Reportable Events that Occurred within 14 Days of ECT</u>						
Apnea		0	0	0	0	0
Fracture		0	0	0	0	0
Cardiac arrest		0	0	0	0	0
Reported memory loss		0	0	0	0	0
Death		0	0	0	0	0
Autopsy obtained**		0	0	0	0	0
<u>Treatments Administered during this Reporting Period</u>						
Ongoing series treatments reported		3	3	1	3	10
Concluded series treatments reported		24	15	24	18	81
Stopped series treatments reported		1	3	6	8	18
<u>Other reportable psychiatric therapies</u>						
Prolonging Remission in Depressed Elderly (PRIDE)		0	0	0	0	0

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

Methodist Specialty & Transplant Hospital-FY13 ECT Summary (Cont')
for Treatments Given September 1, 2012 to August 31, 2013

Number of patients, reported quarterly, to have received ECT:		188 *				
Total		Q1	Q2	Q3	Q4	Total
Maintenance Treatments Administered		109	89	68	61	327
Average Maintenance Treatments		36.33	29.67	22.67	20.33	27.25
Series Treatments Planned		226	182	234	187	829
Series Treatments Administered		197	145	189	145	676
Complete Series of Treatments Administered		179	115	172	113	579
Total Number of ECT Treatments Administered		306	234	257	206	1,003
Average						
Maintenance Treatments Administered		2.18	1.93	1.42	1.39	1.74
Average Maintenance Treatments		0.73	0.64	0.47	0.46	0.58
Series Treatments Planned		4.52	3.96	4.88	4.25	4.41
Series Treatments Administered		3.94	3.15	3.94	3.30	3.60
Complete Series of Treatments Administered		3.58	2.50	3.58	2.57	3.08
Total Number of ECT Treatments Administered		6.12	5.09	5.35	4.68	5.34
Physicians Assessment						
Level of Memory Impairment Before ECT						
None		0	0	4	1	5
Mild		10	20	12	12	54
Moderate		11	5	4	7	27
Severe		11	3	20	12	46
Extreme		18	18	8	12	56
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						188
Level of Memory Impairment 2-4 Weeks After ECT						
None		0	3	19	22	44
Mild		38	36	23	15	112
Moderate		11	6	4	7	28
Severe		1	1	2	0	4
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						188
Level of Symptom Severity Before ECT						
None		0	0	4	1	5
Mild		10	20	12	12	54
Moderate		11	5	4	7	27
Severe		8	2	20	11	41
Extreme		21	19	8	13	61
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						188
Level of Symptom Severity 2-4 Weeks After ECT						
None		0	3	19	23	45
Mild		37	35	23	14	109
Moderate		12	6	4	7	29
Severe		1	2	2	0	5
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						188

*This number may reflect patients who have received ECT in more than one quarter this year.

**San Jacinto Methodist Hospital-FY13 ECT Summary
for Treatments Given September 1, 2012 to August 31, 2013**

Number of patients, reported quarterly, to have received ECT:		22 *				
<u>Race/Ethnicity</u>		Q1	Q2	Q3	Q4	Total
White/Caucasian		6	7	4	3	20
Black or African American		1	0	0	0	1
Hispanic or Latino		1	0	0	0	1
Asian		0	0	0	0	0
Other		0	0	0	0	0
Reports reflected						22
<u>Gender</u>						
Female		7	4	3	2	16
Male		1	3	1	1	6
Reports reflected						22
<u>Age</u>						
16-17		0	0	0	0	0
18-24		0	0	0	1	1
25-44		2	1	0	0	3
45-64		2	4	4	2	12
65 +		4	2	0	0	6
Reports reflected						22
<u>Hospital Admission Status</u>						
Voluntary patient consenting		8	7	4	3	22
Involuntary patient consenting		0	0	0	0	0
Guardian consenting for patient		0	0	0	0	0
Reports reflected						22
<u>Primary Source of Payment for ECT</u>						
Private 3rd party (insurer, HMO, etc)		4	2	4	2	12
Public 3rd party (county, state, Medicaid, etc)		4	4	0	1	9
Own/family funds		0	1	0	0	1
Other		0	0	0	0	0
Reports reflected						22
<u>Other Reportable Events that Occurred within 14 Days of ECT</u>						
Apnea		0	0	0	0	0
Fracture		0	0	0	0	0
Cardiac arrest		0	0	0	0	0
Reported memory loss		0	0	0	0	0
Death		0	0	0	0	0
Autopsy obtained**		0	0	0	0	0
<u>Treatments Administered during this Reporting Period</u>						
Ongoing series treatments reported		2	1	0	0	3
Concluded series treatments reported		6	4	3	2	15
Stopped series treatments reported		0	2	1	1	4
<u>Other reportable psychiatric therapies</u>						
Prolonging Remission in Depressed Elderly (PRIDE)		0	0	0	0	0

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

San Jacinto Methodist Hospital-FY13 ECT Summary (Cont')
for Treatments Given September 1, 2012 to August 31, 2013

Number of patients, reported quarterly, to have received ECT:		22 *				
Total		Q1	Q2	Q3	Q4	Total
Maintenance Treatments Administered		0	0	0	0	0
Average Maintenance Treatments		0.00	0.00	0.00	0.00	0.00
Series Treatments Planned		83	61	20	25	189
Series Treatments Administered		65	52	17	18	152
Complete Series of Treatments Administered		59	38	13	13	123
Total Number of ECT Treatments Administered		65	52	17	18	152
Average						
Maintenance Treatments Administered		0.00	0.00	0.00	0.00	0.00
Average Maintenance Treatments		0.00	0.00	0.00	0.00	0.00
Series Treatments Planned		10.38	8.71	5.00	8.33	8.59
Series Treatments Administered		8.13	7.43	4.25	6.00	6.91
Complete Series of Treatments Administered		7.38	5.43	3.25	4.33	5.59
Total Number of ECT Treatments Administered		8.13	7.43	4.25	6.00	6.91
Physicians Assessment						
Level of Memory Impairment Before ECT						
None		0	0	0	0	0
Mild		8	7	4	3	22
Moderate		0	0	0	0	0
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						22
Level of Memory Impairment 2-4 Weeks After ECT						
None		0	0	0	0	0
Mild		8	7	4	3	22
Moderate		0	0	0	0	0
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						22
Level of Symptom Severity Before ECT						
None		0	0	0	0	0
Mild		0	0	0	0	0
Moderate		0	0	0	0	0
Severe		0	0	0	0	0
Extreme		8	7	4	3	22
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						22
Level of Symptom Severity 2-4 Weeks After ECT						
None		0	0	0	0	0
Mild		0	0	0	0	0
Moderate		8	7	4	3	22
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						22

*This number may reflect patients who have received ECT in more than one quarter this year.

**Scott & White Memorial Hospital-FY13 ECT Summary
for Treatments Given September 1, 2012 to August 31, 2013**

Number of patients, reported quarterly, to have received ECT:		56 *				
<u>Race/Ethnicity</u>		Q1	Q2	Q3	Q4	Total
White/Caucasian		10	16	9	9	44
Black or African American		0	0	0	1	1
Hispanic or Latino		2	1	1	1	5
Asian		0	1	2	2	5
Other		1	0	0	0	1
Reports reflected						56
<u>Gender</u>						
Female		8	9	9	10	36
Male		5	9	3	3	20
Reports reflected						56
<u>Age</u>						
16-17		0	0	0	0	0
18-24		0	1	1	0	2
25-44		1	3	1	3	8
45-64		6	9	7	7	29
65 +		6	5	3	3	17
Reports reflected						56
<u>Hospital Admission Status</u>						
Voluntary patient consenting		13	18	12	13	56
Involuntary patient consenting		0	0	0	0	0
Guardian consenting for patient		0	0	0	0	0
Reports reflected						56
<u>Primary Source of Payment for ECT</u>						
Private 3rd party (insurer, HMO, etc)		5	3	3	5	16
Public 3rd party (county, state, Medicaid, etc)		8	15	9	8	40
Own/family funds		0	0	0	0	0
Other		0	0	0	0	0
Reports reflected						56
<u>Other Reportable Events that Occurred within 14 Days of ECT</u>						
Apnea		0	0	0	0	0
Fracture		0	0	0	0	0
Cardiac arrest		0	0	0	0	0
Reported memory loss		0	0	0	0	0
Death		0	0	0	0	0
Autopsy obtained**		0	0	0	0	0
<u>Treatments Administered during this Reporting Period</u>						
Ongoing series treatments reported		1	2	1	0	4
Concluded series treatments reported		0	0	0	1	1
Stopped series treatments reported		8	9	5	5	27
<u>Other reportable psychiatric therapies</u>						
Prolonging Remission in Depressed Elderly (PRIDE)		0	0	0	0	0

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**Scott & White Memorial Hospital-FY13 ECT Summary (Cont')
for Treatments Given September 1, 2012 to August 31, 2013**

Number of patients, reported quarterly, to have received ECT:		56 *				
<u>Total</u>		<u>Q1</u>	<u>Q2</u>	<u>Q3</u>	<u>Q4</u>	<u>Total</u>
Maintenance Treatments Administered		27	26	16	31	100
Average Maintenance Treatments		9.00	8.67	5.33	10.33	8.33
Series Treatments Planned		142	149	77	77	445
Series Treatments Administered		47	56	38	32	173
Complete Series of Treatments Administered		0	0	0	1	1
Total Number of ECT Treatments Administered		74	82	54	63	273
<u>Average</u>						
Maintenance Treatments Administered		2.08	1.44	1.33	2.38	1.79
Average Maintenance Treatments		0.69	0.48	0.44	0.79	0.60
Series Treatments Planned		10.92	8.28	6.42	5.92	7.95
Series Treatments Administered		3.62	3.11	3.17	2.46	3.09
Complete Series of Treatments Administered		0.00	0.00	0.00	0.08	0.02
Total Number of ECT Treatments Administered		5.69	4.56	4.50	4.85	4.88
<u>Physicians Assessment</u>						
Level of Memory Impairment Before ECT						
None		13	17	12	13	55
Mild		0	1	0	0	1
Moderate		0	0	0	0	0
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						56
Level of Memory Impairment 2-4 Weeks After ECT						
None		13	17	11	13	54
Mild		0	0	1	0	1
Moderate		0	1	0	0	1
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						56
Level of Symptom Severity Before ECT						
None		0	0	0	0	0
Mild		0	0	0	0	0
Moderate		0	0	0	0	0
Severe		12	17	12	13	54
Extreme		1	1	0	0	2
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						56
Level of Symptom Severity 2-4 Weeks After ECT						
None		1	1	2	1	5
Mild		6	9	8	8	31
Moderate		3	5	2	2	12
Severe		3	3	0	2	8
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						56

*This number may reflect patients who have received ECT in more than one quarter this year.

**Seton Shoal Creek Hospital-FY13 ECT Summary
for Treatments Given September 1, 2012 to August 31, 2013**

Number of patients, reported quarterly, to have received ECT:		248 *				
<u>Race/Ethnicity</u>		Q1	Q2	Q3	Q4	Total
White/Caucasian		58	44	56	56	214
Black or African American		2	2	4	4	12
Hispanic or Latino		2	3	3	5	13
Asian		0	1	1	0	2
Other		2	2	2	1	7
Reports reflected						248
<u>Gender</u>						
Female		46	36	45	47	174
Male		18	16	21	19	74
Reports reflected						248
<u>Age</u>						
16-17		0	0	0	0	0
18-24		4	5	10	7	26
25-44		22	21	27	22	92
45-64		28	20	25	28	101
65 +		10	6	4	9	29
Reports reflected						248
<u>Hospital Admission Status</u>						
Voluntary patient consenting		64	52	66	66	248
Involuntary patient consenting		0	0	0	0	0
Guardian consenting for patient		0	0	0	0	0
Reports reflected						248
<u>Primary Source of Payment for ECT</u>						
Private 3rd party (insurer, HMO, etc)		37	32	47	39	155
Public 3rd party (county, state, Medicaid, etc)		24	16	15	22	77
Own/family funds		2	3	4	5	14
Other		1	1	0	0	2
Reports reflected						248
<u>Other Reportable Events that Occurred within 14 Days of ECT</u>						
Apnea		0	0	0	0	0
Fracture		0	0	0	0	0
Cardiac arrest		0	0	0	0	0
Reported memory loss		0	0	0	0	0
Death		1	1	0	0	2
Autopsy obtained**		0	0	0	0	0
<u>Treatments Administered during this Reporting Period</u>						
Ongoing series treatments reported		2	1	8	4	15
Concluded series treatments reported		24	19	29	26	98
Stopped series treatments reported		5	1	1	2	9
<u>Other reportable psychiatric therapies</u>						
Prolonging Remission in Depressed Elderly (PRIDE)		0	0	0	0	0

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

Seton Shoal Creek Hospital-FY13 ECT Summary (Cont')
for Treatments Given September 1, 2012 to August 31, 2013

Number of patients, reported quarterly, to have received ECT: 248 *						
Total		Q1	Q2	Q3	Q4	Total
Maintenance Treatments Administered		112	104	159	202	577
Average Maintenance Treatments		37.33	34.67	53.00	67.33	48.08
Series Treatments Planned		359	239	472	364	1,434
Series Treatments Administered		295	211	386	294	1,186
Complete Series of Treatments Administered		263	201	322	261	1,047
Total Number of ECT Treatments Administered		407	315	545	496	1,763
Average						
Maintenance Treatments Administered		1.75	2.00	2.41	3.06	2.33
Average Maintenance Treatments		0.58	0.67	0.80	1.02	0.77
Series Treatments Planned		5.61	4.60	7.15	5.52	5.78
Series Treatments Administered		4.61	4.06	5.85	4.45	4.78
Complete Series of Treatments Administered		4.11	3.87	4.88	3.95	4.22
Total Number of ECT Treatments Administered		6.36	6.06	8.26	7.52	7.11
Physicians Assessment						
Level of Memory Impairment Before ECT						
None		56	43	48	55	202
Mild		6	7	10	9	32
Moderate		2	2	6	1	11
Severe		0	0	2	1	3
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						248
Level of Memory Impairment 2-4 Weeks After ECT						
None		39	23	32	32	126
Mild		17	25	21	24	87
Moderate		8	4	11	9	32
Severe		0	0	1	1	2
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	1	0	1
Reports Reflected						248
Level of Symptom Severity Before ECT						
None		0	0	1	0	1
Mild		13	7	9	7	36
Moderate		29	25	24	36	114
Severe		19	18	28	21	86
Extreme		3	2	4	2	11
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						248
Level of Symptom Severity 2-4 Weeks After ECT						
None		12	23	19	14	68
Mild		40	24	37	44	145
Moderate		8	5	7	7	27
Severe		2	0	0	0	2
Extreme		0	0	0	0	0
Unable to be determine		2	0	2	1	5
Ongoing series		0	0	1	0	1
Reports Reflected						248

*This number may reflect patients who have received ECT in more than one quarter this year.

**St. Joseph Medical Center-FY13 ECT Summary
for Treatments Given September 1, 2012 to August 31, 2013**

Number of patients, reported quarterly, to have received ECT:		23 *				
<u>Race/Ethnicity</u>		Q1	Q2	Q3	Q4	Total
White/Caucasian		4	5	5	4	18
Black or African American		1	0	2	1	4
Hispanic or Latino		1	0	0	0	1
Asian		0	0	0	0	0
Other		0	0	0	0	0
Reports reflected						23
<u>Gender</u>						
Female		5	4	5	4	18
Male		1	1	2	1	5
Reports reflected						23
<u>Age</u>						
16-17		0	0	0	0	0
18-24		0	0	0	0	0
25-44		2	2	1	2	7
45-64		3	1	2	1	7
65 +		1	2	4	2	9
Reports reflected						23
<u>Hospital Admission Status</u>						
Voluntary patient consenting		6	5	7	5	23
Involuntary patient consenting		0	0	0	0	0
Guardian consenting for patient		0	0	0	0	0
Reports reflected						23
<u>Primary Source of Payment for ECT</u>						
Private 3rd party (insurer, HMO, etc)		2	1	1	2	6
Public 3rd party (county, state, Medicaid, etc)		4	4	6	3	17
Own/family funds		0	0	0	0	0
Other		0	0	0	0	0
Reports reflected						23
<u>Other Reportable Events that Occurred within 14 Days of ECT</u>						
Apnea		0	0	0	0	0
Fracture		0	0	0	0	0
Cardiac arrest		0	0	0	0	0
Reported memory loss		0	0	0	0	0
Death		0	0	0	0	0
Autopsy obtained**		0	0	0	0	0
<u>Treatments Administered during this Reporting Period</u>						
Ongoing series treatments reported		0	2	2	0	4
Concluded series treatments reported		5	3	4	4	16
Stopped series treatments reported		1	0	0	0	1
<u>Other reportable psychiatric therapies</u>						
Prolonging Remission in Depressed Elderly (PRIDE)		0	0	0	0	0

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

St. Joseph Medical Center-FY13 ECT Summary (Cont')
for Treatments Given September 1, 2012 to August 31, 2013

Number of patients, reported quarterly, to have received ECT:		23 *				
Total		Q1	Q2	Q3	Q4	Total
Maintenance Treatments Administered		0	0	10	4	14
Average Maintenance Treatments		0.00	0.00	3.33	1.33	1.17
Series Treatments Planned		52	43	54	34	183
Series Treatments Administered		31	41	33	20	125
Complete Series of Treatments Administered		29	18	26	20	93
Total Number of ECT Treatments Administered		31	41	43	24	139
Average						
Maintenance Treatments Administered		0.00	0.00	1.43	0.80	0.61
Average Maintenance Treatments		0.00	0.00	0.48	0.27	0.19
Series Treatments Planned		8.67	8.60	7.71	6.80	7.96
Series Treatments Administered		5.17	8.20	4.71	4.00	5.43
Complete Series of Treatments Administered		4.83	3.60	3.71	4.00	4.04
Total Number of ECT Treatments Administered		5.17	8.20	6.14	4.80	6.04
Physicians Assessment						
Level of Memory Impairment Before ECT						
None		0	0	0	0	0
Mild		0	0	0	0	0
Moderate		6	5	7	0	18
Severe		0	0	0	4	4
Extreme		0	0	0	1	1
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						23
Level of Memory Impairment 2-4 Weeks After ECT						
None		6	5	7	4	22
Mild		0	0	0	0	0
Moderate		0	0	0	0	0
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	1	1
Ongoing series		0	0	0	0	0
Reports Reflected						23
Level of Symptom Severity Before ECT						
None		6	5	7	0	18
Mild		0	0	0	0	0
Moderate		0	0	0	0	0
Severe		0	0	0	4	4
Extreme		0	0	0	1	1
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						23
Level of Symptom Severity 2-4 Weeks After ECT						
None		6	5	7	4	22
Mild		0	0	0	0	0
Moderate		0	0	0	0	0
Severe		0	0	0	1	1
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						23

*This number may reflect patients who have received ECT in more than one quarter this year.

**Terrell State Hospital-FY13 ECT Summary
for Treatments Given September 1, 2012 to August 31, 2013**

Number of patients, reported quarterly, to have received ECT:		28 *				
<u>Race/Ethnicity</u>		Q1	Q2	Q3	Q4	Total
White/Caucasian		5	6	7	6	24
Black or African American		0	0	1	1	2
Hispanic or Latino		1	0	0	0	1
Asian		0	0	0	0	0
Other		0	0	0	1	1
Reports reflected						28
<u>Gender</u>						
Female		3	3	5	5	16
Male		3	3	3	3	12
Reports reflected						28
<u>Age</u>						
16-17		0	0	0	0	0
18-24		0	0	0	0	0
25-44		4	1	3	3	11
45-64		2	4	4	4	14
65 +		0	1	1	1	3
Reports reflected						28
<u>Hospital Admission Status</u>						
Voluntary patient consenting		4	6	8	8	26
Involuntary patient consenting		0	0	0	0	0
Guardian consenting for patient		2	0	0	0	2
Reports reflected						28
<u>Primary Source of Payment for ECT</u>						
Private 3rd party (insurer, HMO, etc)		0	0	0	0	0
Public 3rd party (county, state, Medicaid, etc)		6	6	8	8	28
Own/family funds		0	0	0	0	0
Other		0	0	0	0	0
Reports reflected						28
<u>Other Reportable Events that Occurred within 14 Days of ECT</u>						
Apnea		0	0	0	0	0
Fracture		0	0	0	0	0
Cardiac arrest		0	0	0	0	0
Reported memory loss		0	0	0	0	0
Death		0	0	0	0	0
Autopsy obtained**		0	0	0	0	0
<u>Treatments Administered during this Reporting Period</u>						
Ongoing series treatments reported		0	1	3	0	4
Concluded series treatments reported		3	2	4	5	14
Stopped series treatments reported		0	1	0	0	1
<u>Other reportable psychiatric therapies</u>						
Prolonging Remission in Depressed Elderly (PRIDE)		0	0	0	0	0

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

Terrell State Hospital-FY13 ECT Summary (Cont')
for Treatments Given September 1, 2012 to August 31, 2013

Number of patients, reported quarterly, to have received ECT:		28 *				
Total		Q1	Q2	Q3	Q4	Total
Maintenance Treatments Administered		7	4	14	22	47
Average Maintenance Treatments		2.33	1.33	4.67	7.33	3.92
Series Treatments Planned		34	33	98	85	250
Series Treatments Administered		14	26	61	56	157
Complete Series of Treatments Administered		14	15	41	56	126
Total Number of ECT Treatments Administered		21	30	75	78	204
Average						
Maintenance Treatments Administered		1.17	0.67	1.75	2.75	1.68
Average Maintenance Treatments		0.39	0.22	0.58	0.92	0.53
Series Treatments Planned		5.67	5.50	12.25	10.63	8.93
Series Treatments Administered		2.33	4.33	7.63	7.00	5.61
Complete Series of Treatments Administered		2.33	2.50	5.13	7.00	4.50
Total Number of ECT Treatments Administered		3.50	5.00	9.38	9.75	7.29
Physicians Assessment						
Level of Memory Impairment Before ECT						
None		3	5	4	2	14
Mild		3	1	1	2	7
Moderate		0	0	1	2	3
Severe		0	0	2	1	3
Extreme		0	0	0	1	1
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						28
Level of Memory Impairment 2-4 Weeks After ECT						
None		6	5	6	5	22
Mild		0	0	1	3	4
Moderate		0	0	1	0	1
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	1	0	0	1
Reports Reflected						28
Level of Symptom Severity Before ECT						
None		0	0	0	0	0
Mild		0	2	1	0	3
Moderate		0	0	2	1	3
Severe		5	3	4	4	16
Extreme		1	1	1	3	6
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						28
Level of Symptom Severity 2-4 Weeks After ECT						
None		3	1	3	5	12
Mild		3	3	5	2	13
Moderate		0	0	0	1	1
Severe		0	1	0	0	1
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	1	0	0	1
Reports Reflected						28

*This number may reflect patients who have received ECT in more than one quarter this year.

**Texas Health Presbyterian Hospital-FY13 ECT Summary
for Treatments Given September 1, 2012 to August 31, 2013**

Number of patients, reported quarterly, to have received ECT:		28 *				
<u>Race/Ethnicity</u>		Q1	Q2	Q3	Q4	Total
White/Caucasian		7	10	3	4	24
Black or African American		1	0	1	0	2
Hispanic or Latino		2	0	0	0	2
Asian		0	0	0	0	0
Other		0	0	0	0	0
Reports reflected						28
<u>Gender</u>						
Female		8	6	3	2	19
Male		2	4	1	2	9
Reports reflected						28
<u>Age</u>						
16-17		0	0	0	0	0
18-24		1	0	0	0	1
25-44		2	4	0	0	6
45-64		3	0	1	1	5
65 +		4	6	3	3	16
Reports reflected						28
<u>Hospital Admission Status</u>						
Voluntary patient consenting		9	10	4	4	27
Involuntary patient consenting		0	0	0	0	0
Guardian consenting for patient		1	0	0	0	1
Reports reflected						28
<u>Primary Source of Payment for ECT</u>						
Private 3rd party (insurer, HMO, etc)		5	4	0	1	10
Public 3rd party (county, state, Medicaid, etc)		5	6	4	3	18
Own/family funds		0	0	0	0	0
Other		0	0	0	0	0
Reports reflected						28
<u>Other Reportable Events that Occurred within 14 Days of ECT</u>						
Apnea		0	0	0	0	0
Fracture		0	0	0	0	0
Cardiac arrest		0	0	0	0	0
Reported memory loss		6	6	4	3	19
Death		0	0	0	0	0
Autopsy obtained**		0	0	0	0	0
<u>Treatments Administered during this Reporting Period</u>						
Ongoing series treatments reported		2	1	0	0	3
Concluded series treatments reported		8	7	4	4	23
Stopped series treatments reported		0	1	0	0	1
<u>Other reportable psychiatric therapies</u>						
Prolonging Remission in Depressed Elderly (PRIDE)		0	0	0	0	0

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

Texas Health Presbyterian Hospital-FY13 ECT Summary (Cont')
for Treatments Given September 1, 2012 to August 31, 2013

Number of patients, reported quarterly, to have received ECT:		28 *				
Total		Q1	Q2	Q3	Q4	Total
Maintenance Treatments Administered		0	6	6	0	12
Average Maintenance Treatments		0.00	2.00	2.00	0.00	1.00
Series Treatments Planned		96	86	30	43	255
Series Treatments Administered		69	52	30	43	194
Complete Series of Treatments Administered		62	44	30	43	179
Total Number of ECT Treatments Administered		69	58	36	43	206
Average						
Maintenance Treatments Administered		0.00	0.60	1.50	0.00	0.43
Average Maintenance Treatments		0.00	0.20	0.50	0.00	0.18
Series Treatments Planned		9.60	8.60	7.50	10.75	9.11
Series Treatments Administered		6.90	5.20	7.50	10.75	6.93
Complete Series of Treatments Administered		6.20	4.40	7.50	10.75	6.39
Total Number of ECT Treatments Administered		6.90	5.80	9.00	10.75	7.36
Physicians Assessment						
Level of Memory Impairment Before ECT						
None		2	4	2	2	10
Mild		6	5	1	2	14
Moderate		2	1	1	0	4
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						28
Level of Memory Impairment 2-4 Weeks After ECT						
None		5	3	0	2	10
Mild		1	4	3	2	10
Moderate		4	2	1	0	7
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	1	0	0	1
Ongoing series		0	0	0	0	0
Reports Reflected						28
Level of Symptom Severity Before ECT						
None		0	0	0	0	0
Mild		0	0	0	0	0
Moderate		0	0	0	0	0
Severe		5	4	2	3	14
Extreme		5	6	2	1	14
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						28
Level of Symptom Severity 2-4 Weeks After ECT						
None		6	6	2	4	18
Mild		3	0	1	0	4
Moderate		1	3	1	0	5
Severe		0	0	0	0	0
Extreme		0	0	0	0	0
Unable to be determine		0	1	0	0	1
Ongoing series		0	0	0	0	0
Reports Reflected						28

*This number may reflect patients who have received ECT in more than one quarter this year.

**Texas West Oaks Hospital-FY13 ECT Summary
for Treatments Given September 1, 2012 to August 31, 2013**

Number of patients, reported quarterly, to have received ECT:		281 *				
<u>Race/Ethnicity</u>		Q1	Q2	Q3	Q4	Total
White/Caucasian		53	47	51	48	199
Black or African American		6	5	7	9	27
Hispanic or Latino		6	6	7	9	28
Asian		1	4	2	3	10
Other		5	0	5	7	17
Reports reflected						281
<u>Gender</u>						
Female		49	41	45	51	186
Male		22	21	27	25	95
Reports reflected						281
<u>Age</u>						
16-17		0	0	0	0	0
18-24		4	4	3	4	15
25-44		25	20	27	22	94
45-64		33	29	31	37	130
65 +		9	9	11	13	42
Reports reflected						281
<u>Hospital Admission Status</u>						
Voluntary patient consenting		70	62	72	75	279
Involuntary patient consenting		0	0	0	0	0
Guardian consenting for patient		1	0	0	1	2
Reports reflected						281
<u>Primary Source of Payment for ECT</u>						
Private 3rd party (insurer, HMO, etc)		33	31	34	23	121
Public 3rd party (county, state, Medicaid, etc)		38	30	37	51	156
Own/family funds		0	1	1	2	4
Other		0	0	0	0	0
Reports reflected						281
<u>Other Reportable Events that Occurred within 14 Days of ECT</u>						
Apnea		0	0	0	0	0
Fracture		0	0	0	0	0
Cardiac arrest		0	0	0	0	0
Reported memory loss		0	0	0	0	0
Death		0	0	0	0	0
Autopsy obtained**		0	0	0	0	0
<u>Treatments Administered during this Reporting Period</u>						
Ongoing series treatments reported		17	13	24	25	79
Concluded series treatments reported		16	16	18	13	63
Stopped series treatments reported		7	3	2	6	18
<u>Other reportable psychiatric therapies</u>						
Prolonging Remission in Depressed Elderly (PRIDE)		0	0	0	0	0

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

Texas West Oaks Hospital-FY13 ECT Summary (Cont')
for Treatments Given September 1, 2012 to August 31, 2013

Number of patients, reported quarterly, to have received ECT:		281 *				
Total		Q1	Q2	Q3	Q4	Total
Maintenance Treatments Administered		89	83	86	113	371
Average Maintenance Treatments		29.67	27.67	28.67	37.67	30.92
Series Treatments Planned		412	390	527	512	1,841
Series Treatments Administered		225	217	274	200	916
Complete Series of Treatments Administered		115	121	135	49	420
Total Number of ECT Treatments Administered		314	300	360	313	1,287
Average						
Maintenance Treatments Administered		1.25	1.34	1.19	1.49	1.32
Average Maintenance Treatments		0.42	0.45	0.40	0.50	0.44
Series Treatments Planned		5.80	6.29	7.32	6.74	6.55
Series Treatments Administered		3.17	3.50	3.81	2.63	3.26
Complete Series of Treatments Administered		1.62	1.95	1.88	0.64	1.49
Total Number of ECT Treatments Administered		4.42	4.84	5.00	4.12	4.58
Physicians Assessment						
Level of Memory Impairment Before ECT						
None		23	19	19	15	76
Mild		42	35	44	48	169
Moderate		5	7	9	10	31
Severe		0	1	0	3	4
Extreme		1	0	0	0	1
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						281
Level of Memory Impairment 2-4 Weeks After ECT						
None		28	20	24	22	94
Mild		37	39	41	51	168
Moderate		6	3	6	2	17
Severe		0	0	1	1	2
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						281
Level of Symptom Severity Before ECT						
None		0	0	0	0	0
Mild		1	1	0	0	2
Moderate		11	13	8	8	40
Severe		49	39	56	59	203
Extreme		10	9	8	9	36
Unable to be determine		0	0	0	0	0
Ongoing series		N/A	N/A	N/A	N/A	0
Reports Reflected						281
Level of Symptom Severity 2-4 Weeks After ECT						
None		26	38	26	34	124
Mild		42	20	39	39	140
Moderate		3	4	7	2	16
Severe		0	0	0	1	1
Extreme		0	0	0	0	0
Unable to be determine		0	0	0	0	0
Ongoing series		0	0	0	0	0
Reports Reflected						281

*This number may reflect patients who have received ECT in more than one quarter this year.

**Zale Lipshy University Hospital-FY13 ECT Summary
for Treatments Given September 1, 2012 to August 31, 2013**

Number of patients, reported quarterly, to have received ECT: 280 *					
<u>Race/Ethnicity</u>	Q1	Q2	Q3	Q4	Total
White/Caucasian	72	62	59	51	244
Black or African American	6	2	1	2	11
Hispanic or Latino	4	3	1	0	8
Asian	5	5	5	2	17
Other	0	0	0	0	0
Reports reflected					280
<u>Gender</u>					
Female	53	42	43	35	173
Male	34	30	23	20	107
Reports reflected					280
<u>Age</u>					
16-17	0	0	0	0	0
18-24	5	5	6	5	21
25-44	16	23	19	10	68
45-64	40	27	25	20	112
65 +	26	17	16	20	79
Reports reflected					280
<u>Hospital Admission Status</u>					
Voluntary patient consenting	85	70	66	53	274
Involuntary patient consenting	1	2	0	1	4
Guardian consenting for patient	1	0	0	1	2
Reports reflected					280
<u>Primary Source of Payment for ECT</u>					
Private 3rd party (insurer, HMO, etc)	50	47	40	25	162
Public 3rd party (county, state, Medicaid, etc)	37	23	24	28	112
Own/family funds	0	2	2	1	5
Other	0	0	0	1	1
Reports reflected					280
<u>Other Reportable Events that Occurred within 14 Days of ECT</u>					
Apnea	0	0	0	0	0
Fracture	0	0	0	0	0
Cardiac arrest	0	0	0	0	0
Reported memory loss	0	0	0	0	0
Death	1	0	0	0	1
Autopsy obtained**	1	0	0	0	1
<u>Treatments Administered during this Reporting Period</u>					
Ongoing series treatments reported	42	16	17	16	91
Concluded series treatments reported	30	35	27	24	116
Stopped series treatments reported	13	14	13	7	47
<u>Other reportable psychiatric therapies</u>					
Prolonging Remission in Depressed Elderly (PRIDE)	2	2	0	0	4

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

Zale Lipshy University Hospitale-FY13 ECT Summary (Cont')
for Treatments Given September 1, 2012 to August 31, 2013

Number of patients, reported quarterly, to have received ECT: 280 *					
Total	Q1	Q2	Q3	Q4	Total
Maintenance Treatments Administered	59	34	60	48	201
Average Maintenance Treatments	19.67	11.33	20.00	16.00	16.75
Series Treatments Planned	1,099	843	746	610	3,298
Series Treatments Administered	714	557	502	350	2,123
Complete Series of Treatments Administered	260	349	255	192	1,056
Total Number of ECT Treatments Administered	773	591	562	398	2,324
Average					
Maintenance Treatments Administered	0.68	0.47	0.91	0.87	0.72
Average Maintenance Treatments	0.23	0.16	0.30	0.29	0.24
Series Treatments Planned	12.63	11.71	11.30	11.09	11.78
Series Treatments Administered	8.21	7.74	7.61	6.36	7.58
Complete Series of Treatments Administered	2.99	4.85	3.86	3.49	3.77
Total Number of ECT Treatments Administered	8.89	8.21	8.52	7.24	8.30
Physicians Assessment					
Level of Memory Impairment Before ECT					
None	85	68	65	54	272
Mild	2	4	1	1	8
Moderate	0	0	0	0	0
Severe	0	0	0	0	0
Extreme	0	0	0	0	0
Unable to be determine	0	0	0	0	0
Ongoing series	N/A	N/A	N/A	N/A	0
Reports Reflected					280
Level of Memory Impairment 2-4 Weeks After ECT					
None	85	68	65	54	272
Mild	2	4	1	1	8
Moderate	0	0	0	0	0
Severe	0	0	0	0	0
Extreme	0	0	0	0	0
Unable to be determine	0	0	0	0	0
Ongoing series	0	0	0	0	0
Reports Reflected					280
Level of Symptom Severity Before ECT					
None	0	0	0	0	0
Mild	0	0	0	0	0
Moderate	13	2	3	6	24
Severe	64	45	48	42	199
Extreme	10	25	15	7	57
Unable to be determine	0	0	0	0	0
Ongoing series	N/A	N/A	N/A	N/A	0
Reports Reflected					280
Level of Symptom Severity 2-4 Weeks After ECT					
None	71	23	10	18	122
Mild	16	34	39	24	113
Moderate	0	13	16	13	42
Severe	0	1	1	0	2
Extreme	0	1	0	0	1
Unable to be determine	0	0	0	0	0
Ongoing series	0	0	0	0	0
Reports Reflected					280

*This number may reflect patients who have received ECT in more than one quarter this year.