


2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who described their general health as fair or poor




QN7 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet




QN8 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else




QN9 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who rode in a car or other vehicle driven by someone who had been drinking alcohol one or more times during the past 30 days




QN10 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who drove a car or other vehicle when they had been drinking alcohol one or more times during the past 30 days




QN11 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days




QN12 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who carried a gun on one or more of the past 30 days




QN13 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days




QN14 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school on one or more of the past 30 days




QN15 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months




QN16 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months




QN17 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who were in a physical fight one or more times during the past 12 months




QN18 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who were injured in a physical fight and had to be treated by a doctor or nurse one or more times during the past 12 months




QN19 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who were in a physical fight on school property one or more times during the past 12 months




QN20 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who were hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months




QN21 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who have ever been physically forced to have sexual intercourse when they did not want to




QN22 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months




QN23 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who seriously considered attempting suicide during the past 12 months




QN24 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who made a plan about how they would attempt suicide during the past 12 months




QN25 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who actually attempted suicide one or more times during the past 12 months




QN26 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students whose suicide attempt resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the past 12 months




QN27 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who ever tried cigarette smoking, even one or two puffs




QN28 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who smoked a whole cigarette for the first time before age 13 years




QN29 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who smoked cigarettes on one or more of the past 30 days




QN30 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who smoked cigarettes on 20 or more of the past 30 days




QNFRICIG - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Among students who are current smokers, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days




QN31 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Among students who are less than 18 years of age and who are current smokers, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days




QN32 - Weighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who smoked cigarettes on school property on one or more of the past 30 days




QN33 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days




QN34 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Among students who are current smokers, the percentage who tried to quit smoking during the past 12 months




QN35 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days




QN36 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days




QN37 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days




QN38 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days




QNANYTOB - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who had at least one drink of alcohol on one or more days during their life




QN39 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who had their first drink of alcohol other than a few sips before age 13 years




QN40 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who had at least one drink of alcohol on one or more of the past 30 days




QN41 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days




QN42 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days




QN43 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who used marijuana one or more times during their life




QN44 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who tried marijuana for the first time before age 13 years




QN45 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who used marijuana one or more times during the past 30 days




QN46 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who used marijuana on school property one or more times during the past 30 days




QN47 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life




QN48 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days




QN49 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life




QN50 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who used heroin one or more times during their life




QN51 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who used methamphetamines one or more times during their life




QN52 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who used ecstasy one or more times during their life




QN53 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life




QN54 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life




QN55 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months




QN56 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who ever had sexual intercourse




QN57 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who had sexual intercourse for the first time before age 13 years




QN58 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who had sexual intercourse with four or more people during their life




QN59 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who had sexual intercourse with one or more people during the past three months




QN60 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse




QN61 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse




QN62 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse




QN63 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)*




*QNROVWGT - Weighted Data - Based on reference data from the National Health and Nutrition Examination Survey I.

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)*




*QNOVWGT - Weighted Data - Based on reference data from the National Health and Nutrition Examination Survey I.

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who described themselves as slightly or very overweight




QN64 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who were trying to lose weight




QN65 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days




QN66 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days




QN67 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days




QN68 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days




QN69 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days




QN70 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who drank 100% fruit juices one or more times during the past seven days




QN71 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who ate fruit one or more times during the past seven days




QN72 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who ate green salad one or more times during the past seven days




QN73 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who ate potatoes one or more times during the past seven days




QN74 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who ate carrots one or more times during the past seven days




QN75 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who ate other vegetables one or more times during the past seven days




QN76 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who ate five or more servings per day of fruits and vegetables during the past seven days




QNFRVG - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who drank three or more glasses per day of milk during the past seven days




QN77 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who exercised or participated in physical activity that made them sweat and breathe hard for 20 minutes or more on three or more of the past seven days




QN78 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who participated in physical activity that did not make them sweat or breathe hard for 30 minutes or more on five or more of the past seven days




QN79 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey


Percentage of students who had not participated in at least 20 minutes of vigorous physical activity on three or more of the past seven days and had not participated in at least 30 minutes of moderate physical activity on five or more of the past seven days



2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who had not participated in any vigorous or moderate physical activity during the past seven days




QNNOPA - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who were physically active for a total of 60 minutes or more per day on five or more of the past seven days




QN80 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who watched three or more hours per day of TV on an average school day




QN81 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school




QN82 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who attended physical education (PE) classes daily in an average week when they were in school




QNDLYPE - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey


Among students enrolled in physical education (PE) class, the percentage who actually exercised or played sports more than 20 minutes during an average PE class



2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who played on one or more sports teams during the past 12 months




QN84 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who had ever been taught in school about AIDS or HIV infection




QN85 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who had ever been told by a doctor or nurse that they had asthma




QN86 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Percentage of students who have ever been told by a doctor or nurse that they had asthma and who have asthma but had not had an episode of asthma or an asthma attack during the past 12 months or who had an episode of asthma or an asthma attack during the past 12 months (i.e., current asthma)




QN87 - Weighted Data

2005 Youth Risk Behavior Survey Results

Texas High School Survey

Among students with current asthma, the percentage who had an episode of asthma or an asthma attack during the past 12 months



QNASATCK - Weighted Data

Missing bars indicate less than 100 respondents in the subgroup.