

Pregnancy Risk Assessment Monitoring System (PRAMS) Survey

2017 Data Book: Summary Tables

Maternal & Child Health Epidemiology Unit

May 2019



TEXAS
Health and Human
Services

Texas Department of State
Health Services

Introduction

The Pregnancy Risk Assessment Monitoring System (PRAMS) is a surveillance system designed to monitor maternal attitudes and behaviors before, during, and after pregnancy. Conducted in partnership with the Centers for Disease Control and Prevention (CDC) and the Texas Department of State Health Services (DSHS), Texas PRAMS is a population-based assessment that monitors the health and behaviors of new mothers in Texas. Of the 3,566 mothers sampled in 2017, 1,756 completed a survey representing a weighted response rate of 50%.

Women who are selected for PRAMS are contacted through the mail when their infants are approximately 60 to 180 days old. They receive a letter that introduces the PRAMS survey and encourages their participation. They are notified that they will be contacted through follow-up mailings that will include a copy of the PRAMS survey. Women who do not respond receive two subsequent mailings. Women who do not return the survey through the mail are moved into the telephone phase of data collection. Women are called and encouraged to complete the survey over the phone. During all communications, they are informed that their participation is voluntary, and that their data will remain confidential and anonymous. The survey is available in English or Spanish. Women who complete the survey (via mail or telephone) receive a \$20 gift certificate to Target or Walmart. This data collection cycle is repeated each month during the birth year, and approximately 300 women per month were selected for the 2017 survey.

Percentages reported in the summary are weighted to ensure that results are representative of women who have given birth in 2017 to a live infant and are residents of Texas. The 1,756 women who completed the survey are representative of all 374,771 Texas residents who had a live birth in 2017.

The sampling specifications for Texas PRAMS are designed for estimating percentages at a 95% confidence level. A 95% confidence interval is an interval, or range of values, that has a 95% probability of containing the true population percentage that is being estimated. The 95% confidence interval provides information about the margin of error of an estimate. Consistent with CDC standards for reporting PRAMS survey results, we recommend that all percents (PCTs) be reported with corresponding 95% lower confidence limits (LCLs) and upper confidence limits (UCLs).

Below is a summary of key findings from the 2017 PRAMS Data Book, presented by topic area along with 95% confidence intervals (CI). Data Book Summary Tables for selected sociodemographic characteristics are also included. The 2017 PRAMS Data Book Tables and Charts are available separately and upon request.

Questions regarding the data book summary should be directed to Firstname Lastname, Texas PRAMS Coordinator, at 512-776-2935, or to firstname.lastname@dshs.texas.gov.

Summary of Key Findings

Breastfeeding

- 90.2% (CI: 88.6-91.8%) indicated that they breastfed or pumped breast milk to feed their new baby after delivery. (Q55)

Pregnancy Intention

- 29.5% (CI: 27.0-32.0%) reported that their pregnancy was unintended, 55.1% (CI: 52.4-57.8%) reported that their pregnancy was intended, and 15.4% (CI: 13.5-17.4%) were unsure. (Q12)

Intimate Partner Violence

- 43.7% (CI: 41.0-46.4%) said that a doctor, nurse, or other health care worker talked with them about physical abuse by their husbands or partners. (Q20)
- 2.4% (CI: 1.6-3.2%) reported that their husband or partner physically abused them before or during their pregnancy. (Q44, Q45)

Oral Health

- 29.4% (CI: 27.0-31.8%) had a teeth cleaning before pregnancy. (Q7)
- 33.5% (CI: 30.9-36.0%) had a teeth cleaning during pregnancy. (Q26)

Postpartum

- 87.9% (CI: 86.1-89.6%) reported having a postpartum checkup for themselves since their pregnancy. (Q72)

Prenatal Care

- 79.9% (CI: 77.7-82.1%) received prenatal care as early as they wanted. (Q17)
- 80.7% (CI: 78.6-82.9%) received prenatal care during the first trimester. (Q16)

Safe Sleep

- 77.7% (CI: 75.5-80.0%) put their baby to sleep on his or her back. (Q61)

Tobacco

- 97.9% (CI: 97.3-98.6%) reported that smoking is not allowed inside the home. (Q36)
- 13.6% (CI: 11.7-15.4%) said that they had smoked cigarettes in the three months before their pregnancy. (Q32)
- 3.4% (CI: 2.4-4.3%) reported smoking cigarettes in the last three months of their pregnancy. (Q33)
- 7.5% (CI: 6.1-9.0%) said they smoked cigarettes postpartum. (Q34)

Vaccinations

- 57.5% (CI: 54.9-60.2%) received a flu vaccination before or during pregnancy. (Q24)
- 69.7% (CI: 67.1-72.3%) received a TDAP vaccination during pregnancy. (Q25)

1. Select a chapter

Breastfeeding

2. Select a question topic

Ever Breastfed

Ever Breastfed

Q55. Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time?

		Breastfed				Not Breastfed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	328,884	90.2	88.6	91.8	35,623	9.8	8.2	11.4
Birth Weight	Low Birth Weight	23,595	88.5	82.2	94.7	3,081	11.5	5.3	17.8
	Normal Birth Weight	305,289	90.4	88.7	92.0	32,542	9.6	8.0	11.3
Gestational Age	Preterm <=36 wks	28,238	90.5	85.4	95.5	2,981	9.5	4.5	14.6
	Term >36 wks	300,646	90.2	88.5	91.9	32,642	9.8	8.1	11.5
Marital Status	Married	213,663	92.8	91.0	94.6	16,494	7.2	5.4	9.0
	Not Married	115,220	85.8	82.6	88.9	19,129	14.2	11.1	17.4
PNC First Trimester	No Prenatal Care First Trimester	61,287	90.7	87.3	94.2	6,261	9.3	5.8	12.7
	Prenatal Care First Trimester	264,439	90.1	88.3	92.0	29,017	9.9	8.0	11.7
WIC Status	Not WIC	197,596	93.5	91.6	95.3	13,840	6.5	4.7	8.4
	WIC	130,778	85.7	82.8	88.6	21,783	14.3	11.4	17.2
Intention	Intended	181,981	90.5	88.3	92.7	19,174	9.5	7.3	11.7
	Not Sure	48,140	87.5	83.1	92.0	6,853	12.5	8.0	16.9
	Unintended	95,750	91.7	88.9	94.5	8,678	8.3	5.5	11.1
Maternal BMI Category	Obese	80,559	87.9	84.5	91.2	11,104	12.1	8.8	15.5
	Overweight	89,429	91.0	88.0	94.1	8,802	9.0	5.9	12.0
	Underweight or Normal	158,896	91.2	88.9	93.5	15,383	8.8	6.5	11.1
Payer of Delivery	Medicaid	139,593	86.1	83.3	88.9	22,586	13.9	11.1	16.7
	Private Insurance	144,680	94.3	92.3	96.3	8,741	5.7	3.7	7.7
	Self pay, Other, Unknown	44,611	91.2	87.1	95.3	4,297	8.8	4.7	12.9
Maternal Race	Black	31,095	86.2	80.0	92.4	4,965	13.8	7.6	20.0
	Hispanic	151,367	88.6	86.0	91.2	19,461	11.4	8.8	14.0
	Other	23,282	98.5	96.9	100.0	363	1.5	0.0	3.1
	White	123,139	91.9	89.6	94.3	10,834	8.1	5.7	10.4

Texas PRAMS 2017 data

Prepared by the Maternal & Child Health Epidemiology Unit

1. Select a chapter

Intention

2. Select a question topic

Intended

Intended

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).

		Intended				Not Sure				Unintended			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	204,033	55.1	52.4	57.8	57,218	15.4	13.5	17.4	109,251	29.5	27.0	32.0
Birth Weight	Low Birth Weight	17,791	60.6	51.3	69.8	3,386	11.5	5.9	17.2	8,203	27.9	19.3	36.5
	Normal Birth Weight	186,242	54.6	51.8	57.4	53,832	15.8	13.7	17.9	101,048	29.6	27.0	32.2
Gestational Age	Preterm <=36 wks	19,361	56.9	48.2	65.6	5,381	15.8	9.7	22.0	9,277	27.3	19.3	35.2
	Term >36 wks	184,672	54.9	52.1	57.7	51,837	15.4	13.3	17.5	99,974	29.7	27.1	32.3
Marital Status	Married	152,089	66.2	63.0	69.4	23,912	10.4	8.3	12.5	53,842	23.4	20.6	26.3
	Not Married	51,945	36.9	32.6	41.3	33,306	23.7	19.9	27.5	55,408	39.4	35.0	43.8
PNC First Trimester	No Prenatal Care First Trimester	26,986	38.1	32.0	44.3	13,590	19.2	14.2	24.2	30,161	42.6	36.4	48.9
	Prenatal Care First Trimester	175,766	59.2	56.3	62.2	42,072	14.2	12.1	16.3	78,895	26.6	23.9	29.2
WIC Status	Not WIC	131,501	61.6	58.2	65.1	26,532	12.4	10.0	14.9	55,272	25.9	22.8	29.1
	WIC	72,451	46.2	42.1	50.4	30,686	19.6	16.4	22.8	53,551	34.2	30.2	38.1
Maternal BMI Category	Obese	49,225	53.1	47.8	58.4	17,049	18.4	14.2	22.6	26,382	28.5	23.7	33.3
	Overweight	57,346	58.0	52.9	63.2	13,674	13.8	10.1	17.5	27,837	28.2	23.5	32.8
	Underweight or Normal	96,700	54.3	50.3	58.2	26,495	14.9	12.1	17.6	55,031	30.9	27.2	34.6
Payer of Delivery	Medicaid	73,036	43.6	39.6	47.6	36,502	21.8	18.4	25.1	57,994	34.6	30.7	38.5
	Private Insurance	104,291	67.9	64.0	71.8	12,713	8.3	6.0	10.6	36,580	23.8	20.2	27.4
	Self pay, Other, Unknown	26,706	54.1	46.7	61.4	8,004	16.2	10.7	21.7	14,677	29.7	23.0	36.5
Maternal Race	Black	15,550	41.1	32.2	49.9	7,749	20.5	13.3	27.7	14,558	38.5	29.7	47.3
	Hispanic	90,678	52.2	48.2	56.1	29,428	16.9	14.0	19.9	53,704	30.9	27.2	34.6
	Other	16,212	68.6	58.9	78.3	2,579	10.9	4.2	17.6	4,854	20.5	12.1	28.9
	White	81,594	60.4	56.1	64.6	17,463	12.9	9.9	15.9	36,135	26.7	22.9	30.6

Texas PRAMS 2017 data

Prepared by the Maternal & Child Health Epidemiology Unit

1. Select a chapter
Intimate Partner Violence

2. Select a question topic

- Discussed Abuse
 Physical Abuse

Discussed Abuse

Q20: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about physical abuse to women by their husbands or partners?

		Did Not Discuss Abuse				Discussed Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	205,701	56.3	53.6	59.0	159,544	43.7	41.0	46.4
Birth Weight	Low Birth Weight	15,344	52.8	43.2	62.3	13,732	47.2	37.7	56.8
	Normal Birth Weight	190,356	56.6	53.8	59.4	145,812	43.4	40.6	46.2
Gestational Age	Preterm <=36 wks	17,749	52.5	43.7	61.3	16,050	47.5	38.7	56.3
	Term >36 wks	187,952	56.7	53.9	59.5	143,493	43.3	40.5	46.1
Marital Status	Married	140,448	61.3	58.1	64.6	88,665	38.7	35.4	41.9
	Not Married	65,253	47.9	43.4	52.5	70,879	52.1	47.5	56.6
PNC First Trimester	No Prenatal Care First Trimester	34,403	51.4	44.9	57.9	32,508	48.6	42.1	55.1
	Prenatal Care First Trimester	170,000	57.5	54.6	60.4	125,590	42.5	39.6	45.4
WIC Status	Not WIC	137,945	65.4	62.0	68.7	73,102	34.6	31.3	38.0
	WIC	67,328	43.8	39.7	47.9	86,442	56.2	52.1	60.3
Intention	Intended	117,208	58.6	55.0	62.1	82,955	41.4	37.9	45.0
	Not Sure	28,228	51.4	44.4	58.5	26,637	48.6	41.5	55.6
	Unintended	57,514	54.3	49.2	59.4	48,434	45.7	40.6	50.8
Maternal BMI Category	Obese	49,037	53.4	48.1	58.7	42,767	46.6	41.3	51.9
	Overweight	53,709	54.9	49.8	60.1	44,053	45.1	39.9	50.2
	Underweight or Normal	102,620	58.7	54.8	62.6	72,296	41.3	37.4	45.2
Payer of Delivery	Medicaid	76,352	46.7	42.6	50.8	87,231	53.3	49.2	57.4
	Private Insurance	107,200	70.1	66.3	73.8	45,782	29.9	26.2	33.7
	Self pay, Other, Unknown	22,148	45.5	38.1	52.9	26,531	54.5	47.1	61.9
Maternal Race	Black	21,623	57.5	48.6	66.3	16,014	42.5	33.7	51.4
	Hispanic	81,338	47.7	43.7	51.8	89,018	52.3	48.2	56.3
	Other	12,969	56.8	46.3	67.3	9,875	43.2	32.7	53.7
	White	89,771	66.8	62.8	70.8	44,637	33.2	29.2	37.2

1. Select a chapter
Intimate Partner Violence

2. Select a question topic

- Discussed Abuse
 Physical Abuse

Physical Abuse

Q44, 45: In the 12 months before you got pregnant with your new baby, did any of the following people push, hit, slap, kick, choke, or physically hurt you in any other way? (My husband or partner) During your most recent pregnancy, did any of the following people push, hit, slap, kick, choke, or physically hurt you in any other way? (My husband or partner)

		No Physical Abuse				Physical Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	356,204	97.6	96.8	98.4	8,623	2.4	1.6	3.2
Birth Weight	Low Birth Weight	26,901	95.9	92.2	99.6	1,157	4.1	0.4	7.8
	Normal Birth Weight	329,303	97.8	97.0	98.6	7,466	2.2	1.4	3.0
Gestational Age	Preterm <=36 wks	31,381	95.9	92.6	99.2	1,339	4.1	0.8	7.4
	Term >36 wks	324,824	97.8	97.0	98.6	7,284	2.2	1.4	3.0
Marital Status	Married	226,395	98.0	97.1	98.9	4,578	2.0	1.1	2.9
	Not Married	129,810	97.0	95.5	98.5	4,045	3.0	1.5	4.5
PNC First Trimester	No Prenatal Care First Trimester	65,465	96.2	93.8	98.5	2,621	3.8	1.5	6.2
	Prenatal Care First Trimester	287,124	98.0	97.1	98.8	6,002	2.0	1.2	2.9
WIC Status	Not WIC	211,025	98.8	98.0	99.5	2,642	1.2	0.5	2.0
	WIC	144,670	96.0	94.4	97.6	5,981	4.0	2.4	5.6
Intention	Intended	198,008	98.4	97.5	99.3	3,198	1.6	0.7	2.5
	Not Sure	53,565	97.5	95.6	99.4	1,362	2.5	0.6	4.4
	Unintended	100,673	96.4	94.5	98.3	3,751	3.6	1.7	5.5
Maternal BMI Category	Obese	89,286	96.8	95.1	98.6	2,908	3.2	1.4	4.9
	Overweight	96,635	98.8	97.6	100.0	1,194	1.2	0.0	2.4
	Underweight or Normal	169,522	97.4	96.2	98.6	4,521	2.6	1.4	3.8
Payer of Delivery	Medicaid	155,720	96.6	95.2	98.0	5,517	3.4	2.0	4.8
	Private Insurance	152,526	99.0	98.3	99.8	1,496	1.0	0.2	1.7
	Self pay, Other, Unknown	47,958	96.8	94.0	99.5	1,609	3.2	0.5	6.0
Maternal Race	Black	35,600	95.9	92.2	99.5	1,531	4.1	0.5	7.8
	Hispanic	164,101	97.3	96.0	98.6	4,550	2.7	1.4	4.0
	Other	23,355	100.0	100.0	100.0				
	White	133,148	98.1	97.1	99.2	2,542	1.9	0.8	2.9

1. Select a chapter

Oral Health

2. Select a question topic

Dental Cleaning During Pregna..

Pre-pregnancy Dental Cleaning

Pre-pregnancy Dental Cleaning

Q7. What type of health care visit did you have in the 12 months before you got pregnant with your new baby? (Visit to have my teeth cleaned by a dentist or dental hygienist)

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	264,297	70.6	68.2	73.0	110,194	29.4	27.0	31.8
Birth Weight	Low Birth Weight	19,726	66.6	57.5	75.7	9,909	33.4	24.3	42.5
	Normal Birth Weight	244,571	70.9	68.4	73.4	100,285	29.1	26.6	31.6
Gestational Age	Preterm <=36 wks	23,451	68.3	60.1	76.5	10,906	31.7	23.5	39.9
	Term >36 wks	240,846	70.8	68.3	73.3	99,287	29.2	26.7	31.7
Marital Status	Married	147,620	63.4	60.2	66.5	85,392	36.6	33.5	39.8
	Not Married	116,677	82.5	79.1	85.8	24,802	17.5	14.2	20.9
PNC First Trimester	No Prenatal Care First Trimester	59,640	83.4	78.7	88.1	11,884	16.6	11.9	21.3
	Prenatal Care First Trimester	201,335	67.3	64.5	70.0	98,015	32.7	30.0	35.5
WIC Status	Not WIC	131,213	60.7	57.3	64.1	85,031	39.3	35.9	42.7
	WIC	132,574	84.0	81.1	87.0	25,163	16.0	13.0	18.9
Intention	Intended	133,707	65.6	62.3	69.0	70,046	34.4	31.0	37.7
	Not Sure	44,298	77.4	71.5	83.3	12,921	22.6	16.7	28.5
	Unintended	83,458	76.4	72.2	80.6	25,793	23.6	19.4	27.8
Maternal BMI Category	Obese	71,747	76.1	71.7	80.6	22,475	23.9	19.4	28.3
	Overweight	70,139	70.6	65.9	75.3	29,211	29.4	24.7	34.1
	Underweight or Normal	121,650	67.5	63.9	71.1	58,508	32.5	28.9	36.1
Payer of Delivery	Medicaid	146,144	86.5	83.8	89.1	22,863	13.5	10.9	16.2
	Private Insurance	78,354	50.5	46.4	54.6	76,936	49.5	45.4	53.6
	Self pay, Other, Unknown	39,799	79.3	73.7	84.9	10,395	20.7	15.1	26.3
Maternal Race	Black	29,402	76.2	68.7	83.6	9,190	23.8	16.4	31.3
	Hispanic	139,951	79.6	76.4	82.8	35,888	20.4	17.2	23.6
	Other	17,742	75.0	66.3	83.7	5,903	25.0	16.3	33.7
	White	77,202	56.6	52.4	60.8	59,214	43.4	39.2	47.6

Texas PRAMS 2017 data

Prepared by the Maternal & Child Health Epidemiology Unit

1. Select a chapter

Oral Health

Dental Cleaning During Pregnancy

Q26. During your most recent pregnancy, did you have your teeth cleaned by a dentist or dental hygienist?

2. Select a question topic

Dental Cleaning During Pregna..

Pre-pregnancy Dental Cleaning

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	248,255	66.5	64.0	69.1	124,800	33.5	30.9	36.0
Birth Weight	Low Birth Weight	20,978	70.8	62.2	79.4	8,658	29.2	20.6	37.8
	Normal Birth Weight	227,278	66.2	63.6	68.8	116,142	33.8	31.2	36.4
Gestational Age	Preterm <=36 wks	23,050	67.1	58.8	75.4	11,308	32.9	24.6	41.2
	Term >36 wks	225,206	66.5	63.9	69.1	113,492	33.5	30.9	36.1
Marital Status	Married	141,779	61.1	57.9	64.3	90,219	38.9	35.7	42.1
	Not Married	106,477	75.5	71.6	79.3	34,581	24.5	20.7	28.4
PNC First Trimester	No Prenatal Care First Trimester	55,591	78.0	72.7	83.3	15,678	22.0	16.7	27.3
	Prenatal Care First Trimester	189,844	63.7	60.8	66.5	108,325	36.3	33.5	39.2
WIC Status	Not WIC	129,165	60.1	56.6	63.5	85,899	39.9	36.5	43.4
	WIC	118,663	75.3	71.8	78.9	38,819	24.7	21.1	28.2
Intention	Intended	126,347	62.1	58.6	65.6	77,099	37.9	34.4	41.4
	Not Sure	42,845	74.9	68.9	80.8	14,374	25.1	19.2	31.1
	Unintended	75,996	70.3	65.7	74.8	32,126	29.7	25.2	34.3
Maternal BMI Category	Obese	65,645	70.6	65.8	75.4	27,323	29.4	24.6	34.2
	Overweight	66,513	67.1	62.3	72.0	32,556	32.9	28.0	37.7
	Underweight or Normal	115,670	64.2	60.5	67.8	64,586	35.8	32.2	39.5
Payer of Delivery	Medicaid	129,533	77.2	73.8	80.5	38,320	22.8	19.5	26.2
	Private Insurance	83,539	53.9	49.8	58.0	71,443	46.1	42.0	50.2
	Self pay, Other, Unknown	35,183	70.1	63.4	76.7	15,036	29.9	23.3	36.6
Maternal Race	Black	29,119	75.5	68.0	82.9	9,473	24.5	17.1	32.0
	Hispanic	124,618	71.1	67.5	74.7	50,538	28.9	25.3	32.5
	Other	16,735	70.8	61.4	80.2	6,910	29.2	19.8	38.6
	White	77,784	57.3	53.1	61.6	57,878	42.7	38.4	46.9

Texas PRAMS 2017 data

Prepared by the Maternal & Child Health Epidemiology Unit

1. Select a chapter

Postpartum

Postpartum Checkup

Q72: Since your new baby was born, have you had a postpartum checkup for yourself?

2. Select a question topic

Postpartum Checkup

		No Postpartum Checkup				Postpartum Checkup			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	44,867	12.1	10.4	13.9	325,078	87.9	86.1	89.6
Birth Weight	Low Birth Weight	2,146	7.4	3.1	11.7	26,772	92.6	88.3	96.9
	Normal Birth Weight	42,722	12.5	10.7	14.4	298,306	87.5	85.6	89.3
Gestational Age	Preterm <=36 wks	4,028	11.8	6.4	17.2	30,122	88.2	82.8	93.6
	Term >36 wks	40,839	12.2	10.3	14.0	294,956	87.8	86.0	89.7
Marital Status	Married	24,334	10.6	8.5	12.6	206,217	89.4	87.4	91.5
	Not Married	20,533	14.7	11.7	17.8	118,861	85.3	82.2	88.3
PNC First Trimester	No Prenatal Care First Trimester	17,300	24.7	19.2	30.2	52,711	75.3	69.8	80.8
	Prenatal Care First Trimester	27,454	9.3	7.6	10.9	268,863	90.7	89.1	92.4
WIC Status	Not WIC	19,538	9.1	7.1	11.2	194,617	90.9	88.8	92.9
	WIC	24,820	16.0	13.0	18.9	130,461	84.0	81.1	87.0
Intention	Intended	22,275	11.0	8.8	13.3	179,326	89.0	86.7	91.2
	Not Sure	10,813	19.0	13.5	24.5	46,041	81.0	75.5	86.5
	Unintended	10,734	10.0	7.0	13.0	96,488	90.0	87.0	93.0
Maternal BMI Category	Obese	11,141	12.0	8.7	15.4	81,525	88.0	84.6	91.3
	Overweight	9,966	10.1	6.9	13.3	88,658	89.9	86.7	93.1
	Underweight or Normal	23,761	13.4	10.7	16.0	154,134	86.6	84.0	89.3
Payer of Delivery	Medicaid	26,619	16.0	13.1	19.0	139,331	84.0	81.0	86.9
	Private Insurance	9,297	6.0	4.1	8.0	145,295	94.0	92.0	95.9
	Self pay, Other, Unknown	8,951	18.1	12.4	23.8	40,453	81.9	76.2	87.6
Maternal Race	Black	4,411	11.6	6.0	17.2	33,576	88.4	82.8	94.0
	Hispanic	26,898	15.6	12.7	18.4	145,808	84.4	81.6	87.3
	Other	2,974	12.9	6.0	19.8	20,045	87.1	80.2	94.0
	White	10,585	7.8	5.5	10.1	125,649	92.2	89.9	94.5

Texas PRAMS 2017 data

Prepared by the Maternal & Child Health Epidemiology Unit

1. Select a chapter

Prenatal Care (PNC)

2. Select a question topic

PNC as Early as Wanted

PNC First Trimester

PNC as Early as Wanted

Q17: Did you get prenatal care as early in your pregnancy as you wanted?

		Accessed as Early as Wanted				Did Not Access as Early as Wanted			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	294,442	79.9	77.7	82.1	74,112	20.1	17.9	22.3
Birth Weight	Low Birth Weight	22,400	77.7	70.0	85.5	6,418	22.3	14.5	30.0
	Normal Birth Weight	272,042	80.1	77.8	82.4	67,694	19.9	17.6	22.2
Gestational Age	Preterm <=36 wks	25,777	77.0	69.5	84.4	7,719	23.0	15.6	30.5
	Term >36 wks	268,664	80.2	77.9	82.5	66,393	19.8	17.5	22.1
Marital Status	Married	193,948	84.3	81.8	86.8	36,038	15.7	13.2	18.2
	Not Married	100,494	72.5	68.5	76.6	38,074	27.5	23.4	31.5
PNC First Trimester	No Prenatal Care First Trimester	31,000	45.9	39.5	52.4	36,474	54.1	47.6	60.5
	Prenatal Care First Trimester	261,208	87.7	85.7	89.7	36,701	12.3	10.3	14.3
WIC Status	Not WIC	175,208	82.6	79.9	85.4	36,786	17.4	14.6	20.1
	WIC	118,806	76.1	72.6	79.6	37,326	23.9	20.4	27.4
Intention	Intended	173,327	86.3	83.8	88.9	27,436	13.7	11.1	16.2
	Not Sure	40,558	72.1	65.7	78.5	15,726	27.9	21.5	34.3
	Unintended	76,903	71.7	67.1	76.3	30,334	28.3	23.7	32.9
Maternal BMI Category	Obese	74,261	80.5	76.3	84.7	17,953	19.5	15.3	23.7
	Overweight	82,059	83.6	79.6	87.5	16,132	16.4	12.5	20.4
	Underweight or Normal	137,359	77.4	74.1	80.8	40,027	22.6	19.2	25.9
Payer of Delivery	Medicaid	122,254	73.1	69.5	76.8	44,951	26.9	23.2	30.5
	Private Insurance	132,715	87.2	84.5	90.0	19,419	12.8	10.0	15.5
	Self pay, Other, Unknown	39,472	80.2	74.3	86.1	9,742	19.8	13.9	25.7
Maternal Race	Black	28,717	74.4	66.6	82.3	9,875	25.6	17.7	33.4
	Hispanic	132,485	76.9	73.5	80.3	39,788	23.1	19.7	26.5
	Other	19,529	85.1	78.2	92.0	3,412	14.9	8.0	21.8
	White	113,711	84.4	81.2	87.6	21,037	15.6	12.4	18.8

Texas PRAMS 2017 data

Prepared by the Maternal & Child Health Epidemiology Unit

1. Select a chapter

Prenatal Care (PNC)

2. Select a question topic

PNC as Early as Wanted

PNC First Trimester

PNC First Trimester

Q16: How many weeks or months pregnant were you when you had your first visit for prenatal care? (presented as prenatal care in the first trimester).

		No Prenatal Care First Trimester				Prenatal Care First Trimester			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	71,524	19.3	17.1	21.4	299,631	80.7	78.6	82.9
Birth Weight	Low Birth Weight	6,286	21.3	13.4	29.1	23,268	78.7	70.9	86.6
	Normal Birth Weight	65,238	19.1	16.8	21.3	276,363	80.9	78.7	83.2
Gestational Age	Preterm <=36 wks	4,672	13.6	7.8	19.4	29,573	86.4	80.6	92.2
	Term >36 wks	66,853	19.8	17.5	22.1	270,057	80.2	77.9	82.5
Marital Status	Married	33,591	14.5	12.1	17.0	197,556	85.5	83.0	87.9
	Not Married	37,933	27.1	23.1	31.1	102,075	72.9	68.9	76.9
WIC Status	Not WIC	30,833	14.4	11.8	17.0	183,489	85.6	83.0	88.2
	WIC	40,610	26.0	22.3	29.6	115,714	74.0	70.4	77.7
Intention	Intended	26,986	13.3	10.8	15.8	175,766	86.7	84.2	89.2
	Not Sure	13,590	24.4	18.3	30.5	42,072	75.6	69.5	81.7
	Unintended	30,161	27.7	23.1	32.2	78,895	72.3	67.8	76.9
Maternal BMI Category	Obese	15,398	16.5	12.5	20.5	77,869	83.5	79.5	87.5
	Overweight	15,621	15.9	12.1	19.6	82,864	84.1	80.4	87.9
	Underweight or Normal	40,505	22.7	19.3	26.0	138,136	77.3	74.0	80.7
Payer of Delivery	Medicaid	44,585	26.7	23.1	30.3	122,638	73.3	69.7	76.9
	Private Insurance	13,541	8.7	6.3	11.1	141,637	91.3	88.9	93.7
	Self pay, Other, Unknown	13,399	27.5	20.7	34.2	35,356	72.5	65.8	79.3
Maternal Race	Black	9,287	24.4	16.6	32.2	28,821	75.6	67.8	83.4
	Hispanic	42,132	24.1	20.7	27.5	132,715	75.9	72.5	79.3
	Other	4,048	17.4	9.2	25.6	19,181	82.6	74.4	90.8
	White	16,058	11.9	8.9	14.9	118,913	88.1	85.1	91.1

Texas PRAMS 2017 data

Prepared by the Maternal & Child Health Epidemiology Unit

1. Select a chapter

Safe Sleep

2. Select a question topic

Sleep Position

Sleep Position

Q61: In which one position do you most often lay your baby down to sleep now? On his or her side (other); On his or her back (back); On his or her stomach (other).

		Back Only				Other Than Back			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	282,659	77.7	75.5	80.0	80,947	22.3	20.0	24.5
Birth Weight	Low Birth Weight	18,628	73.3	63.9	82.7	6,788	26.7	17.3	36.1
	Normal Birth Weight	264,031	78.1	75.7	80.4	74,159	21.9	19.6	24.3
Gestational Age	Preterm <=36 wks	24,409	80.6	73.1	88.0	5,889	19.4	12.0	26.9
	Term >36 wks	258,250	77.5	75.1	79.9	75,058	22.5	20.1	24.9
Marital Status	Married	183,194	80.1	77.4	82.8	45,606	19.9	17.2	22.6
	Not Married	99,466	73.8	69.8	77.8	35,341	26.2	22.2	30.2
PNC First Trimester	No Prenatal Care First Trimester	48,810	71.7	65.8	77.5	19,306	28.3	22.5	34.2
	Prenatal Care First Trimester	230,848	78.9	76.5	81.4	61,585	21.1	18.6	23.5
WIC Status	Not WIC	168,742	80.3	77.4	83.1	41,513	19.7	16.9	22.6
	WIC	113,408	74.2	70.6	77.8	39,434	25.8	22.2	29.4
Intention	Intended	158,846	79.2	76.3	82.2	41,683	20.8	17.8	23.7
	Not Sure	40,517	74.0	67.9	80.1	14,231	26.0	19.9	32.1
	Unintended	80,932	77.8	73.5	82.1	23,128	22.2	17.9	26.5
Maternal BMI Category	Obese	70,523	77.0	72.5	81.6	21,017	23.0	18.4	27.5
	Overweight	76,020	77.9	73.5	82.3	21,542	22.1	17.7	26.5
	Underweight or Normal	135,782	78.0	74.7	81.2	38,388	22.0	18.8	25.3
Payer of Delivery	Medicaid	121,195	74.8	71.2	78.4	40,876	25.2	21.6	28.8
	Private Insurance	125,996	82.5	79.4	85.6	26,710	17.5	14.4	20.6
	Self pay, Other, Unknown	35,468	72.6	66.1	79.1	13,362	27.4	20.9	33.9
Maternal Race	Black	22,826	64.1	55.4	72.8	12,765	35.9	27.2	44.6
	Hispanic	134,809	78.8	75.5	82.0	36,359	21.2	18.0	24.5
	Other	18,312	77.4	68.7	86.2	5,333	22.6	13.8	31.3
	White	106,712	80.1	76.6	83.7	26,491	19.9	16.3	23.4

Texas PRAMS 2017 data

Prepared by the Maternal & Child Health Epidemiology Unit

1. Select a chapter

Tobacco

2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester

Allow Smoking

Q36. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).

		Allowed				Not Allowed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	7,609	2.1	1.4	2.7	361,787	97.9	97.3	98.6
Birth Weight	Low Birth Weight	510	1.8	0.0	3.6	28,318	98.2	96.4	100.0
	Normal Birth Weight	7,100	2.1	1.4	2.8	333,469	97.9	97.2	98.6
Gestational Age	Preterm <=36 wks	848	2.5	0.0	5.0	32,701	97.5	95.0	100.0
	Term >36 wks	6,761	2.0	1.3	2.7	329,085	98.0	97.3	98.7
Marital Status	Married	2,356	1.0	0.5	1.6	228,034	99.0	98.4	99.5
	Not Married	5,254	3.8	2.3	5.3	133,753	96.2	94.7	97.7
PNC First Trimester	No Prenatal Care First Trimester	2,451	3.5	1.8	5.1	67,938	96.5	94.9	98.2
	Prenatal Care First Trimester	5,158	1.7	1.0	2.5	290,678	98.3	97.5	99.0
WIC Status	Not WIC	2,687	1.3	0.5	2.0	210,912	98.7	98.0	99.5
	WIC	4,922	3.2	1.9	4.4	150,366	96.8	95.6	98.1
Intention	Intended	2,956	1.5	0.7	2.2	198,003	98.5	97.8	99.3
	Not Sure	2,558	4.5	1.9	7.0	54,547	95.5	93.0	98.1
	Unintended	1,983	1.8	0.8	2.9	105,419	98.2	97.1	99.2
Maternal BMI Category	Obese	2,832	3.1	1.4	4.7	89,025	96.9	95.3	98.6
	Overweight	1,440	1.5	0.4	2.6	96,709	98.5	97.4	99.6
	Underweight or Normal	3,338	1.9	1.0	2.8	175,291	98.1	97.2	99.0
Payer of Delivery	Medicaid	6,772	4.1	2.7	5.4	160,327	95.9	94.6	97.3
	Private Insurance	618	0.4	0.0	0.8	153,553	99.6	99.2	100.0
	Self pay, Other, Unknown	219	0.5	0.0	1.0	47,907	99.5	99.0	100.0
Maternal Race	Black	2,638	6.9	2.5	11.2	35,829	93.1	88.8	97.5
	Hispanic	2,236	1.3	0.6	2.0	170,305	98.7	98.0	99.4
	Other	263	1.1	0.0	2.5	23,256	98.9	97.5	100.0
	White	2,473	1.8	0.9	2.7	132,397	98.2	97.3	99.1

Texas PRAMS 2017 data

Prepared by the Maternal & Child Health Epidemiology Unit

1. Select a chapter

Tobacco

2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester

Smoking 3-Months Before

Q32: In the 3 months before you got pregnant, how many cigarettes did you smoke on an average day? (presented as yes/no response).

		Never Smoked				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	320,758	86.4	84.6	88.3	50,433	13.6	11.7	15.4
Birth Weight	Low Birth Weight	26,599	90.9	86.1	95.7	2,655	9.1	4.3	13.9
	Normal Birth Weight	294,159	86.0	84.1	88.0	47,777	14.0	12.0	15.9
Gestational Age	Preterm <=36 wks	30,441	89.6	84.7	94.5	3,536	10.4	5.5	15.3
	Term >36 wks	290,317	86.1	84.1	88.1	46,896	13.9	11.9	15.9
Marital Status	Married	209,577	90.8	88.9	92.7	21,304	9.2	7.3	11.1
	Not Married	111,181	79.2	75.6	82.9	29,128	20.8	17.1	24.4
PNC First Trimester	No Prenatal Care First Trimester	58,692	83.1	78.3	87.9	11,971	16.9	12.1	21.7
	Prenatal Care First Trimester	259,185	87.2	85.2	89.1	38,172	12.8	10.9	14.8
WIC Status	Not WIC	187,964	87.8	85.4	90.1	26,209	12.2	9.9	14.6
	WIC	132,366	84.6	81.6	87.5	24,142	15.4	12.5	18.4
Intention	Intended	184,042	91.2	89.2	93.2	17,785	8.8	6.8	10.8
	Not Sure	41,745	73.4	67.3	79.6	15,106	26.6	20.4	32.7
	Unintended	92,148	85.1	81.5	88.8	16,097	14.9	11.2	18.5
Maternal BMI Category	Obese	78,710	85.2	81.6	88.8	13,709	14.8	11.2	18.4
	Overweight	84,663	86.0	82.1	89.8	13,835	14.0	10.2	17.9
	Underweight or Normal	156,624	87.2	84.7	89.8	22,889	12.8	10.2	15.3
Payer of Delivery	Medicaid	138,250	82.4	79.3	85.4	29,613	17.6	14.6	20.7
	Private Insurance	139,700	90.7	88.3	93.1	14,334	9.3	6.9	11.7
	Self pay, Other, Unknown	42,807	86.8	82.0	91.7	6,486	13.2	8.3	18.0
Maternal Race	Black	35,235	91.3	86.7	95.9	3,357	8.7	4.1	13.3
	Hispanic	154,527	89.1	86.6	91.5	19,001	10.9	8.5	13.4
	Other	22,654	96.3	93.0	99.6	866	3.7	0.4	7.0
	White	108,342	79.9	76.4	83.5	27,209	20.1	16.5	23.6

Texas PRAMS 2017 data

Prepared by the Maternal & Child Health Epidemiology Unit

1. Select a chapter

Tobacco

Smoking Third Trimester

Q33: In the last 3 months of your pregnancy, how many cigarettes did you smoke on an average day? (presented as yes/no response).

2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	358,773	96.6	95.7	97.6	12,546	3.4	2.4	4.3
Birth Weight	Low Birth Weight	27,780	95.0	91.1	98.8	1,475	5.0	1.2	8.9
	Normal Birth Weight	330,993	96.8	95.8	97.7	11,072	3.2	2.3	4.2
Gestational Age	Preterm <=36 wks	32,583	95.9	92.5	99.3	1,394	4.1	0.7	7.5
	Term >36 wks	326,190	96.7	95.7	97.7	11,152	3.3	2.3	4.3
Marital Status	Married	226,860	98.3	97.4	99.1	4,021	1.7	0.9	2.6
	Not Married	131,914	93.9	91.8	96.0	8,525	6.1	4.0	8.2
PNC First Trimester	No Prenatal Care First Trimester	67,269	94.9	92.1	97.6	3,650	5.1	2.4	7.9
	Prenatal Care First Trimester	288,335	97.0	96.0	98.0	8,897	3.0	2.0	4.0
WIC Status	Not WIC	209,098	97.7	96.6	98.7	4,949	2.3	1.3	3.4
	WIC	149,166	95.2	93.4	96.9	7,597	4.8	3.1	6.6
Intention	Intended	199,188	98.7	98.0	99.4	2,638	1.3	0.6	2.0
	Not Sure	51,926	90.9	86.9	94.9	5,179	9.1	5.1	13.1
	Unintended	104,094	96.3	94.3	98.2	4,025	3.7	1.8	5.7
Maternal BMI Category	Obese	89,362	96.7	95.1	98.3	3,056	3.3	1.7	4.9
	Overweight	95,490	96.9	95.1	98.8	3,008	3.1	1.2	4.9
	Underweight or Normal	173,160	96.4	94.9	97.9	6,483	3.6	2.1	5.1
Payer of Delivery	Medicaid	158,759	94.6	92.8	96.4	9,104	5.4	3.6	7.2
	Private Insurance	152,456	99.0	98.1	99.8	1,578	1.0	0.2	1.9
	Self pay, Other, Unknown	47,558	96.2	93.6	98.8	1,864	3.8	1.2	6.4
Maternal Race	Black	36,733	95.5	92.0	99.0	1,733	4.5	1.0	8.0
	Hispanic	171,460	98.7	97.8	99.5	2,324	1.3	0.5	2.2
	Other	23,240	98.8	97.0	100.0	280	1.2	0.0	3.0
	White	127,341	93.9	91.8	96.0	8,210	6.1	4.0	8.2

Texas PRAMS 2017 data

Prepared by the Maternal & Child Health Epidemiology Unit

1. Select a chapter

Tobacco

Smoking Postpartum

Q34: How many cigarettes do you smoke on an average day now? (presented as yes/no response).

2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	343,116	92.5	91.0	93.9	27,950	7.5	6.1	9.0
Birth Weight	Low Birth Weight	27,447	93.8	90.1	97.5	1,808	6.2	2.5	9.9
	Normal Birth Weight	315,668	92.4	90.8	93.9	26,142	7.6	6.1	9.2
Gestational Age	Preterm <=36 wks	31,370	92.3	88.1	96.5	2,607	7.7	3.5	11.9
	Term >36 wks	311,745	92.5	91.0	94.0	25,343	7.5	6.0	9.0
Marital Status	Married	220,524	95.5	94.1	96.9	10,357	4.5	3.1	5.9
	Not Married	122,592	87.5	84.5	90.4	17,592	12.5	9.6	15.5
PNC First Trimester	No Prenatal Care First Trimester	63,361	89.7	85.7	93.6	7,303	10.3	6.4	14.3
	Prenatal Care First Trimester	276,874	93.2	91.7	94.6	20,358	6.8	5.4	8.3
WIC Status	Not WIC	202,210	94.5	92.8	96.2	11,838	5.5	3.8	7.2
	WIC	140,397	89.7	87.2	92.2	16,112	10.3	7.8	12.8
Intention	Intended	193,638	95.9	94.6	97.3	8,189	4.1	2.7	5.4
	Not Sure	47,795	84.1	79.0	89.2	9,055	15.9	10.8	21.0
	Unintended	98,858	91.4	88.6	94.3	9,260	8.6	5.7	11.4
Maternal BMI Category	Obese	83,692	90.6	87.5	93.6	8,726	9.4	6.4	12.5
	Overweight	91,788	93.2	90.4	96.0	6,709	6.8	4.0	9.6
	Underweight or Normal	166,873	93.0	91.0	95.0	12,514	7.0	5.0	9.0
Payer of Delivery	Medicaid	149,985	89.3	86.9	91.8	17,878	10.7	8.2	13.1
	Private Insurance	147,513	95.8	94.0	97.5	6,522	4.2	2.5	6.0
	Self pay, Other, Unknown	45,617	92.8	89.2	96.3	3,550	7.2	3.7	10.8
Maternal Race	Black	35,914	93.4	89.4	97.3	2,553	6.6	2.7	10.6
	Hispanic	165,219	95.2	93.5	97.0	8,309	4.8	3.0	6.5
	Other	22,929	97.5	94.9	100.0	591	2.5	0.0	5.1
	White	119,054	87.8	84.9	90.7	16,497	12.2	9.3	15.1

Texas PRAMS 2017 data

Prepared by the Maternal & Child Health Epidemiology Unit

1. Select a chapter

Vaccinations

Flu Shot

Q24. During the 12 months before the delivery of your new baby, did you get a flu shot?

2. Select a question topic

Flu Shot

Tdap

		No Flu Shot				Received Flu Shot			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	157,195	42.5	39.8	45.1	212,997	57.5	54.9	60.2
Birth Weight	Low Birth Weight	14,190	47.9	38.4	57.4	15,445	52.1	42.6	61.6
	Normal Birth Weight	143,005	42.0	39.2	44.8	197,552	58.0	55.2	60.8
Gestational Age	Preterm <=36 wks	15,664	45.8	37.0	54.5	18,568	54.2	45.5	63.0
	Term >36 wks	141,531	42.1	39.3	44.9	194,429	57.9	55.1	60.7
Marital Status	Married	94,793	41.1	37.8	44.4	135,680	58.9	55.6	62.2
	Not Married	62,402	44.7	40.2	49.2	77,317	55.3	50.8	59.8
PNC First Trimester	No Prenatal Care First Trimester	37,320	53.4	47.1	59.8	32,549	46.6	40.2	52.9
	Prenatal Care First Trimester	118,188	39.8	36.9	42.8	178,519	60.2	57.2	63.1
WIC Status	Not WIC	91,637	42.8	39.3	46.4	122,267	57.2	53.6	60.7
	WIC	65,559	42.1	38.0	46.2	90,220	57.9	53.8	62.0
Intention	Intended	80,569	39.9	36.4	43.5	121,157	60.1	56.5	63.6
	Not Sure	27,278	48.2	41.3	55.2	29,273	51.8	44.8	58.7
	Unintended	47,514	44.0	39.0	49.1	60,388	56.0	50.9	61.0
Maternal BMI Category	Obese	39,768	43.0	37.7	48.2	52,782	57.0	51.8	62.3
	Overweight	42,641	43.7	38.5	48.9	54,967	56.3	51.1	61.5
	Underweight or Normal	74,453	41.5	37.7	45.4	104,820	58.5	54.6	62.3
Payer of Delivery	Medicaid	77,989	46.6	42.6	50.7	89,228	53.4	49.3	57.4
	Private Insurance	57,220	37.3	33.2	41.3	96,360	62.7	58.7	66.8
	Self pay, Other, Unknown	21,986	44.5	37.2	51.8	27,409	55.5	48.2	62.8
Maternal Race	Black	19,065	49.5	40.6	58.4	19,471	50.5	41.6	59.4
	Hispanic	75,510	43.5	39.6	47.5	98,008	56.5	52.5	60.4
	Other	6,468	27.5	18.1	36.9	17,051	72.5	63.1	81.9
	White	56,153	41.7	37.4	46.0	78,466	58.3	54.0	62.6

Texas PRAMS 2017 data

Prepared by the Maternal & Child Health Epidemiology Unit

1. Select a chapter

Vaccinations

2. Select a question topic

Flu Shot

Tdap

Tdap

Q25. During your most recent pregnancy, did you get a Tdap shot or vaccination?

		No Tdap				Received Tdap			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	101,764	30.3	27.7	32.9	234,376	69.7	67.1	72.3
Birth Weight	Low Birth Weight	10,306	39.8	29.9	49.7	15,614	60.2	50.3	70.1
	Normal Birth Weight	91,458	29.5	26.8	32.2	218,762	70.5	67.8	73.2
Gestational Age	Preterm <=36 wks	10,889	35.3	26.4	44.2	19,957	64.7	55.8	73.6
	Term >36 wks	90,875	29.8	27.0	32.5	214,419	70.2	67.5	73.0
Marital Status	Married	61,720	28.6	25.4	31.7	154,386	71.4	68.3	74.6
	Not Married	40,044	33.4	28.7	38.0	79,989	66.6	62.0	71.3
PNC First Trimester	No Prenatal Care First Trimester	22,384	36.4	29.8	42.9	39,144	63.6	57.1	70.2
	Prenatal Care First Trimester	78,488	28.8	26.0	31.7	193,730	71.2	68.3	74.0
WIC Status	Not WIC	58,870	29.2	25.8	32.5	143,018	70.8	67.5	74.2
	WIC	42,893	32.1	27.9	36.3	90,848	67.9	63.7	72.1
Intention	Intended	55,653	29.3	25.9	32.7	134,276	70.7	67.3	74.1
	Not Sure	16,072	32.7	25.7	39.7	33,077	67.3	60.3	74.3
	Unintended	28,825	30.7	25.6	35.8	65,009	69.3	64.2	74.4
Maternal BMI Category	Obese	23,714	28.4	23.4	33.4	59,768	71.6	66.6	76.6
	Overweight	27,810	31.6	26.4	36.9	60,171	68.4	63.1	73.6
	Underweight or Normal	49,812	30.4	26.6	34.2	114,102	69.6	65.8	73.4
Payer of Delivery	Medicaid	47,571	32.6	28.5	36.7	98,294	67.4	63.3	71.5
	Private Insurance	39,229	26.6	22.8	30.4	108,362	73.4	69.6	77.2
	Self pay, Other, Unknown	14,964	35.1	27.5	42.7	27,720	64.9	57.3	72.5
Maternal Race	Black	12,430	35.5	26.5	44.5	22,585	64.5	55.5	73.5
	Hispanic	45,524	30.7	26.7	34.7	102,748	69.3	65.3	73.3
	Other	6,032	26.5	16.9	36.0	16,743	73.5	64.0	83.1
	White	37,778	29.0	25.0	33.1	92,299	71.0	66.9	75.0

Texas PRAMS 2017 data

Prepared by the Maternal & Child Health Epidemiology Unit