



Texas Influenza Surveillance Report 2014–2015 Season/2015 MMWR Week 10

(March 08, 2015 – March 14, 2015) Report produced on 3/20/2015

Summary

Overall, influenza activity remained about the same in Texas compared to last week. Texas influenza-like illness (ILI) indicators demonstrated a very marginal increase compared to last week. The percentage of specimens positive for influenza increased compared to last week, and the proportion of influenza positive results that were identified as influenza B continued to increase. ILI activity remains above the 2014-2015 state ILINet baseline of 5.42%.

Table 1: Summary of Texas Influenza (Flu) and Influenza-like Illness (ILI) Activity for the Current Week

Texas Surveillance Component	Change from Previous Week	Current Week	Previous Week⁺	Page of Report	
Statewide influenza activity level reported to CDC (geographic spread of influenza)	No change	Regional	Regional		
Statewide ILINet Activity Indicator assigned by CDC (intensity of influenza-like illness)	Decreased	Moderate	High		
Percentage of specimens positive for influenza	▲3.69%	13.43%	9.74%⁺	1	
Percentage of visits due to ILI (ILINet)	▲0.24%	7.61%	7.37% [†]	3	
Number of regions reporting increased flu/ILI activity	▲ 1	2	1	5	
Number of regions reporting decreased flu/ILI activity	▼1	4	5	5	
Number of variant/novel influenza infections	No change	0	0	5	
Number of ILI/influenza outbreaks	▼ 2	1	3	5	
Number of pediatric influenza deaths	New Case Reported	1	0	6	

[†]Data displayed have been updated since last week's flu report with any new reports received.

Laboratory Results

Influenza


Hospital laboratories across Texas voluntarily report influenza tests (antigen, culture, and PCR) to the National Respiratory and Enteric Virus Surveillance System (NREVSS). Providers throughout Texas also submit specimens for influenza testing (PCR) to Texas public health laboratories, including the Texas Department of State Health Services (DSHS) state laboratory in Austin and the nine Texas Laboratory Response Network (LRN) laboratories. The results reported by Texas NREVSS participants and public health laboratories for the current week is summarized in the table below. Additional influenza test results (rapid tests, culture, PCR) and ILI activity were reported from providers and public health departments throughout the state (see county map at the end of this report).

Table 2: Influenza Testing Performed by Texas Laboratories for the Current Week

	Week 10					
Number of labs reporting flu tests	15					
Number of specimens tested	1921					
Number of positive specimens (%) [†]	258 (13.43%)					
Percentage of total tests that were antigen detection tests	67.00%					
Positive specimens by type/subtype [n (%)]						
Influenza A	59 (22.87%)					
Subtyping performed	12 (20.34%)					
A (H1N1)	0 (0.00%)					
A (H3N2)	12 (100.00%)					
Subtyping not performed	47 (79.66%)					
Influenza B	199 (77.13%)					

†Laboratory data in 2014-2015 season reports may not be comparable to reports from previous seasons because of the inclusion of DSHS and LRN laboratory data for the current season.

Figure 1: Number and Percentage of Tests (Antigen, Culture, PCR) Positive for Influenza by Type and Subtype Reported by Texas Laboratories, 2014–2015 Season



Other Respiratory Viruses

The NREVSS system collects information on a variety of respiratory viruses in addition to influenza including parainfluenza virus, respiratory syncytial virus (RSV), rhinovirus, human metapneumovirus (HMPV), and respiratory adenovirus. The results for the current week are summarized below.

Table 3: Non-Influenza Respiratory Virus Testing Performed by Texas NREVSS Laboratories for the Current Week

Virus	Number of Laboratories Testing	Tests Performed Positive Tests		Percentage of Tests Positive	
Adenovirus (respiratory)	6	493	22	4.46%	
HMPV	6	505	64	12.67%	
Parainfluenza virus	7	622	32	5.14%	
Rhinovirus	4	263	50	19.01%	
RSV ^{†^}	11	994	101	10.16%	

[†]RSV tests displayed in the table are antigen detection tests only. Some non-NREVSS reporters also contribute to the RSV data.

[^]Numbers and percentage may differ from the weekly RSV report. The weekly RSV report may be accessed at https://www.dshs.state.tx.us/RSV/disease/rsv-Data.aspx.

Antigenic Characterization

Since September 28, 2014, CDC has reported antigenic characterization results from 34 influenza A (H3N2) viruses and 15 influenza B viruses received from the Texas Department of State Health Services (DSHS) Laboratory. The DSHS Laboratory sends a representative sample of influenza viruses to the CDC throughout the flu season.

Influenza A (H3N2) [34]

- Three (8.8%) viruses were related to A/Texas/50/2012, the influenza A (H3N2) component of the 2014-2015 Northern Hemisphere influenza vaccine.
- Twenty-nine (85.3%) viruses tested showed reduced titers with antiserum produced against A/Texas/50/2012 and were antigenically similar to A/Switzerland/9715293/2013, the H3N2 virus selected for the 2015 Southern Hemisphere influenza vaccine. A/Switzerland/9715293/2013 is related to, but antigenically and genetically distinguishable, from the A/Texas/50/2012 vaccine virus. A/Switzerland-like H3N2 viruses were first detected in the United States in small numbers in March of 2014 and began to increase through the spring and summer.
- Two (5.9%) viruses tested showed reduced titers with antiserum produced against A/Texas/50/2012 and A/Switzerland/9715293/2013.

Influenza B [15]

- Yamagata lineage [3]: Three (20.0%) influenza B/Yamagata-lineage virus has been characterized from Texas.
 A B/ Massachusetts/2/2012-like virus is included as an influenza B component of the 2014-2015 Northern Hemisphere trivalent and guadrivalent influenza vaccines.
- Victoria lineage [12]: Twelve (80.0%) influenza B/Victoria-lineage viruses were characterized as B/Brisbane/60/2008-like, which is included as an influenza B component of the 2014-2015 Northern Hemisphere quadrivalent influenza vaccine.

Antiviral Resistance

Table 4 displays the number of influenza viruses from Texas that have been tested for antiviral resistance since September 28, 2014. No influenza viruses have tested positive for mutations that confers resistance to oseltamivir, zanamivir, or peramivir.

Table 4: Cumulative Antiviral Resistance Results from Texas Influenza Viruses, 2014-2015 Season[†]

	Oselt	amivir	Zana	amivir	Peramivir^	
	Virus Resistant samples viruses, tested (n) number (%)		Virus Resistant samples viruses, tested (n) number (%)		Virus samples tested (n)	Resistant viruses, number (%)
Influenza A (H1N1)	0	0 (0%)	0	0 (0%)	0	0 (0%)
Influenza A (H3N2)	92	0 (0%)	92	0 (0%)	92	0 (0%)
Influenza B	21	0 (0%)	21	0 (0%)	21	0 (0%)

[†]This table includes specimens submitted as part of routine surveillance and not for diagnostic purposes.

U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet)

Table 5: Texas ILINet Reporting and Patient Visit Summary for the Current Week

	Week 10
Number of providers reporting [†]	103
Number of providers reporting patient visits	96
Number (%) of providers with at least one ILI case	80 (83.34%)
Percentage of all visits due to ILI	7.61%
Texas ILINet baseline [‡] , 2014–2015	5.42%

[†]Reporting providers include both ILINet and RVSP providers.


[^] Peramivir is an intravenous antiviral medication that was FDA-approved for use on December 19, 2014.

[‡]The baseline is the mean percentage of patient visits for ILI during non-influenza weeks for the previous three seasons plus two standard deviations. A "non-influenza week" is defined as a week that accounted for less than 2% of the season's total number of specimens that tested positive for influenza.

Table 6: Percentage of Visits for Influenza-like Illness Reported by Texas ILINet Providers (as of 3/19/2015 10:30 AM)

Wook	Wook Providers Number of ILI Cases by Age Group (Years)					Total ILI	Total	0/ 11 1	
Week	Reporting	0-4	5-24	25-49	50-64	65+	(all ages)	Patients	% ILI
201440	112	160	384	313	112	93	1062	28992	3.66%
201441	112	181	390	312	139	93	1115	30402	3.67%
201442	112	237	430	296	133	94	1190	29486	4.04%
201443	116	210	475	368	136	103	1292	30221	4.28%
201444	114	207	495	363	109	116	1290	28667	4.50%
201445	117	211	522	346	119	90	1288	29165	4.42%
201446	83	249	387	103	32	22	793	22064	3.59%
201447	110	294	858	426	109	31	1718	26133	6.57%
201448	111	260	702	472	108	45	1587	21456	7.40%
201449	117	376	1015	680	288	221	2580	31410	8.21%
201450	119	459	1576	677	268	209	3189	31306	10.19%
201451	100	556	1611	715	280	210	3372	23802	14.17%
201452	86	416	666	256	133	137	1608	17869	9.00%
201453	97	417	573	750	329	220	2289	17517	13.07%
201501	101	388	774	791	372	311	2636	23584	11.18%
201502	107	466	1346	910	277	94	3093	29200	10.59%
201503	107	497	1404	937	277	102	3217	29313	10.97%
201504	113	423	1232	805	253	93	2806	30828	9.10%
201505	116	392	1230	751	324	200	2897	31364	9.24%
201506	113	306	979	712	300	191	2488	30940	8.04%
201507	111	313	857	681	328	223	2402	30029	8.00%
201508	110	230	751	566	236	183	1966	27612	7.12%
201509	107	271	829	602	248	173	2123	28804	7.37%
201510	103	241	627	591	272	187	1918	25211	7.61%

Figure 2: Percentage of Visits Due to Influenza-like Illness Reported by Texas ILINet Participants, 2014–2015 Season






Figure 3: Percentage of Visits Due to Influenza-like Illness Reported by Texas ILINet Participants, 2011–2015 Seasons

Reports from Health Service Regions

Reports were received from all Health Service Regions (HSRs) during week 10. HSRs 1 and 11 reported an increased level of flu activity compared to week 09. HSRs 4/5N and 6/5N reported the same level of flu activity compared to week 09. HSRs 2/3, 7, 8, and 9/10 reported a decreased level of flu activity compared to week 09.

Variant Influenza Viruses

No variant or novel influenza viruses have been detected in Texas in 2014 or 2015.

Institutional Outbreaks and School Closures

During week 10, one influenza-associated outbreak was reported in a long-term care facility located in HSR 7. Some people associated with the long-term care facility tested positive for influenza B by rapid test. No specimens were collected and sent to the DSHS Lab in Austin for influenza testing as it appears that the outbreak has concluded. However, the outbreak is still being investigated.

No school closures were reported during week 10.

Influenza-Associated Pediatric Mortality

One influenza-associated pediatric death was reported during week 10. The child was a resident of HSR 2/3 who was less than one year of age and had an underlying medical condition. A specimen from the child was positive for influenza A (unknown subtype) by rapid test; a cerebrospinal fluid (CSF) specimen was collected and tested positive for *Streptococcus pneumoniae*. The child was not vaccinated for influenza for the current season.


Thirteen influenza-associated pediatric deaths have been reported in Texas during the 2014-2015 influenza season. Cases of influenza-associated pediatric mortality (children <18 years of age) are reportable year-round and by law in Texas.

Table 7: Influenza-Associated Pediatric Deaths Reported in Texas During the 2014–2015 Season

Month of Pediatric Death	Influenza A (H1N1)	Influenza A (H3N2)	Influenza A (Not Subtyped)	Influenza B	Influenza, Not Typed / Not Differentiated	Influenza virus co-infection: A (not subtyped) and B	Total, All Influenza Types / Subtypes
2014							7.
October	0	0	0	0	0	0	0
November	0	0	0	0	0	0	0
December	0	1	4	2	0	0	7
2015	•						•
January	0	2	2	1	0	0	5
February	0	0	0	0	0	0	0
March	0	0	1	0	0	0	1
Total	0	3	7	3	0	0	13

Statewide Influenza Activity Map

Figure 4: Texas Map Displaying the Highest Level of Influenza or ILI Activity Reported by County for the Week Ending March 14, 2015 (MMWR Week 10)



Please note: The majority of influenza cases are not reportable by law in Texas. This map contains data from sentinel sites and only displays influenza and ILI cases that were reported to public health. Positive laboratory results are reported according to specimen collection date, or date received in the laboratory if the former is unknown.

Texas Influenza Surveillance Components and Measures

Activity codes (see http://www.cdc.gov/flu/weekly/overview.htm)

Statewide influenza activity level

A code reported weekly by states and territories to CDC indicating the geographic spread of influenza in the state. Levels are no activity, sporadic, local, regional, and widespread.

ILINet Activity Indicator

A statewide level of influenza-like illness intensity (on a scale of 1-10, with 1 being the lowest level) assigned to each state weekly by CDC based on data reported through ILINet.

Morbidity

Novel/variant influenza

Thorough investigations are performed on all cases of novel/variant influenza. This condition is reportable by law in Texas.

Texas ILINet

Providers voluntarily report weekly to CDC's ILINet system on the number of outpatient visits for ILI and total outpatient visits. Providers may submit up to 5 specimens per month for influenza testing. See http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/ILINet/ for information on how to become an ILINet provider.

Respiratory Virus Surveillance Project (RVSP)

Providers report weekly to ILINet and submit specimens on the first 10 patients seen with ILI each week. Specimens are tested for a variety of respiratory viruses.

ILI activity

Non-ILINet providers report ILI or influenza data weekly to local or regional health departments.

Outbreaks

Healthcare, schools, and childcare facilities report ILI and influenza outbreaks to health departments in Texas. *This condition is reportable by law in Texas.*

Mortality

Influenza-associated pediatric deaths

Deaths that are associated with influenza in children < 18 years of age are reported to health departments in Texas. *This condition is reportable by law in Texas*. http://www.dshs.state.tx.us/idcu/disease/IAPM/

Laboratory

DSHS Austin laboratory

Providers voluntarily submit specimens to the DSHS Austin laboratory for influenza PCR testing throughout the season. Providers sign up for this program through their local health departments.

Laboratory Response Network (LRN) laboratories

Providers voluntarily submit specimens to one of the 9 Texas LRNs for influenza PCR testing throughout the season. Providers sign up for this program through their local health departments.

NREVSS

Laboratories voluntarily report influenza and other respiratory virus data weekly through the CDC's online NREVSS reporting system. Laboratories sign up for this program by contacting DSHS. http://www.cdc.gov/surveillance/nrevss/

Recommended Resources

Texas Department of State Health Services DSHS influenza page: http://www.texasflu.org/

Influenza surveillance data and reports: http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/

Map of Texas Health Service Regions: http://www.dshs.state.tx.us/regions/state.shtm

Centers for Disease Control and Prevention

National FluView weekly flu report: http://www.cdc.gov/flu/weekly/

Variant and novel influenza viruses: http://www.cdc.gov/flu/avianflu/index.htm; http://www.cdc.gov/flu/swineflu/index.htm

Infection Control in Healthcare Facilities: http://www.cdc.gov/flu/professionals/infectioncontrol/

Seasonal Flu Information for Schools and Childcare Providers: http://www.cdc.gov/flu/school/index.htm

World Health Organization

Influenza page: http://www.who.int/topics/influenza/en/
Disease Outbreak News: http://www.who.int/csr/don/en/