



Texas Influenza Summer Surveillance Report 2015–2016 Season/2016 MMWR Week 24

(June 12, 2016 – June 18, 2016) Report produced on 6/24/2016

Summary

Influenza activity is low across the state of Texas. Compared to the previous week, the percentage of specimens positive for influenza and the percentage of patient visits due to influenza-like illness (ILI) decreased. No influenza-associated pediatric deaths were reported. A single ILI outbreak in a long term care facility was reported. In addition to flu, other respiratory viruses—especially rhinovirus and parainfluenza—were detected in Texas during week 24.

Table 1: Summary of Texas Influenza (Flu) and Influenza-like Illness (ILI) Activity for the Current Week

Texas Surveillance Component	Change from Previous Week	Current Week	Previous Week [†]	Page of Report	
Statewide influenza activity level reported to CDC (geographic spread of influenza)	Not determined during the summer	N/A	N/A		
Statewide ILINet Activity Indicator assigned by CDC (intensity of influenza-like illness)	Not determined during the summer	N/A	N/A		
Percentage of specimens positive for influenza	▼3.09%	2.99%	6.08% [†]	1	
Percentage of visits due to ILI (ILINet)	▼0.28%	3.86%	4.14% [†]	2	
Number of regions reporting increased flu/ILI activity	▲ 1	2	1	4	
Number of regions reporting decreased flu/ILI activity	▼ 2	2	4	4	
Number of variant/novel influenza infections	No change	0	0	4	
Number of ILI/influenza outbreaks	▲ 1	1	0	4	
Number of Pneumonia and Influenza (P&I) Deaths	No New Deaths Reported	0	0	4	
Number of pediatric influenza deaths	No New Cases Reported	0	0	5	

[†]Data displayed have been updated since last week's flu report with any new reports received.

Laboratory Results

Influenza

Hospital laboratories across Texas voluntarily report influenza tests (antigen, culture, and PCR) to the National Respiratory and Enteric Virus Surveillance System (NREVSS). Providers throughout Texas also submit specimens for influenza testing (PCR) to Texas public health laboratories, including the Texas Department of State Health Services (DSHS) state laboratory in Austin and the nine Texas Laboratory Response Network (LRN) laboratories. The results reported by Texas NREVSS participants and public health laboratories for the current week is summarized in the table below. Additional influenza test results (rapid tests, culture, PCR) and ILI activity were reported from providers and public health departments throughout the state (see county map at the end of this report).

Table 2: Influenza Testing Performed by Texas Laboratories for the Current Week

	Week 24	Season to Date
Number of labs reporting flu tests	10	
Number of specimens tested	636	78001
Number of positive specimens (%) [†]	19 (2.99%)	8192 (10.50%)
Percentage of total tests that were antigen detection tests	38.84%	
Positive specimens by type/subtype/lineage	e [n (%)]	_
Influenza A	12 (63.16%)	4245 (51.82%)
Subtyping performed	2 (16.67%)	1425 (33.57%)
A (H1N1)	0 (0.00%)	850 (59.65%)
A (H3N2)	2 (100.00%)	575 (40.35%)
Subtyping not performed	10 (83.33%)	2820 (66.43%)
Influenza B	7 (36.84%)	3947 (48.18%)
Lineage testing performed	0 (0.00%)	235 (5.95%)
B/Victoria	0 (0.00%)	88 (37.45%)
B/Yamagata	0 (0.00%)	147 (62.55%)
Lineage testing not performed	7 (100.00%)	3712 (94.05%)

[†]Laboratory data in 2015-2016 season reports may not be comparable to reports from previous seasons because of the inclusion of DSHS and LRN laboratory data for the current season.

Other Respiratory Viruses

The NREVSS system collects information on a variety of respiratory viruses in addition to influenza including parainfluenza virus, respiratory syncytial virus (RSV), rhinovirus, human metapneumovirus (HMPV), seasonal coronavirus, and respiratory adenovirus. The results for the current week are summarized below.

Table 3: Non-Influenza Respiratory Virus Testing Performed by Texas NREVSS Laboratories for the Current Week

Virus	Number of Laboratories Testing	Tests Performed	Positive Tests	Percentage of Tests Positive
Adenovirus (respiratory)	5	378	23	6.08%
HMPV	5	359	17	4.74%
Parainfluenza virus	5	374	47	12.57%
Rhinovirus	5	278	69	24.82%
RSV [†]	7	440	3	0.68%
Seasonal coronavirus (does not include MERS-CoV)	3	259	4	1.54%

[†]RSV tests displayed in the table are antigen detection tests only. Some non-NREVSS reporters also contribute to the RSV data.

U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet)

Table 4: Texas ILINet Reporting and Patient Visit Summary for the Current Week

	Week 24
Number of providers reporting [†]	66
Number of providers reporting patient visits	65
Number (%) of providers with at least one ILI case	47 (72.31%)
Percentage of all visits due to ILI	3.86%
Texas ILINet baseline [‡] , 2015–2016	6.32%

[†]Reporting providers include both ILINet and RVSP providers.

Table 5: Percentage of Visits for Influenza-like Illness Reported by Texas ILINet Providers (as of 6/24/16 10:30 AM)


Moole	Providers	Num	lumber of ILI Cases by Age Group (Years)			Total ILI	Total	al og u i	
Week	Reporting	0-4	5-24	25-49	50-64	65+	(all ages)	Patients	% ILI
201540	131	204	395	350	197	125	1271	31446	4.04%
201541	127	212	422	304	141	92	1171	29680	3.95%
201542	127	245	467	392	187	137	1428	31123	4.59%
201543	129	250	500	352	201	150	1453	31953	4.55%
201544	131	251	437	322	213	160	1383	31979	4.32%
201545	123	248	500	296	122	41	1207	29029	4.16%
201546	128	237	530	376	224	186	1553	31686	4.90%
201547	127	206	377	339	182	114	1218	22193	5.49%
201548	127	277	500	478	290	249	1794	31214	5.75%
201549	124	276	451	410	300	218	1655	28634	5.78%
201550	126	320	410	486	279	219	1714	28709	5.97%
201551	125	193	333	418	222	175	1341	21334	6.29%
201552	124	213	294	488	295	178	1468	21567	6.81%

[^]Numbers and percentage may differ from the weekly RSV report. The weekly RSV report may be accessed at https://www.dshs.state.tx.us/RSV/disease/rsv-Data.aspx.

[‡]The baseline is the mean percentage of patient visits for ILI during non-influenza weeks for the previous three seasons plus two standard deviations. A "non-influenza week" is defined as a week that accounted for less than 2% of the season's total number of specimens that tested positive for influenza

Wook	Providers	Number of ILI Cases by Age Group (Years)			ears)	Total ILI	Total	% ILI	
Week	Reporting	0-4	5-24	25-49	50-64	65+	(all ages)	Patients	% ILI
201601	124	201	364	511	315	247	1638	26827	6.11%
201602	120	226	398	321	150	69	1164	25210	4.62%
201603	127	278	467	430	221	214	1610	29299	5.50%
201604	126	284	638	450	306	200	1878	30487	6.16%
201605	127	300	623	451	285	191	1850	30329	6.10%
201606	126	323	721	604	328	215	2191	31658	6.92%
201607	124	332	806	625	362	244	2369	31583	7.50%
201608	89	298	537	246	200	211	1492	24843	6.01%
201609	87	294	603	242	173	166	1478	24796	5.96%
201610	86	226	426	244	175	166	1237	22876	5.41%
201611	86	188	288	213	150	127	966	19550	4.94%
201612	86	152	408	202	139	149	1050	22330	4.70%
201613	85	195	391	190	131	153	1060	22899	4.63%
201614	65	92	283	200	123	147	845	19581	4.32%
201615	82	165	386	219	138	159	1067	23869	4.47%
201616	80	145	355	188	137	142	967	23010	4.20%
201617	84	174	350	191	138	148	1001	23740	4.22%
201618	80	155	285	169	113	370	1092	21550	5.07%
201619	76	158	203	128	119	155	763	19898	3.83%
201620	78	145	190	135	118	134	722	18672	3.87%
201621	73	139	224	136	112	121	732	16910	4.33%
201622	71	130	140	114	94	91	569	14254	3.99%
201623	48	65	97	113	110	132	517	12503	4.14%
201624	66	113	125	134	87	138	597	15476	3.86%

Figure 1: Percentage of Visits Due to Influenza-like Illness Reported by Texas ILINet Participants, 2012–2016 Seasons*



^{*}There was no week 53 in the previous influenza seasons displayed above; the week 53 data for these seasons is an average of weeks 52 and 01.

Reports from Health Service Regions

Reports were received from seven Health Service Regions (HSRs) during week 24.

Table 6: Influenza Activity Compared to Week 23 by Health Service Region (HSR)

Influenza Activity Comparison	Health Service Region (HSR)
Increased	6/5S and 11
Same	2/3, 7, and 9/10
Decreased	1 and 8
Unsure	

Variant Influenza Viruses

No variant or novel influenza viruses have been detected in Texas in 2015 or 2016.

Institutional Outbreaks and School Closures

During week 24, an ILI outbreak was reported in a long-term care facility located in HSR 7. Eighteen residents and one staff member reported symptoms including fever, cough and congestion. Specimens were sent to the DSHS lab in Austin for testing and all were negative for influenza and all but one tested negative for other common respiratory viruses. One specimen tested positive for parainfluenza 3. No new illnesses have been reported since June 17, 2016.

No school closures were reported during week 24.

TX P&I Mortality Surveillance Data

Pneumonia and influenza (P&I) death data are obtained from death certificates of Texas residents whose underlying or contributing cause(s) of death is reported as pneumonia or influenza. P&I deaths are identified based on ICD-10 multiple cause of death codes. In particular, P&I deaths are based on ICD-10 pneumonia and influenza mortality codes.

Five thousand two hundred fifteen P&I deaths have been reported in Texas during the 2015-2016 influenza season.

Table 7: Texas P&I Deaths Occurring Oct. 04, 2015-June 22, 2016* by Age

Age Category	Number of P&I	Mortality Rate
(years)	Deaths+	(per 100,000)
0 - 4	24	1.18
5 - 17	12	0.22
18 - 49	301	2.41
50 - 64	842	16.94
65 +	4036	119.93
Overall	5215	18.47

^{*}NOTE: Data are provisional and subject to change, errors, and duplicates

Table 8: Texas P&I Deaths Occurring Oct. 04, 2015-June 22, 2016* by Health Service Region (HSR)

	Number of P&I	Mortality Rate
HSR	Deaths	(per 100,000)
1	223	24.79
2/3	1463	17.92
4/5N	401	25.25
6/5S	1134	15.42
7	630	18.47
8	554	18.95
9/10	311	20.33
11	499	21.05
Overall	5215	18.47

^{*}NOTE: Data are provisional and subject to change, errors, and duplicates

Influenza-Associated Pediatric Mortality

No influenza-associated pediatric deaths were reported during week 24.

Six influenza-associated pediatric deaths have been reported in Texas during the 2015-2016 influenza season. Cases of influenza-associated pediatric mortality (children <18 years of age) are reportable year-round and by law in Texas.


Table 9: Influenza-Associated Pediatric Deaths Reported in Texas during the 2015–2016 Season

Month of Pediatric Death	Influenza A (H1N1)	Influenza A (H3N2)	Influenza A (Not Subtyped)	Influenza B	Influenza, Not Typed / Not Differentiated	Influenza virus co-infection: A (not subtyped) and B	Total, All Influenza Types / Subtypes
2015							· ·
October	0	0	0	0	0	0	0
November	0	0	0	0	0	0	0
December	0	0	1	0	0	0	1
2016							
January	0	0	0	0	0	0	0
February	0	0	0	0	0	0	0
March	1	2	0	1	0	0	4
April	0	0	0	1	0	0	1
May	0	0	0	0	0	0	0
June	0	0	0	0	0	0	0
Total	1	2	1	2	0	0	6

⁺ If the cell count is less than 10, the number of P&I deaths is suppressed and <10 is written in the cell.

Statewide Influenza Activity Map

Figure 2: Texas Map Displaying the Highest Level of Influenza or ILI Activity Reported by County for the Week Ending June 18, 2016 (MMWR Week 24)



Please note: The majority of influenza cases are not reportable by law in Texas. This map contains data from sentinel sites and only displays influenza and ILI cases that were reported to public health. Positive laboratory results are reported according to specimen collection date, or date received in the laboratory if the former is unknown.

Texas Influenza Surveillance Components and Measures

Activity codes (see http://www.cdc.gov/flu/weekly/overview.htm)

Statewide influenza activity level

A code reported weekly by states and territories to CDC indicating the geographic spread of influenza in the state. Levels are no activity, sporadic, local, regional, and widespread.

ILINet Activity Indicator

A statewide level of influenza-like illness intensity (on a scale of 1-10, with 1 being the lowest level) assigned to each state weekly by CDC based on data reported through ILINet.

Morbidity

Novel/variant influenza

Thorough investigations are performed on all cases of novel/variant influenza. This condition is reportable by law in Texas.

Texas II INe

Providers voluntarily report weekly to CDC's ILINet system on the number of outpatient visits for ILI and total outpatient visits. Providers may submit up to 5 specimens per month for influenza testing. See http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/ILINet/ for information on how to become an ILINet provider.

Respiratory Virus Surveillance Project (RVSP)

Providers report weekly to ILINet and submit specimens on the first 10 patients seen with ILI each week. Specimens are tested for a variety of respiratory viruses.

ILI activity

Non-ILINet providers report ILI or influenza data weekly to local or regional health departments.

Outbreaks

Healthcare, schools, and childcare facilities report ILI and influenza outbreaks to health departments in Texas. This condition is reportable by law in Texas.

Mortality

Pneumonia and Influenza (P&I) Mortality Surveillance

The DSHS Vital Statistics Unit collects death certificate information for all deaths on Texas residents from various partners such as funeral homes and local registrars around the state. The death certificates are then sent to the National Center for Health Statistics (NCHS) where the cause of death and underlying causes of death on the death certificates are coded with ICD-10 mortality codes. Once death certificates are coded, the information is sent back to DSHS Center for Health Statistics (CHS). CHS produces a Weekly Pneumonia and Influenza (P&I) Death Report and sends it to the State Influenza Surveillance Coordinator for inclusion in the Texas Weekly Flu Report. P&I deaths are identified based on ICD-10 multiple cause of death codes, and in particular, pneumonia and influenza mortality codes. Delays inherent in death reporting and coding practices may cause the number of reported P&I deaths to vary considerably each week.

Influenza-associated pediatric deaths

Deaths that are associated with influenza in children < 18 years of age are reported to health departments in Texas. *This condition is reportable by law in Texas*. http://www.dshs.state.tx.us/idcu/disease/IAPM/

Laboratory

DSHS Austin laboratory

Providers voluntarily submit specimens to the DSHS Austin laboratory for influenza PCR testing throughout the season. Providers sign up for this program through their local health departments.

Laboratory Response Network (LRN) laboratories

Providers voluntarily submit specimens to one of the 9 Texas LRNs for influenza PCR testing throughout the season. Providers sign up for this program through their local health departments.

NREVSS

Laboratories voluntarily report influenza and other respiratory virus data weekly through the CDC's online NREVSS reporting system.

Laboratories sign up for this program by contacting DSHS. http://www.cdc.gov/surveillance/nrevss/

Recommended Resources

Texas Department of State Health Services DSHS influenza page: http://www.texasflu.org/

Influenza surveillance data and reports: http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/

Map of Texas Health Service Regions: http://www.dshs.state.tx.us/regions/state.shtm

Centers for Disease Control and Prevention

National FluView weekly flu report: http://www.cdc.gov/flu/weekly/

Variant and novel influenza viruses: http://www.cdc.gov/flu/avianflu/index.htm; http://www.cdc.gov/flu/swineflu/index.htm

Infection Control in Healthcare Facilities: http://www.cdc.gov/flu/professionals/infectioncontrol/

Seasonal Flu Information for Schools and Childcare Providers: http://www.cdc.gov/flu/school/index.htm

World Health Organization

Influenza page: http://www.who.int/topics/influenza/en/Disease Outbreak News: http://www.who.int/csr/don/en/