

## Texas Influenza Summer Surveillance Report 2015–2016 Season/2016 MMWR Week 30

(July 24, 2016 – July 30, 2016)  
Report produced on 8/05/2016

### Summary

Influenza activity remains low across the state of Texas. Compared to the previous week, the percentage of specimens positive for influenza and the percentage of patient visits due to influenza-like illness (ILI) marginally increased. No influenza-associated pediatric deaths were reported. No ILI or influenza-associated outbreaks were reported. In addition to flu, other respiratory viruses—especially rhinovirus/enterovirus—were detected in Texas during week 30.

Table 1: Summary of Texas Influenza (Flu) and Influenza-like Illness (ILI) Activity for the Current Week

Texas Surveillance Component	Change from Previous Week	Current Week	Previous Week <sup>†</sup>	Page of Report
Statewide influenza activity level reported to CDC (geographic spread of influenza)	Not determined during the summer	N/A	N/A	--
Statewide ILINet Activity Indicator assigned by CDC (intensity of influenza-like illness)	Not determined during the summer	N/A	N/A	--
Percentage of specimens positive for influenza	▲ 0.41%	1.08%	0.67% <sup>†</sup>	1
Percentage of visits due to ILI (ILINet)	▲ 0.39%	3.03%	2.64% <sup>†</sup>	2
Number of regions reporting increased flu/ILI activity	No change	0	0	4
Number of regions reporting decreased flu/ILI activity	▼ 1	0	1	4
Number of variant/novel influenza infections	No change	0	0	4
Number of ILI/influenza outbreaks	No change	0	0	4
Number of Pneumonia and Influenza (P&I) Deaths	▲ 471	471	0	5
Number of pediatric influenza deaths	No New Cases Reported	0	0	5

<sup>†</sup>Data displayed have been updated since last week's flu report with any new reports received.

### Laboratory Results

#### Influenza

Hospital laboratories across Texas voluntarily report influenza tests (antigen, culture, and PCR) to the National Respiratory and Enteric Virus Surveillance System (NREVSS). Providers throughout Texas also submit specimens for influenza testing (PCR) to Texas public health laboratories, including the Texas Department of State Health Services (DSHS) state laboratory in Austin and the nine Texas Laboratory Response Network (LRN) laboratories. The results reported by Texas NREVSS participants and public health laboratories for the current week is summarized in the table below. Additional influenza test results (rapid tests, culture, PCR) and ILI activity were reported from providers and public health departments throughout the state (see county map at the end of this report).

Table 2: Influenza Testing Performed by Texas Laboratories for the Current Week

	Week 30	Season to Date
Number of labs reporting flu tests	11	
Number of specimens tested	371	83070
Number of positive specimens (%) <sup>†</sup>	4 (1.08%)	8657 (10.42%)
Percentage of total tests that were antigen detection tests	34.50%	
<b>Positive specimens by type/subtype/lineage [n (%)]</b>		
<b>Influenza A</b>	<b>1 (25.00%)</b>	<b>4558 (52.65%)</b>
Subtyping performed	1 (100.00%)	1547 (33.94%)
A (H1N1)	0 (0.00%)	899 (58.11%)
A (H3N2)	1 (100.00%)	648 (41.89%)
Subtyping not performed	0 (0.00%)	3011 (66.06%)
<b>Influenza B</b>	<b>3 (75.00%)</b>	<b>4099 (47.35%)</b>
Lineage testing performed	0 (0.00%)	236 (5.76%)
B/Victoria	0 (0.00%)	88 (37.29%)
B/Yamagata	0 (0.00%)	148 (62.71%)
Lineage testing not performed	3 (100.00%)	3863 (94.24%)

<sup>†</sup>Laboratory data in 2015-2016 season reports may not be comparable to reports from previous seasons because of the inclusion of DSHS and LRN laboratory data for the current season.

### Other Respiratory Viruses

The NREVSS system collects information on a variety of respiratory viruses in addition to influenza including parainfluenza virus, respiratory syncytial virus (RSV), rhinovirus, human metapneumovirus (HMPV), seasonal coronavirus, and respiratory adenovirus. The results for the current week are summarized below.

Table 3: Non-Influenza Respiratory Virus Testing Performed by Texas NREVSS Laboratories for the Current Week

Virus	Number of Laboratories Testing	Tests Performed	Positive Tests	Percentage of Tests Positive
Adenovirus (respiratory)	4	241	4	1.66%
HMPV	4	239	2	0.84%
Parainfluenza virus	5	313	5	1.60%
Rhinovirus	3	232	47	20.26%
RSV <sup>†</sup>	8	267	2	0.75%
Seasonal coronavirus (does not include MERS-CoV)	3	232	0	0.00%

<sup>†</sup>RSV tests displayed in the table are antigen detection tests only. Some non-NREVSS reporters also contribute to the RSV data.

<sup>^</sup>Numbers and percentage may differ from the weekly RSV report. The weekly RSV report may be accessed at <https://www.dshs.state.tx.us/RSV/disease/rsv-Data.aspx>.

### U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet)

Table 4: Texas ILINet Reporting and Patient Visit Summary for the Current Week

	Week 30
Number of providers reporting <sup>†</sup>	56
Number of providers reporting patient visits	55
Number (%) of providers with at least one ILI case	43 (78.18%)
Percentage of all visits due to ILI	3.03%
Texas ILINet baseline <sup>‡</sup> , 2015–2016	6.32%

<sup>†</sup>Reporting providers include both ILINet and RVSP providers.


<sup>‡</sup>The baseline is the mean percentage of patient visits for ILI during non-influenza weeks for the previous three seasons plus two standard deviations. A "non-influenza week" is defined as a week that accounted for less than 2% of the season's total number of specimens that tested positive for influenza

Table 5: Percentage of Visits for Influenza-like Illness Reported by Texas ILINet Providers (as of 8/04/16 10:00 AM)

Week	Providers Reporting	Number of ILI Cases by Age Group (Years)					Total ILI (all ages)	Total Patients	% ILI
		0-4	5-24	25-49	50-64	65+			
201540	131	204	395	350	197	125	1271	31446	4.04%
201541	127	212	422	304	141	92	1171	29680	3.95%
201542	127	245	467	392	187	137	1428	31123	4.59%
201543	129	250	500	352	201	150	1453	31953	4.55%
201544	131	251	437	322	213	160	1383	31979	4.32%
201545	123	248	500	296	122	41	1207	29029	4.16%
201546	128	237	530	376	224	186	1553	31686	4.90%
201547	127	206	377	339	182	114	1218	22193	5.49%
201548	127	277	500	478	290	249	1794	31214	5.75%
201549	124	276	451	410	300	218	1655	28634	5.78%
201550	126	320	410	486	279	219	1714	28709	5.97%
201551	125	193	333	418	222	175	1341	21334	6.29%
201552	124	213	294	488	295	178	1468	21567	6.81%

Week	Providers Reporting	Number of ILI Cases by Age Group (Years)					Total ILI (all ages)	Total Patients	% ILI
		0-4	5-24	25-49	50-64	65+			
201601	124	201	364	511	315	247	1638	26827	6.11%
201602	120	226	398	321	150	69	1164	25210	4.62%
201603	127	278	467	430	221	214	1610	29299	5.50%
201604	126	284	638	450	306	200	1878	30487	6.16%
201605	127	300	623	451	285	191	1850	30329	6.10%
201606	126	323	721	604	328	215	2191	31658	6.92%
201607	124	332	806	625	362	244	2369	31583	7.50%
201608	89	298	537	246	200	211	1492	24843	6.01%
201609	87	294	603	242	173	166	1478	24796	5.96%
201610	86	226	426	244	175	166	1237	22876	5.41%
201611	86	188	288	213	150	127	966	19550	4.94%
201612	86	152	408	202	139	149	1050	22330	4.70%
201613	85	195	391	190	131	153	1060	22899	4.63%
201614	65	92	283	200	123	147	845	19581	4.32%
201615	82	165	386	219	138	159	1067	23869	4.47%
201616	80	145	355	188	137	142	967	23010	4.20%
201617	84	174	350	191	138	148	1001	23740	4.22%
201618	82	156	288	171	113	372	1100	21748	5.06%
201619	78	159	205	131	121	155	771	20065	3.84%
201620	80	147	194	135	119	135	730	18851	3.87%
201621	76	141	225	139	112	122	739	17645	4.19%
201622	74	131	140	114	94	91	570	14845	3.84%
201623	50	65	97	113	110	132	517	13114	3.94%
201624	71	114	128	134	87	138	601	16414	3.66%
201625	67	111	97	104	96	127	535	15773	3.39%
201626	65	87	96	95	79	107	464	14867	3.12%
201627	65	62	77	74	71	93	377	13150	2.87%
201628	65	70	58	71	84	101	384	10123	3.79%
201629	62	78	91	57	64	89	379	14380	2.64%
201630	56	81	70	87	62	110	410	13538	3.03%

Figure 1: Percentage of Visits Due to Influenza-like Illness Reported by Texas ILINet Participants, 2012–2016 Seasons\*



\*There was no week 53 in the previous influenza seasons displayed above; the week 53 data for these seasons is an average of weeks 52 and 01.

### Reports from Health Service Regions

Reports were received from seven Health Service Regions (HSRs) during week 30.

Table 6: Influenza Activity Compared to Week 29 by Health Service Region (HSR)

Influenza Activity Comparison	Health Service Region (HSR)
Increased	
Same	1, 2/3, 6/5S, 7, 8, and 9/10
Decreased	
Unsure	11

### Variant Influenza Viruses

No variant or novel influenza viruses have been detected in Texas in 2015 or 2016.

### Institutional Outbreaks and School Closures

No ILI or influenza-associated outbreaks were reported during week 30.

No school closures were reported during week 30.

## TX P&I Mortality Surveillance Data

Pneumonia and influenza (P&I) death data are obtained from death certificates of Texas residents whose underlying or contributing cause(s) of death is reported as pneumonia or influenza. P&I deaths are identified based on ICD-10 multiple cause of death codes. In particular, P&I deaths are based on ICD-10 pneumonia and influenza mortality codes.

Six thousand nine hundred eighty-three P&I deaths have been reported in Texas during the 2015-2016 influenza season.

Table 7: Texas P&I Deaths Occurring Oct. 04, 2015-Aug. 03, 2016\* by Age

Age Category (years)	Number of P&I Deaths <sup>+</sup>	Mortality Rate (per 100,000)
0 - 4	32	1.57
5 - 17	17	0.32
18 - 49	419	3.35
50 - 64	1167	23.48
65 +	5348	158.92
<b>Overall</b>	<b>6983</b>	<b>24.73</b>

\*NOTE: Data are provisional and subject to change, errors, and duplicates

<sup>+</sup> If the cell count is less than 10, the number of P&I deaths is suppressed and <10 is written in the cell.

Table 8: Texas P&I Deaths Occurring Oct. 04, 2015-Aug. 03, 2016\* by Health Service Region (HSR)

HSR	Number of P&I Deaths	Mortality Rate (per 100,000)
1	311	34.57
2/3	1968	24.10
4/5N	540	34.00
6/5S	1559	21.20
7	814	23.86
8	716	24.49
9/10	414	27.06
11	661	27.89
<b>Overall</b>	<b>6983</b>	<b>24.73</b>

\*NOTE: Data are provisional and subject to change, errors, and duplicates

## Influenza-Associated Pediatric Mortality

No influenza-associated pediatric deaths were reported during week 30.


Seven influenza-associated pediatric deaths have been reported in Texas during the 2015-2016 influenza season. Cases of influenza-associated pediatric mortality (children <18 years of age) are reportable year-round and by law in Texas.

Table 9: Influenza-Associated Pediatric Deaths Reported in Texas during the 2015–2016 Season

Month of Pediatric Death	Influenza A (H1N1)	Influenza A (H3N2)	Influenza A (Not Subtyped)	Influenza B	Influenza, Not Typed / Not Differentiated	Influenza virus co-infection: A (not subtyped) and B	Total, All Influenza Types / Subtypes
<b>2015</b>							
October	0	0	0	0	0	0	0
November	0	0	0	0	0	0	0
December	0	0	1	0	0	0	1
<b>2016</b>							
January	0	0	0	0	0	0	0
February	0	0	0	0	0	0	0
March	1	2	0	1	1	0	5
April	0	0	0	1	0	0	1
May	0	0	0	0	0	0	0
June	0	0	0	0	0	0	0
July	0	0	0	0	0	0	0
<b>Total</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>7</b>

## Statewide Influenza Activity Map

Figure 2: Texas Map Displaying the Highest Level of Influenza or ILI Activity Reported by County for the Week Ending July 30, 2016 (MMWR Week 30)



Please note: The majority of influenza cases are not reportable by law in Texas. This map contains data from sentinel sites and only displays influenza and ILI cases that were reported to public health. Positive laboratory results are reported according to specimen collection date, or date received in the laboratory if the former is unknown.

# Texas Influenza Surveillance Components and Measures

Activity codes (see <http://www.cdc.gov/flu/weekly/overview.htm>)

Statewide influenza activity level

A code reported weekly by states and territories to CDC indicating the geographic spread of influenza in the state. Levels are no activity, sporadic, local, regional, and widespread.

ILINet Activity Indicator

A statewide level of influenza-like illness intensity (on a scale of 1-10, with 1 being the lowest level) assigned to each state weekly by CDC based on data reported through ILINet.

## Morbidity

Novel/variant influenza

Thorough investigations are performed on all cases of novel/variant influenza. *This condition is reportable by law in Texas.*

Texas ILINet

Providers voluntarily report weekly to CDC's ILINet system on the number of outpatient visits for ILI and total outpatient visits. Providers may submit up to 5 specimens per month for influenza testing. See <http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/ILINet/> for information on how to become an ILINet provider.

Respiratory Virus Surveillance Project (RVSP)

Providers report weekly to ILINet and submit specimens on the first 10 patients seen with ILI each week. Specimens are tested for a variety of respiratory viruses.

ILI activity

Non-ILINet providers report ILI or influenza data weekly to local or regional health departments.

Outbreaks

Healthcare, schools, and childcare facilities report ILI and influenza outbreaks to health departments in Texas. *This condition is reportable by law in Texas.*

## Mortality

Pneumonia and Influenza (P&I) Mortality Surveillance

The DSHS Vital Statistics Unit collects death certificate information for all deaths on Texas residents from various partners such as funeral homes and local registrars around the state. The death certificates are then sent to the National Center for Health Statistics (NCHS) where the cause of death and underlying causes of death on the death certificates are coded with ICD-10 mortality codes. Once death certificates are coded, the information is sent back to DSHS Center for Health Statistics (CHS). CHS produces a Weekly Pneumonia and Influenza (P&I) Death Report and sends it to the State Influenza Surveillance Coordinator for inclusion in the Texas Weekly Flu Report. P&I deaths are identified based on ICD-10 multiple cause of death codes, and in particular, pneumonia and influenza mortality codes. Delays inherent in death reporting and coding practices may cause the number of reported P&I deaths to vary considerably each week.

Influenza-associated pediatric deaths

Deaths that are associated with influenza in children < 18 years of age are reported to health departments in Texas. *This condition is reportable by law in Texas.* <http://www.dshs.state.tx.us/idcu/disease/IAPM/>

## Laboratory

DSHS Austin laboratory

Providers voluntarily submit specimens to the DSHS Austin laboratory for influenza PCR testing throughout the season. Providers sign up for this program through their local health departments.

Laboratory Response Network (LRN) laboratories

Providers voluntarily submit specimens to one of the 9 Texas LRNs for influenza PCR testing throughout the season. Providers sign up for this program through their local health departments.

NREVSS

Laboratories voluntarily report influenza and other respiratory virus data weekly through the CDC's online NREVSS reporting system.

**Laboratories sign up for this program by contacting DSHS.** <http://www.cdc.gov/surveillance/nrevss/>

## **Recommended Resources**

*Texas Department of State Health Services*

DSHS influenza page: <http://www.texasflu.org/>

Influenza surveillance data and reports: <http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/>

Map of Texas Health Service Regions: <http://www.dshs.state.tx.us/regions/state.shtm>

*Centers for Disease Control and Prevention*

National FluView weekly flu report: <http://www.cdc.gov/flu/weekly/>

Variant and novel influenza viruses: <http://www.cdc.gov/flu/avianflu/index.htm>; <http://www.cdc.gov/flu/swineflu/index.htm>

Infection Control in Healthcare Facilities: <http://www.cdc.gov/flu/professionals/infectioncontrol/>

Seasonal Flu Information for Schools and Childcare Providers: <http://www.cdc.gov/flu/school/index.htm>

*World Health Organization*

Influenza page: <http://www.who.int/topics/influenza/en/>

Disease Outbreak News: <http://www.who.int/csr/don/en/>