

# Public Health Region (PHR) 9/10 2025 Texas Notifiable Conditions

### 24/7 Reporting Line 1-888-847-6892 / Fax (915) 834-7842

A – L	When to Report	L-Y	When to Report	
Acquired immune deficiency syndrome (AIDS) <sup>1</sup>	Within 1 week	Legionellosis <sup>2</sup>	Within 1 week	
nebic meningitis and encephalitis <sup>2</sup>	Within 1 week	Leishmaniasis <sup>2</sup>	Within 1 week	
naplasmosis <sup>2</sup>	Within 1 week	Listeriosis <sup>2, 3</sup>	Within 1 week	
1thrax <sup>2, 3, 4</sup>	Call Immediately	Lyme disease <sup>2</sup>	Within 1 week	
boviral infections <sup>2, 5, 6</sup>	Within 1 week	Malaria <sup>2</sup>	Within 1 week	
Asbestosis <sup>7</sup>	Within 1 week	Measles (rubeola) <sup>2</sup>	Call Immediately	
scariasis <sup>2</sup>	Within 1 week	Melioidosis <sup>2,4</sup>	Call Immediately	
ibesiosis <sup>2,6</sup>	Within 1 week	Meningococcal infection, invasive ( <i>Neisseria meningitidis</i> ) <sup>2,3</sup>	Call Immediately	
otulism (adult and infant) <sup>2, 3, 4, 8</sup>	Call Immediately <sup>8</sup>	Mumps <sup>2</sup>	Within 1 work day	
ucellosis <sup>2, 3, 4</sup>	Within 1 work day	Paragonimiasis <sup>2</sup>	Within 1 week	
ampylobacteriosis <sup>2</sup>	Within 1 week	Pertussis <sup>2</sup>	Within 1 work day	
Cancer <sup>9</sup>	See rules <sup>9</sup>	*Pesticide poisoning, acute occupational <sup>10</sup>	Within 1 week	
undida auris <sup>2, 3</sup>	Within 1 work day	Plague (Yersinia pestis) <sup>2, 3, 4</sup>	Call Immediately	
arbapenem-resistant Enterobacterales (CRE) <sup>2, 11</sup>	Within 1 work day	Poliomyelitis, acute paralytic <sup>2</sup>	Call Immediately	
nagas disease <sup>2, 6</sup>	Within 1 week	Poliovirus infection, non-paralytic <sup>2</sup>	Within 1 work day	
Chancroid <sup>1</sup>	Within 1 week	Prion diseases, such as Creutzfeldt-Jakob disease (CJD) <sup>2, 12</sup>	Within 1 week	
Chickenpox (varicella) <sup>13</sup>	Within 1 week	Q fever <sup>2</sup>	Within 1 work day	
Chlamydia trachomatis infection <sup>1</sup>	Within 1 week	Rabies, human <sup>2</sup>	Call Immediately	
Contaminated sharps injury <sup>14</sup>	Within 1 month	Rubella (including congenital) <sup>2</sup>	Within 1 work day	
Controlled substance overdose <sup>15</sup>		Salmonellosis, including typhoid fever <sup>2, 3</sup>	Within 1 week	
pronavirus, novel <sup>2, 16</sup>	Call Immediately	Shiga toxin-producing <i>Escherichia coli</i> <sup>2,3</sup>	Within 1 week	
onobacter spp. in infants, invasive <sup>2</sup>	Within 1 week	Shigellosis <sup>2</sup>	Within 1 week	
yptosporidiosis <sup>2</sup>	Within 1 week	Smallpox <sup>2, 4</sup>	Call Immediately	
vclosporiaisis <sup>2</sup>	Within 1 week	*Spinal cord injury <sup>17</sup>	Within 10 work days	
vsticercosis <sup>2</sup>	Within 1 week	Spotted fever rickettsiosis <sup>2</sup>	Within 1 week	
phtheria <sup>2,3</sup>	Call Immediately	Streptococcal disease ( <i>S. pneumo</i> ), invasive <sup>2, 3</sup>	Within 1 week	
Drowning/near drowning <sup>17</sup>	Within 10 work days	*Syphilis – primary and secondary stages <sup>1, 18</sup>	Within 1 work day	
hinococcosis <sup>2</sup>	Within 1 week	*Syphilis – all other stages including congenital syphilis <sup>1, 18</sup>	Within 1 week	
nrlichiosis <sup>2</sup>	Within 1 week	Taenia solium and undifferentiated Taenia infection <sup>2</sup>	Within 1 week	
iscioliasis <sup>2</sup>	Within 1 week	Tetanus <sup>2</sup>	Within 1 week	
Sonorrhea <sup>1</sup>	Within 1 week	Tick-borne relapsing fever (TBRF) <sup>2</sup>	Within 1 week	
nemophilus influenzae, invasive <sup>2, 3</sup>	Within 1 week	*Traumatic brain injury <sup>17</sup>	Within 10 work days	
ansen's disease (leprosy) <sup>19</sup>	Within 1 week	Trichinosis <sup>2</sup>	Within 1 week	
antavirus infection <sup>2</sup>	Within 1 week	Trichuriasis <sup>2</sup>	Within 1 week	
emolytic uremic syndrome (HUS) <sup>2</sup>	Within 1 week	Tuberculosis (Mycobacterium tuberculosis complex) <sup>3, 20</sup>	Within 1 work day	
epatitis A <sup>2</sup>		Tuberculosis infection <sup>21</sup>	Within 1 week	
epatitis B, C, and E (acute) <sup>2</sup>	Within 1 week	Tularemia <sup>2,3,4</sup>	Call Immediately	
epatitis B infection identified prenatally or at delivery (mother) <sup>2</sup>	Within 1 week	Typhus <sup>2</sup>	Within 1 week	
epatitis B, perinatal (HBsAg+ < 24 months old) (child) <sup>2</sup>	Within 1 work day	Vancomycin-intermediate <i>Staph aureus</i> (VISA) <sup>2, 3</sup>	Call Immediately	
		Vancomycin-resistant <i>Staph aureus</i> (VRSA) <sup>2,3</sup>	Call Immediately	
bokworm (ancylostomiasis) <sup>2</sup>	Within 1 work day	Vancomycin-resistant Staph dureus (VRSA) <sup>2,3</sup>		
Human immunodeficiency virus (HIV), acute infection <sup>1, 22</sup>	Within 1 work day		Within 1 work day	
luman immunodeficiency virus (HIV), non-acute infection <sup>1, 22</sup>	Within 1 week	Viral hemorrhagic fever (including Ebola) <sup>2,4</sup>	Call Immediately Call Immediately	
fluenza-associated pediatric mortality <sup>2</sup>	Within 1 work day			
fluenza, novel <sup>2</sup>	Call Immediately	Yersiniosis <sup>2</sup> Within 1 week		

See select agent list at https://www.selectagents.gov/selectagentsandtoxinslist.html

\*See condition-specific footnotes for reporting contact information

Regional Headquarters 401 E. Franklin Ave., Suite 210 El Paso, Texas 79901 Tel. (915) 834-7675 Midland Sub-Office 1101 N. Midland Drive Midland, TX 79703 Tel. (432) 683-9492 San Angelo Sub-Office 622 S Oakes, Suite H San Angelo, TX 76903 Tel. (325) 659-7867

#### \*\* PLEASE FAX HIV/STD, VPD AND TB CASES TO (432) 571-4162 \*\*

E59-11364 (Rev. 09/18/24) Expires 12/31/25 -- Go to https://www.dshs.texas.gov/notifiable-conditions/investigation-guidance or call your local or regional health department for updates.

BOTH SUSPECTED AND CONFIRMED CASES NEED TO BE REPORTED IMMEDIATELY!						
CALL 888-847-6892 (365/24/7)						
<ul> <li>Anthrax</li> <li>Botulism (adult and infant)</li> <li>Controlled substance overdose</li> <li>Coronavirus, novel</li> <li>Diphtheria</li> <li>Influenza, novel</li> <li>Lead, child blood, any level &amp; adult blood, any level</li> <li>Measles (rubeola)</li> <li>Melioidosis</li> <li>Meningococcal infection, invasive (Neisseria meningitides)</li> </ul>		<ul> <li>Plague (Yersinia pestis)</li> <li>Poliomyelitis, acute paralytic</li> <li>Rabies, human</li> <li>Smallpox</li> <li>Tularemia</li> <li>Vancomycin-intermediate Staph aureus (VISA)</li> <li>Vancomycin-resistant Staph aureus (VRSA)</li> <li>Viral hemorrhagic fever (including Ebola)</li> <li>Yellow fever</li> </ul>				
REPORT WITHIN ONE WORKING DAY						
<ul> <li>Brucellosis</li> <li>Candida auris</li> <li>Carbapenem-resistant <i>Enterobacteriaceae</i> (CRE)</li> <li>Hepatitis A</li> <li>Hepatitis B, perinatal (HBsAg+ &lt; 24 months old) (child)</li> <li>Human immunodeficiency virus (HIV), acute infection *</li> <li>Influenza-associated pediatric mortality</li> <li>Mumps</li> </ul>		<ul> <li>Pertussis</li> <li>Poliovirus infection, non-paralytic</li> <li>Q fever</li> <li>Rubella (including congenital)</li> <li>Syphilis – primary and secondary stages *</li> <li>Tuberculosis (<i>Mycobacterium tuberculosis</i> complex) *</li> <li><i>Vibrio</i> infection, including cholera</li> </ul>				
	<b>REPORT WITHIN</b>	NONE WEEK				
<ul> <li>Acquired immune deficiency syndrome *</li> <li>Amebic meningitis &amp; encephalitis</li> <li>Anaplasmosis</li> <li>Arboviral infections</li> <li>Asbestosis*</li> <li>Ascariasis</li> <li>Babesiosis</li> <li>Campylobacteriosis</li> <li>Chagas disease</li> <li>Chancroid *</li> <li>Chickenpox (varicella)</li> <li>Chlamydia trachomatis infection *</li> <li>Cronobacter spp. in infants, invasive</li> <li>Cryptosporidiosis</li> <li>Cyclosporiasis</li> <li>Cysticercosis</li> <li>Echinococcosis</li> <li>Ehrlichiosis</li> <li>Fascioliasis</li> </ul>		acute occupational	<ul> <li>Salmonellosis, including typhoid fever</li> <li>Shiga toxin-producing <i>Escherichia</i> <i>coli</i></li> <li>Shigellosis</li> <li>Spotted fever group rickettsioses</li> <li>Streptococcal disease (<i>S. pneumo</i>), invasive</li> <li>Syphilis, all other stages including congenital syphilis</li> <li><i>Taenia solium</i> &amp; undifferentiated <i>Taenia</i> infection</li> <li>Tetanus</li> <li>Tick-borne relapsing fever (TBRF)</li> <li>Trichinosis</li> <li>Truchuriasis</li> <li>Tuberculosis infection *</li> <li>Typhus</li> <li>Yersiniosis</li> </ul>			

## **REPORT IN 10 WORKING DAYS**

Traumatic brain injury

Drowning/near drowning

### **REPORT WITHIN ONE MONTH**

• Spinal cord injury

• Contaminated sharps injury

# \* PLEASE FAX HIV/STD, VPD AND TB CASES TO (432) 571-4162