

Texas Department of State Health Services

Center for Health Statistics Texas Health Care Information Collection

TEXAS OUTPATIENT PUBLIC USE DATA FILE (PUDF)

USER MANUAL

2023

BAC	KGROUND	2
PUB	LIC USE DATA FILE (PUDF)	2
PAT	IENT/PHYSICIAN CONFIDENTIALITY	2
RES	TRICTIONS ON DATA USE	4
OUT	PATIENT FACILITY COMMENTS	6
DAT	A FILES	6
DAT	A DICTIONARY	7
CITA	ATION	8
DAT	A DICTIONARY	9
	BASE DATA FILE	9
	CLASSIFICATION DATA FILE	. 28
	CHARGES DATA FILE	
	FACILITY TYPE INDICATOR FILE	. 42
	GROUPER FILE	. 45
DAT	A FIELDS	. 47
	BASE DATA FILE	
	CLASSIFICATION DATA FILE	. 51
	CHARGES DATA FILE	. 53
	FACILITY TYPE DATA FILE	
	GROUPER FILE	. 55

BACKGROUND

The Texas Health Care Information Council (THCIC) was created by Chapter 108 of the Texas Health and Safety Code (THSC). THCIC became part of the Texas Department of State Health Services (DSHS) effective September 1, 2004, and the DSHS Center for Health Statistics is now responsible for the implementation of THSC Chapter 108. Outpatient data collection began with services from hospitals and ambulatory surgery centers (ASC) on October 1, 2009, under 25 Texas Administrative Code (TAC), Sections 421.61 – 421.69. The outpatient data collection was limited to patients that received one or more invasive/incisive surgical or one or more radiological/imaging procedures.

Collection of hospital-based emergency department data began with services starting January 1, 2015, under 25 TAC, Sections 421.71 – 421.79.

Senate Bill (SB) 7 (82nd Texas Legislature First Called Special Session) SECTION 7.06 repealed the facility exemption sections in Chapter 108 effective September 1, 2014. Rules were adopted implementing the rural provider requirements to begin with January 1, 2015, data.

Freestanding Emergency Medical Care Facilities (FEMCF) data collection began with services that occurred on October 1, 2020, under the amended rules in 25 TAC, Sections 421.71 – 421.79.

PUBLIC USE DATA FILE (PUDF)

Sections 108.011(a) and 108.012 of the THSC requires DSHS to provide public use data for computer-to-computer access. It also permits DSHS to charge the data requestor a standard fee for using the Public Use Data File (PUDF). The PUDF contains patient-level information for Texas outpatient data. These data are extracted from DSHS's outpatient services database. The providers/submitters have, by rule, until the next quarter (following the discharge) to submit their data. This means that the PUDF data is a snapshot in time and each quarter may contain some discharges dated in the previous quarter (i.e., for calendar year, data be sure to check the first quarter of the following year also).

PATIENT/PHYSICIAN CONFIDENTIALITY

The legislative intent behind the creation of the Texas Outpatient (Hospitals, Ambulatory Surgery Centers (ASC), and Freestanding Emergency Medical Care Facilities) Services Data database (TOSD) was that the data and resulting information be used for the benefit of the public. This is specified in Section 108.013 of the Texas Health and Safety Code (THSC). Section 108.013 (c) also stipulates that DSHS may not release, and a person or entity may not gain

access to, any data that could reasonably be expected to reveal the identity of a patient or physician. Any effort to determine the identity of any person violates Section 108.013 and may incur penalties as stated in Sections 108.014 and 108.0141. In addition, under Section 108.013(e) and (f), patient and/or physician information in the TOSD cannot be used for discovery, subpoena, or other means of legal compulsion or in any civil, administrative, or criminal proceeding. Pursuant to the THSC, DSHS excludes all direct personal and demographic identifiers (e.g., name, address, social security number, patient identifiers, service dates) that might lead to the identification of a specific patient from the PUDF.

To protect patient identities, DSHS has suppressed these data elements in this release of the PUDF:

- The last two digits of the patient's ZIP code are suppressed if there are fewer than thirty patients included in the ZIP code.
- The ZIP code is changed to '88888' for patients from states other than Texas and the adjacent states.
- The entire ZIP code and gender code are suppressed if the ICD-10-CM or ICD-10-PCS codes indicates alcohol or drug use or an HIV diagnosis.
- The entire ZIP code and provider name are suppressed if a hospital, an ASC or an FEMCF has fewer than five discharges of a particular gender, including 'unknown'. The provider ID is changed to '999998'.
- The entire ZIP code is suppressed if a hospital, an ASC, or an FEMCF has fewer than fifty discharges in a quarter and the provider ID is changed to '999999'.
- The country code is suppressed if the country field has fewer than five discharges for that quarter.
- The county code is suppressed if a county has fewer than five discharges for that quarter.
- Age is represented by 22 age group codes for the general patient population and 5 age group codes for the HIV and alcohol and drug use patient populations.
- Race is changed to 'Other' and ethnicity is suppressed if a hospital, an ASC, or an FEMCF has fewer than ten discharges of a race.

Substance Abuse and Mental Health Services Administration (SAMHSA) new rules:

On January 18, 2017, Substance Abuse and Mental Health Services Administration (SAMHSA) passed rules for the protection of patients covered under 42 USC §290dd-2 and 42 CFR Part 2 rules (Mental Health and Substance Abuse patients and HIV patients). The federal rules require that patients' names, identifiers (ZIP code, city, address, county, and any geographic identifiers below the state level), sex and dates (date of birth, statement from

dates, statement through dates and procedure dates) be modified and/or masked in the THCIC Public Use Data Files (PUDF) and Research Data Files (RDF).

Texas Department of State Health Services (DSHS) proposed rules regarding the collection and release of the data regarding those patients covered by the federal rules, which were adopted, published in the January 25, 2019, Texas Register on page 44 TexReg 429 and became effective January 30, 2019. Beginning with second quarter 2018, the inpatient, outpatient and emergency department public use datasets and any research datasets approved by the DSHS IRB will be appropriately masked for protection.

It may be possible in rare instances, through complex analysis and with outside information, to ascertain from the PUDF the identity of individual patients. Considerable harm could result if this were done. PUDF users are required to sign and comply with the DSHS Outpatient Discharge Data Use Agreement in the Application before shipment of the PUDF. The Data Use Agreement prohibits attempts to identify individual patients.

RESTRICTIONS ON DATA USE

Section 108.010(c) of the THSC prohibits DSHS from releasing provider quality reports until one year of data is available. Users of the PUDF are cautioned about using less than a year of data to make any healthcare facility quality assumptions.

Sections 108.013(c)(1) and (2) and 108.013 (g) of the Texas Health and Safety Code (THSC) prohibit the DSHS from releasing, and a person or entity from gaining access to, any data that could reveal the identity of a patient or the identity of a physician unless specifically authorized by the Act. Any effort to determine the identity of any person or to use the information for any purpose other than for analysis and aggregate statistical reporting violates the THSC and the Data Use Agreement. By virtue of the Agreement, the signer agrees that the data will not be used to identify an individual patient or physician. Because of these restrictions, under no circumstances will users of the data contact an individual patient or physician or hospital or ambulatory surgery center, or freestanding emergency medical care facility for the purpose of verifying information supplied in the DSHS Outpatient Services Public Use Data sets. Any questions about the data must be referred to DSHS only. Data analysis assistance is not provided by DSHS. The data are protected by United States copyright laws and international treaty provisions.

In the Data Use Agreement, the purchaser and end-user of the data are referred to as the "licensee". To acquire the data, the licensee must give the

following assurances with respect to the use of DSHS Outpatient Public Use Data sets:

- The licensee will not release nor permit others to release the individual patient records or any part of them to any person who is not a staff member of the organization that has acquired the data, except with the written approval of DSHS;
- The licensee will not attempt to link nor permit others to attempt to link the outpatient records of patients in this data set with personally identifiable records from any other source, including any THCIC research data file (effective Aug 1, 2012);
- The licensee will not release nor permit others to release any information that identifies persons, directly or indirectly;
- The licensee will not attempt to use nor permit others to use the data to learn the identity of any physician;
- The licensee will not nor permit others to copy, sell, rent, license, lease, loan, or otherwise grant access to the data covered by the Data Use Agreement to any other person or entity, unless approved in writing by DSHS;
- The licensee agrees to read the User Manual and to be cognizant of the limitations of the data;
- The licensee will use the following citation in any publication of information from this file:

Texas Outpatient Services Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication];

- The licensee will indemnify, defend, and hold the DSHS, its members, employees, and the Department's contract vendors harmless from any and all claims and losses accruing to any person as a result of violation of this agreement; and
- The licensee will make no statement nor permit others to make statements indicating or suggesting that interpretations drawn from these data are those of DSHS.

The licensee understands that these assurances are collected by DSHS to assure compliance with its statutory confidentiality requirement. The signature on behalf of the licensee indicates the licensee's agreement to comply with the above-stated requirements with the knowledge that under Sections 108.014 and 108.0141 of the Texas Health and Safety Code to knowingly or negligently release data in violation of this agreement is punishable by a fine of up to \$10,000 and an offense is a state jail felony. By signing the Data Use Agreement, the PUDF user has been informed that the potential for both civil and criminal penalties exists.

Users of report generating software to access the PUDF are required to purchase a license to use the data.

OUTPATIENT FACILITY COMMENTS

(Users are advised to consider Hospitals/Ambulatory Surgery Centers (ASCs)/Freestanding Emergency Medical Care Facilities (FEMCFs) comments in any analysis of the data.)

Included with the PUDF is a separate file containing the unedited comments submitted by hospitals or ambulatory surgery centers or FEMCFs at the time of data certification. Comments relating to individual data elements should be considered in any analysis of those data elements. These comments express the opinions of individual hospitals, ASCs, FEMCFs and are not necessarily the views of the DSHS. Hospitals or ambulatory surgery centers and freestanding emergency medical care facilities that submitted comments are identified in 'Reporting Status of Texas Outpatient Facilities'.

A Facility Type file has 31 variables, including the THCIC_ID and facility name. Variables clarifying the type of provider (Pediatric, Teaching Facility, Long Term Care, etc.) are included also. This is useful for data users focusing on a certain type of facility. Additionally, POA provider indicator and certification status are included.

DATA FILES

The 2023 PUDF is available in five files, the Base Data, Classification Data, Charges Data, Grouper Data, and Facility Type Data files. The files are also available in fixed length and tab-delimited formats. The size of the files are as follows:

First quarter, 1394* facilities:

Base Data	5,258,553 records	129 variables	Fixed field format	4,443 MB	Tab-delimited	2,036 MB
Classification Data	5,258,553 records	51 variables	Fixed field format	1,199 MB	Tab-delimited	521 MB
Charges	38,772,151 records	13 variables	Fixed field format	3,032 MB	Tab-delimited	1,984 MB
Grouper Data	38,772,151 records	18 variables	Fixed field format	4,252 MB	Tab-delimited	4,080 MB
Facility Type Data	1,394 records	32 variables	Fixed field format	131 KB	Tab-delimited	111 KB

Second quarter, 1398* facilities:

Base Data	5,489,792 records	129 variables	Fixed field format	4,639 MB	Tab-delimited	2,125 MB
Classification Data	5,489,792 records	51 variables	Fixed field format	1,251 MB	Tab-delimited	543 MB
Charges	40,117,200 records	13 variables	Fixed field format	3,137 MB	Tab-delimited	2,052 MB
Grouper Data	40,117,200 records	18 variables	Fixed field format	4,400 MB	Tab-delimited	4,223 MB
Facility Type Data	1,398 records	32 variables	Fixed field format	131 KB	Tab-delimited	111 KB

Third quarter, 1393* facilities:

DSHS/THCIC	Dogo (DSHS Document # E25-14164
www.dshs.texas.gov/THCIC	——— Page 6 —	Last Updated: August, 2024

_							
	Base Data	5,556,050 records	129 variables	Fixed field format	4,695 MB	Tab-delimited	2,164 MB
	Classification Data	5,556,050 records	51 variables	Fixed field format	1,266 MB	Tab-delimited	549 MB
	Charges	40,916,677 records	13 variables	Fixed field format	3,200 MB	Tab-delimited	2,094 MB
	Grouper Data	40,916,677 records	18 variables	Fixed field format	4,487 MB	Tab-delimited	4,301 MB
	Facility Type Data	1,393 records	32 variables	Fixed field format	131 KB	Tab-delimited	111 KB

Fourth quarter, 1421* facilities:

Base Data	5,848,743 records	129 variables	Fixed field format	4,942 MB	Tab-delimited	2,272 MB
Classification Data	5,848,743 records	51 variables	Fixed field format	1,333 MB	Tab-delimited	573 MB
Charges	42,394,065 records	13 variables	Fixed field format	3,315 MB	Tab-delimited	2,170 MB
Grouper Data	42,394,065 records	18 variables	Fixed field format	4,649 MB	Tab-delimited	4,458 MB
Facility Type Data	1,421 records	32 variables	Fixed field format	133 KB	Tab-delimited	113 KB

^{*} Final number of reporting hospitals, calculated as the result of the original number of reporting hospitals minus the number of hospital(s) with ALL claims submitted wrong due to wrong type of bill.

The data is provided in fixed length and tab-delimited text formats and is best view when imported into a software application. No software is included with the PUDF. The data file has been tested with several software applications, including Microsoft Access (some files may not fit due to record limitations in the application), Statistical Analysis Software (SAS), and Statistical Package for the Social Sciences (SPSS).

Updates to any PUDF data are available through the THCIC website, http://www.dshs.texas.gov/thcic/, which should be checked periodically as notifications of an update are posted on it.

DATA DICTIONARY

This document provides the user with the necessary information to use and understand the data in the Public Use Data File. The following information is provided:

Field	Unique, abbreviated name of the data element and brief explanation of the data element.			
	Descriptions of data elements are taken from specifications manuals.			
Data Source Provided by the health care facility on the claim form (Claim)				
	Assigned by DSHS (Assigned)			
	Provided to THCIC by the healthcare facility (Provider)			
	Calculated by DSHS (Calculated)			
Type	Alphanumeric or numeric			
Coding scheme	Valid codes for a data field. Values taken from specifications manuals.			

Any data provided by a facility that has been determined to be invalid has been assigned the value ` (Back quote mark).

Any data element that is blank should be interpreted as 'missing', no data provided, unless otherwise noted.

CITATION

Any statistical reporting or analysis based on the data shall cite the source as the following:

Texas Outpatient Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication].

REVISION

Field 1: Service_Quarter: Additional information regarding the breakdown of months into quarters added

Field 30: As of January 1, 2022, THCIC is no longer collecting PAT_REASON_FOR_VISIT in Outpatient Professional claims.

DATA DICTIONARY

DSHS/THCIC

www.dshs.texas.gov/THCIC

BASE DATA FILE

Field 1:	SERVICE_QUARTER			_
Description:	Quarter during which ser		and quarter of service	vnnn\ 0 ≠
Description.	1st Quarter (YYYYQ1)			
	2nd Quarter (YYYYQ2			
	3rd Quarter (YYYYQ3			
Danimuina Danitian.	4th Quarter (YYYYQ4			esponding year
Beginning Position:	1 6	Data Source:	Assigned	
Length:		Type:	Alphanumeric	
Field 2:	RECORD_ID			
Description:	Record Identification Nu			
Danimuina Danitian.	•			earch Data Files (RDF's).
Beginning Position:	7 12	Data Source:	Assigned	
Length:		Type:	Alphanumeric	
Field 3:	THCIC_ID	.:	'1 1 Dana	
Description:	Provider ID. Unique ider			B 11 ID 10000001 If
Suppression:				ne Provider ID '999999'. If
	a facility reported fewer	than 5 events for a pa	articular gender, includii	ng 'unknown', Provider
D	ID is '999998'.	D-4- C	A	
Beginning Position:	19	Data Source:	Assigned	
Length:	6 Spec Linite 1	Type:	Alphanumeric	
Field 4:	SPEC_UNIT_1			
Description:	Specialty Units in which			mber of days by Type of
	Bill or Revenue Code. In	Coronary Care Unit	days in the unit.	Pediatric Unit
Coding Scheme:	C D	Detoxification Unit	Y	Psychiatric Unit
	Ī	Intensive Care Unit	R	Rehabilitation Unit
	Н	Hospice Unit	U	Sub-acute Care Unit
	N	Nursery	S	Skilled Nursing Unit
	B O	Obstetric Unit	Blank	Acute Care
Beginning Position:	25	Oncology Unit Data Source:	Calculated	
Length:	1	Type:	Alphanumeric	
Field 5:	SPEC_UNIT_2	турс.	Aiphanamene	
Description:	Specialty Unit in which 2	2nd most days during	stay occurred based on	number of days by Type
Description.	of Bill or Revenue Code.		stay occurred based on	number of days by Type
Coding Scheme:	Same as SPEC_UNIT_1			
Beginning Position:	26	Data Source:	Calculated	
Length:	1	Type:	Alphanumeric	
Field 6:	SPEC_UNIT_3	туре.	тиришишене	
Description:		3rd most days during	stay occurred based on i	number of days by Type of
Description.	Bill or Revenue Code.	5 most days daring	stay occurred based on i	idiliber of days by Type of
Coding Scheme:	Same as SPEC_UNIT_1			
Beginning Position:	27	Data Source:	Calculated	
Length:	1	Type:	Alphanumeric	
Field 7:	SPEC_UNIT_4	туре.	тиришишене	
Description:		4th most days during	stay occurred based on r	number of days by Type of
2 osci ipuon.	Bill or Revenue Code.	. Inost days during	say occurred based on i	idiliber of duys by Type of
Coding Scheme:	Same as SPEC_UNIT_1			
Beginning Position:	28	. Data Source:	Calculated	
Length:	1	Type:	Alphanumeric	
Field 8:	SPEC_UNIT_5	<u> </u>	1 II pilanamene	
riciu o.	DI LO_UIIII_J			

Page 9

DSHS Document # E25-14164

Last Updated: August, 2024

Description:		alty Unit in whic Revenue Code.		ost days during	stay occu	rred based on n	umber of	f days by Type o
Coding Scheme:		r Revenue Code. as SPEC_UNIT						
		as SPEC_UNIT		Data Caumaa	Coloul	atad		
Beginning Position:	29			Data Source:	Calcula			
Length:	1 Type: Alphanumeric SEX CODE							
Field 9:	_							
Description:		er of the patient a						
Suppression:	Code	is suppressed if	an ICD-	10-CM code in	dicates dr	ug or alcohol u	se or an l	HIV diagnosis. I
	ICD-1	0-CM indicates	alcohol	or drug use or	an HIV di	agnosis (patien	ts covere	ed by 42 USC
	§290d	ld-2 and 42 CFR	Part 2 r	ules), the Gend	er of the 1	patient is report	ed as "U	" (Unknown). If
								wn, Provider ID
		9998' and Provid			,		_	
Coding Scheme:	M	Male	ici ivani	ic and I attent Z	ii couc i	iic blank for the	ose patie	1163.
Couring Scheme.	F	Female						
	U	Unknown						
		Invalid						
Beginning Position:	30		1	Data Source:	Claim			
Length:	1			Гуре:		numeric		
Field 10:		COUNTY		турс.	rupnai	iumene		
Description:		code of patient's			257	Voufmo-	205	Dool
Coding scheme:	001 003	Anderson Andrews	129 131	Donley Duval	257 259	Kaufman Kendall	385 387	Real Red River
	005	Angelina	131	Eastland	261	Kenedy	389	Reeves
	007	Aransas	135	Ector	263	Kent	391	Refugio
	009	Archer	137	Edwards	265	Kerr	393	Roberts
	011	Armstrong	139	Ellis	267	Kimble	395	Robertson
	013	Atascosa	141	El Paso	269	King	397	Rockwall
	015 017	Austin Bailey	143 145	Erath Falls	271 273	Kinney Kleberg	399 401	Runnels Rusk
	017	Bandera	143	Fannin	275	Knox	403	Sabine
	021	Bastrop	149	Fayette	283	La Salle	405	San Augustine
	023	Baylor	151	Fisher	277	Lamar	407	San Jacinto
	025	Bee	153	Floyd	279	Lamb	409	San Patricio
	027	Bell	155	Foard	281	Lampasas	411	San Saba
	029 031	Bexar Blanco	157 159	Fort Bend Franklin	285 287	Lavaca Lee	413 415	Schleicher Scurry
	031	Borden	161	Freestone	289	Leon	417	Shackelford
	035	Bosque	163	Frio	291	Liberty	419	Shelby
	037	Bowie	165	Gaines	293	Limestone	421	Sherman
	039	Brazoria	167	Galveston	295	Lipscomb	423	Smith
	041	Brazos	169	Garza	297	Live Oak	425	Somervell
	043 045	Brewster Briscoe	171 173	Gillespie Glasscock	299 301	Llano Loving	427 429	Starr Stephens
	043	Brooks	175	Goliad	303	Lubbock	431	Sterling
	049	Brown	177	Gonzales	305	Lynn	433	Stonewall
	051	Burleson	179	Gray	307	McCulloch	435	Sutton
	053	Burnet	181	Grayson	309	McLennan	437	Swisher
	055	Caldwell	183	Gregg	311	McMullen	439	Tarrant
	057 059	Calhoun Callahan	185 187	Grimes Guadalupe	313 315	Madison Marion	441 443	Taylor Terrell
	061	Cameron	189	Hale	317	Martin	445	Terry
	063	Camp	191	Hall	319	Mason	447	Throckmorton
	065	Carson	193	Hamilton	321	Matagorda	449	Titus
	067	Cass	195	Hansford	323	Maverick	451	Tom Green
	069 071	Castro Chambers	197 199	Hardeman Hardin	325 327	Medina Menard	453 455	Travis Trinity
	071	Chambers Cherokee	201	Harris	327	Midland	455 457	Tyler
	075	Childress	203	Harrison	331	Milam	459	Upshur
	077	Clay	205	Hartley	333	Mills	461	Upton
	079	Cochran	207	Haskell	335	Mitchell	463	Uvalde
	081	Coke	209	Hays	337	Montague	465	Val Verde
	083	Collin	211	Hemphill	339	Montgomery	467 460	Van Zandt
	085 087	Collin Collingsworth	213 215	Henderson Hidalgo	341 343	Moore Morris	469 471	Victoria Walker
	089	Colorado	217	Hill	345	Motley	471	Waller
	091	Comal	219	Hockley	347	Nacogdoches	475	Ward
	093	Comanche	221	Hood	349	Navarro	477	Washington
	095	Concho	223	Hopkins	351	Newton	479	Webb
DSHS/THCIC	097	Cooke	225	Houston	353	Nolan	481	Wharton t # E25-14164

	099	Coryell	227	Howard	355	Nueces	483	Wheeler
	101	Cottle	229	Hudspeth	357	Ochiltree	485	Wichita
	103 105	Crane Crockett	231 233	Hunt Hutchinson	359 361	Oldham Orange	487 489	Wilbarger Willacy
	103	Crosby	235	Irion	363	Palo Pinto	491	Williamson
	109	Culberson	237	Jack	365	Panola	493	Wilson
	111	Dallam	239	Jackson	367	Parker	495	Winkler
	113	Dallas	241	Jasper	369	Parmer	497	Wise
	115	Dawson	243	Jeff Davis	371	Pecos	499	Wood
	117 119	Deaf Smith Delta	245 247	Jefferson Jim Hogg	373 375	Polk Potter	501 503	Yoakum Young
	121	Denton	249	Jim Wells	377	Presidio	505	Zapata
	123	Dewitt	251	Johnson	379	Rains	507	Zavala
	125	Dickens	253	Jones	381	Randall		
	127	Dimmit	255	Karnes	383	Reagan		Invalid
Beginning Position:	31			Data Source:	_	ed; based on p	atient ZIP	code
Length:	3			Type:	Alphar	numeric		
Field 11:	PAT_	STATE						
Description:	State of	of the patient's	mailing a	address in Texas	and con	tiguous states.	Standard:	2-character
-		Service abbrev	_					
Coding Scheme:	AR	Arkansas						
couring sementer	LA	Louisiana						
	NM	New Mexico						
	OK	Oklahoma						
	TX	Texas						
	ZZ FC	All other states Foreign country		can Territories				
	XX	Foreign country						
Beginning Position:	34	r oreign country		Data Source:	Claim			
Length:	2			Гуре:		numeric		
Field 12:	PAT_	71D		гуре.	Атрпа	iumene		
			TD 1					
Description:		ts' five-digit ZI						
Suppression:							state equal	ls 'ZZ', ZIP code
				'FC' (foreign c				
				'FC' (foreign c or an HIV diagn				
	indica	tes alcohol or d	rug use o		osis the 2	ZIP code is bla	nk. If ICD	0-10-CM
	indica indica	tes alcohol or d tes alcohol or d	rug use o	or an HIV diagn	osis the Zosis (pati	ZIP code is bla ents covered b	nk. If ICD y 42 USC	9-10-CM \$290dd-2 and
	indication indication 42 CF	tes alcohol or d tes alcohol or d R Part 2 rules)	rug use or rug use of the ZIP o	or an HIV diagn or an HIV diagn code is reported	osis the zosis (pati as "'" (b	ZIP code is bla ents covered b ack quote). If a	nk. If ICD y 42 USC ı facility h	9-10-CM \$290dd-2 and as fewer than
	indication indication 42 CF fifty o	tes alcohol or d tes alcohol or d R Part 2 rules) utpatient servic	rug use of rug use of the ZIP contests reported	or an HIV diagn or an HIV diagn code is reported ed for the quart	osis the Zosis (pati as "`" (be er the ZII	IP code is bla ents covered back quote). If a code is blank	nk. If ICD y 42 USC a facility h a. If a facil	-10-CM \$290dd-2 and as fewer than ity has fewer
Reginning Position	indicatindicatindication 42 CF fifty of than 5	tes alcohol or d tes alcohol or d R Part 2 rules) utpatient servic	rug use of the ZIP corrected of a part of the part of	or an HIV diagn or an HIV diagn code is reported ed for the quart articular gender	osis the Zosis (pati as "" (bati er the ZII), includir	IP code is bla ents covered back quote). If a code is blank	nk. If ICD y 42 USC a facility h a. If a facil	-10-CM \$290dd-2 and as fewer than ity has fewer
Beginning Position:	indicatin	tes alcohol or d tes alcohol or d R Part 2 rules) utpatient servic	rug use of the ZIP codes reported of a part.	or an HIV diagn or an HIV diagn code is reported ed for the quart articular gender Data Source:	osis the Zosis (pati as "" (baser the ZII , including Claim	ZIP code is bla ents covered b ack quote). If a P code is blank g 'unknown',	nk. If ICD y 42 USC a facility h a. If a facil	-10-CM \$290dd-2 and as fewer than ity has fewer
Length:	indicatindicatindication 42 CF fifty of than 5 36 5	tes alcohol or d tes alcohol or d R Part 2 rules) utpatient servic patients reporte	rug use of the ZIP codes reported of a part.	or an HIV diagn or an HIV diagn code is reported ed for the quart articular gender	osis the Zosis (pati as "" (baser the ZII , including Claim	IP code is bla ents covered back quote). If a code is blank	nk. If ICD y 42 USC a facility h a. If a facil	-10-CM \$290dd-2 and as fewer than ity has fewer
Length: Field 13:	indicatin	tes alcohol or d tes alcohol or d R Part 2 rules) utpatient servic patients reporte	rug use of the ZIP of es reported of a pa	or an HIV diagn or an HIV diagn code is reported ed for the quart articular gender Data Source:	osis the Zosis (pati as "" (ber the ZII , includir Claim Alpha	ZIP code is bla ents covered b ack quote). If a P code is blank ag 'unknown', numeric	nk. If ICD y 42 USC a facility h a. If a facil the ZIP Co	0-10-CM \$290dd-2 and has fewer than ity has fewer ode is blank.
Length:	indicatin	tes alcohol or d tes alcohol or d R Part 2 rules) utpatient servic patients reporte COUNTRY ry of patient's r	rug use of the ZIP ces reported of a parter of the ZIP ces residentia	or an HIV diagn or an HIV diagn code is reported ed for the quart articular gender Data Source: Type: Il address. List 1	osis the Zosis (pati as "" (ber the ZII , includir Claim Alphai	ZIP code is bla ents covered b ack quote). If a P code is blank ag 'unknown', numeric d by the Interr	nk. If ICD y 42 USC a facility h . If a facil the ZIP Contaction	2-10-CM 2-8290dd-2 and as fewer than ity has fewer ode is blank.
Length: Field 13:	indicatin	tes alcohol or d tes alcohol or d R Part 2 rules) utpatient servic patients reporte COUNTRY ry of patient's r ardization (ISO	rug use of the ZIP of the ZIP of the ZIP of the reported of a part of the residential of	or an HIV diagnor an HIV diagnor an HIV diagnor an HIV diagnor and HIV diagnor	osis the Zosis (pati as "" (bar the ZII), including Claim Alphan maintaine	ZIP code is bla ents covered b ack quote). If a code is blank g 'unknown', numeric d by the Interr l or drug use o	nk. If ICD y 42 USC n facility h n. If a facil the ZIP Contact national On r an HIV	p-10-CM §290dd-2 and has fewer than ity has fewer ode is blank.
Length: Field 13:	indicatin	tes alcohol or d tes alcohol or d R Part 2 rules) utpatient servic patients report COUNTRY ry of patient's r ardization (ISO) nts covered by 2	rug use of the ZIP of the ZIP of the ZIP of the reported of a part of the residential of	or an HIV diagn or an HIV diagn code is reported ed for the quart articular gender Data Source: Type: Il address. List 1	osis the Zosis (pati as "" (bar the ZII), including Claim Alphan maintaine	ZIP code is bla ents covered b ack quote). If a code is blank g 'unknown', numeric d by the Interr l or drug use o	nk. If ICD y 42 USC n facility h n. If a facil the ZIP Contact national On r an HIV	p-10-CM §290dd-2 and has fewer than ity has fewer ode is blank.
Length: Field 13: Description:	indical indical 42 CF fifty of than 5 36 5 PAT_Count Standa (patier (back)	tes alcohol or d tes alcohol or d R Part 2 rules) utpatient servic patients report COUNTRY ry of patient's r ardization (ISO) ats covered by 4 quote).	rug use of rug use of the ZIP of the ZIP of the reported of a part of the residential of	or an HIV diagn or an HIV diagn or an HIV diagn code is reported ted for the quartearticular gender Data Source: Type: al address. List 1-10-CM indicates 290dd-2 and 42	osis the Zosis (pati as "" (bati as "" (bati er the ZII , includin Claim Alphan maintaine es alcoho 2 CFR Pa	ZIP code is bla ents covered b ack quote). If a code is blank g 'unknown', numeric d by the Interr l or drug use o	nk. If ICD y 42 USC n facility h n. If a facil the ZIP Contact national On r an HIV	p-10-CM §290dd-2 and has fewer than ity has fewer ode is blank.
Length: Field 13:	indical indical 42 CF fifty of than 5 36 5 PAT_Count Standa (patier (back)	tes alcohol or d tes alcohol or d R Part 2 rules) utpatient servic patients report COUNTRY ry of patient's r ardization (ISO) ats covered by 4 quote).	rug use of rug use of the ZIP of the ZIP of the reported of a part of the residential of	or an HIV diagnor an HIV diagnor an HIV diagnor an HIV diagnor and HIV diagnor	osis the Zosis (pati as "" (bati as "" (bati er the ZII , includin Claim Alphan maintaine es alcoho 2 CFR Pa	ZIP code is bla ents covered b ack quote). If a code is blank g 'unknown', numeric d by the Interr l or drug use o	nk. If ICD y 42 USC n facility h n. If a facil the ZIP Contact national On r an HIV	p-10-CM §290dd-2 and has fewer than ity has fewer ode is blank.
Length: Field 13: Description:	indicatin	tes alcohol or d tes alcohol or d R Part 2 rules) utpatient servic patients report COUNTRY ry of patient's r ardization (ISO) ats covered by 4 quote).	rug use of rug use of the ZIP of the ZIP of the reported of a particular residential. If ICD-42 USC §	or an HIV diagnor an HIV diagnor an HIV diagnor an HIV diagnor and HIV diagnored for the quarticular gender Data Source: Type: al address. List re-10-CM indicates 3290dd-2 and 42 dients from one dients fr	osis the Zosis (pati as "" (bati as "" (bati er the ZII , includin Claim Alphan maintaine es alcoho 2 CFR Pa	ZIP code is bla ents covered b ack quote). If a code is blank g 'unknown', numeric d by the Interr l or drug use o	nk. If ICD y 42 USC n facility h n. If a facil the ZIP Contact national On r an HIV	p-10-CM §290dd-2 and has fewer than ity has fewer ode is blank.
Length: Field 13: Description: Suppression: Coding scheme:	indical indical 42 CF fifty of than 5 36 5 PAT_Count: Standa (patier (back Suppre See with the standard standar	tes alcohol or d tes alcohol or d R Part 2 rules) utpatient servic patients report COUNTRY ry of patient's r ardization (ISO nts covered by 4 quote). essed if fewer th	rug use of rug use of the ZIP of the ZIP of the reported of a particular residentia. If ICD-42 USC §	or an HIV diagnor an HIV diagnor an HIV diagnor an HIV diagnor and HIV diagnored for the quarticular gender Data Source: Type: al address. List re-10-CM indicates 3290dd-2 and 42 dients from one de list.	osis the Zosis (pati as "" (bati as "" (bati er the ZII , includin Claim Alphan maintaine es alcoho 2 CFR Pa	ZIP code is bla ents covered b ack quote). If a code is blank g 'unknown', numeric d by the Interr l or drug use o	nk. If ICD y 42 USC n facility h n. If a facil the ZIP Contact national On r an HIV	p-10-CM §290dd-2 and has fewer than ity has fewer ode is blank.
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position:	indical indical indical 42 CF fifty of than 5 36 5 PAT_Count: Standa (patier (back Suppre See w) 41	tes alcohol or d tes alcohol or d R Part 2 rules) utpatient servic patients report COUNTRY ry of patient's r ardization (ISO nts covered by 4 quote). essed if fewer th	rug use of rug use of the ZIP of the ZIP of the report of a part of the residential of th	or an HIV diagnor an HIV diagnor an HIV diagnor an HIV diagnor and HIV diagnored is reported articular gender Data Source: Type: al address. List range 10-CM indicates 290dd-2 and 42 dients from one de list. Data Source:	osis the Zosis (pati as "" (base the ZII), includir Claim Alphai maintaine es alcoho 2 CFR Patron Claim Claim Country.	ZIP code is bla ents covered be ack quote). If a P code is blank ag 'unknown', numeric d by the Interral or drug use our 2 rules) the	nk. If ICD y 42 USC a facility h a facility h the ZIP Contact actional Or r an HIV	p-10-CM §290dd-2 and has fewer than ity has fewer ode is blank.
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length:	indical indical 42 CF fifty of than 5 36 5 PAT_Count Standa (patier (back Suppre See w) 41 2	tes alcohol or d tes alcohol or d R Part 2 rules) utpatient servic patients reporte COUNTRY ry of patient's r ardization (ISO) nts covered by 2 quote). essed if fewer th ww.ISO.org for	rug use of rug use of the ZIP of the ZIP of the report of a part of the residential of th	or an HIV diagnor an HIV diagnor an HIV diagnor an HIV diagnor and HIV diagnored in the quarter articular gender Data Source: Type: al address. List re-10-CM indicate \$290dd-2 and 42 dients from one de list. Data Source: Type:	osis the Zosis (pati as "" (base the ZII), includir Claim Alphai maintaine es alcoho 2 CFR Patron Claim Claim Country.	ZIP code is bla ents covered b ack quote). If a code is blank g 'unknown', numeric d by the Interr l or drug use o	nk. If ICD y 42 USC a facility h a facility h the ZIP Contact actional Or r an HIV	p-10-CM §290dd-2 and has fewer than ity has fewer ode is blank.
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14:	indical indicates and indicates and indicates are indicated indicated indicates and indicates are indicated indicated indicates and indicates are indicated indicated indicates are indicated indicated indicates are indicated in	tes alcohol or d tes alcohol or d R Part 2 rules) utpatient servic patients reporte COUNTRY ry of patient's r ardization (ISO ats covered by a quote). essed if fewer th ww.ISO.org for	rug use of rug use of the ZIP of the ZIP of the report of a part of the residential of th	or an HIV diagnor an HIV diagnor an HIV diagnor an HIV diagnor and HIV diagnored is reported articular gender Data Source: Type: al address. List range 10-CM indicates 290dd-2 and 42 dients from one de list. Data Source: Type: DN	osis the Zosis (pati as "" (base the ZII), includir Claim Alphai maintaine es alcoho 2 CFR Patron Claim Claim Country.	ZIP code is bla ents covered be ack quote). If a P code is blank ag 'unknown', numeric d by the Interral or drug use our 2 rules) the	nk. If ICD y 42 USC a facility h a facility h the ZIP Contact actional Or r an HIV	p-10-CM §290dd-2 and has fewer than ity has fewer ode is blank.
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14: Description:	indical indical indical indical indical 42 CF fifty of than 5 36 5 PAT_Count Standa (patier (back Suppre See with 41 2 PUBL Public	tes alcohol or d tes alcohol or d R Part 2 rules) utpatient service patients reporte COUNTRY ry of patient's r ardization (ISO) atts covered by a quote). essed if fewer th ww.ISO.org for	rug use of rug use of the ZIP of the ZIP of the residential of the residential of the residential of the residential of patier and residential of patier residential residential of patier residential residen	or an HIV diagnor an HIV diagnor an HIV diagnor an HIV diagnor and HIV diagnored is reported articular gender Data Source: Type: al address. List range 10-CM indicates 290dd-2 and 42 dients from one de list. Data Source: Type: DN nt's address.	osis the Zosis (patias "" (baser the ZII), includir Claim Alpharmaintaine es alcoholo CFR Patron Claim Alpharmaintaine country.	ZIP code is bla ents covered b ents covered b enck quote). If a code is blank eg 'unknown', numeric d by the Interr l or drug use o rt 2 rules) the	nk. If ICD y 42 USC a facility h . If a facil the ZIP Contational One r an HIV of	2-10-CM 2 §290dd-2 and as fewer than ity has fewer ode is blank. rganization for diagnosis reported as """
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14:	indical indicates and indicates and indicates are indicated indicated indicates and indicates are indicated indicated indicates and indicates are indicated indicated indicates are indicated indicated indicates are indicated in	tes alcohol or d tes alcohol or d tes alcohol or d R Part 2 rules) utpatient servic patients reporte COUNTRY ry of patient's r ardization (ISO ats covered by a quote). essed if fewer th ww.ISO.org for IC_HEALTH Health Region Armstrong, Bailey	rug use of the ZIP construction of patier, Briscoe, Control of the ZIP control of the ZIP construction of the ZIP control of patier, Briscoe, Control of the ZIP control of patier, Briscoe, Control of the ZIP control of patier of the ZIP control of patier of the ZIP control of th	or an HIV diagnor an HIV diagnor an HIV diagnor an HIV diagnor and HIV diagnored is reported articular gender Data Source: Type: al address. List range 10-CM indicates 290dd-2 and 42 dients from one de list. Data Source: Type: DN nt's address. Carson, Castro, Chil	osis the Zosis (patias "" (beer the ZII), includir Claim Alphanmaintaine es alcoho 2 CFR Patron Claim Alphanmaintaine country.	ZIP code is bla ents covered b ents covered b enck quote). If a code is blank ency 'unknown', numeric d by the Interr l or drug use o ent 2 rules) the numeric	nk. If ICD y 42 USC a facility h . If a facil the ZIP Contational One r an HIV of country is	2-10-CM 2 § 290dd-2 and as fewer than ity has fewer ode is blank. reganization for diagnosis reported as """
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14: Description:	indical indical indical indical indical 42 CF fifty of than 5 36 5 PAT_Count Standa (patier (back Suppre See with 41 2 PUBL Public	tes alcohol or d tes alcohol or d tes alcohol or d R Part 2 rules) utpatient servic patients reporte COUNTRY ry of patient's r ardization (ISO) nts covered by a quote). essed if fewer th ww.ISO.org for IC_HEALTH Health Region Armstrong, Bailey Dickens, Donley,	rug use of rug use of the ZIP of the ZIP of the residential of patier of the residential of patier of the residential of the residential of patier of the residential of patier of the residential of the r	or an HIV diagnor an HIV diagnor an HIV diagnor an HIV diagnor and HIV diagnored is reported articular gender Data Source: Type: al address. List range 10-CM indicates 290dd-2 and 42 dients from one de list. Data Source: Type: DN nt's address.	osis the Zosis (patias "" (beer the ZII), includir Claim Alphaimaintaine es alcoholo 2 CFR Pation Claim Alphaimaintaine es alcoholo 2 CFR Pation Claim Alphaimaintaine (dress, Cocl., Hansford, Hansford,	ZIP code is bla ents covered b ents covered b ents quote). If a code is blank ents covered b ents covered blank ents covered	nk. If ICD y 42 USC a facility h t. If a facil the ZIP Contact and HIV of the Country is th, Crosby, E. l, Hockley, I.	o-10-CM § \$290dd-2 and has fewer than ity has fewer ode is blank. rganization for diagnosis reported as """
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14: Description:	indical indical indical indical indical 42 CF fifty of than 5 36 5 PAT_Country Standa (patient (back of Supprose with 1 2 PUBL Public 1	tes alcohol or d tes alcohol or d tes alcohol or d R Part 2 rules) utpatient service patients reporte COUNTRY ry of patient's r ardization (ISO) atts covered by 4 quote). essed if fewer th ww.ISO.org for IC_HEALTH Health Region Armstrong, Bailey Dickens, Donley, Lamb, Lipscomb, Sherman, Swisher	rug use of rug use of the ZIP of	or an HIV diagnor an HIV diagnor an HIV diagnor an HIV diagnor and HIV diagnored is reported articular gender Data Source: Type: al address. List range in the source of the quarticular gender Data Source: Type: al address. List range in the source of the source of the source: Type: DN note it is address. Carson, Castro, Childran, Gray, Hale, Hall Lynn, Moore, Motle neeler, Yoakum cource of the source of the sou	osis the Zoosis (patias "" (beer the ZII, includir Claim Alphaimaintaine es alcoho 2 CFR Patron Claim Alphaimaintaine es alcoho 2 CFR Patron Claim Alphaimaintaine es country.	ZIP code is bla ents covered b ack quote). If a P code is blank g 'unknown', numeric d by the Interr l or drug use o rt 2 rules) the numeric numeric hard, Collingswort Hartley, Hemphil e, Oldham, Parmer	nk. If ICD y 42 USC a facility h t. If a facil the ZIP Contational One r an HIV of country is th, Crosby, E l, Hockley, I r, Potter, Rar	p-10-CM \$ \$290dd-2 and has fewer than ity has fewer ode is blank. rganization for diagnosis reported as "'"
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14: Description:	indical indical indical indical indical 42 CF fifty of than 5 36 5 PAT_Count Standa (patier (back Suppre See with 41 2 PUBL Public	tes alcohol or d tes alcohol or d tes alcohol or d R Part 2 rules) utpatient service patients reporte COUNTRY ry of patient's r ardization (ISO ats covered by 4 quote). essed if fewer th ww.ISO.org for IC_HEALTH Health Region Armstrong, Bailey Dickens, Donley, Lamb, Lipscomb, Sherman, Swisher Archer, Baylor, Br	rug use of rug use of the ZIP of the ZIP of the zip of a part of the zip of zip	or an HIV diagnor an HIV diagnor an HIV diagnor an HIV diagnor and HIV diagnored is reported articular gender Data Source: Type: al address. List rale-10-CM indicates 3290dd-2 and 42 dients from one of the list. Data Source: Type: DN nt's address. Carson, Castro, Chilza, Gray, Hale, Hall-ynn, Moore, Motle neeler, Yoakum couthan, Clay, Coleman	osis the Zoosis (patias "" (beer the ZII, includir Claim Alphan Maintaine es alcoho 2 CFR Patron Claim Alphan Market (Claim Market (Cla	ZIP code is bla ents covered b ack quote). If a P code is blank g 'unknown', numeric d by the Interr l or drug use o rt 2 rules) the numeric mran, Collingswort Hartley, Hemphil e, Oldham, Parmer	nk. If ICD y 42 USC a facility h t. If a facil the ZIP Contational One r an HIV of country is th, Crosby, E l, Hockley, I r, Potter, Rar l, Fisher, Foa	p-10-CM \$ \$290dd-2 and has fewer than ity has fewer ode is blank. rganization for diagnosis reported as "'" Dallam, Deaf Smith, Hutchinson, King, hdall, Roberts, ard, Hardeman,
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14: Description:	indical indical indical indical indical 42 CF fifty of than 5 36 5 PAT_Country Standa (patient (back of Supprose with 1 2 PUBL Public 1	tes alcohol or d tes alcohol or d tes alcohol or d R Part 2 rules) utpatient service patients reporte COUNTRY ry of patient's r ardization (ISO ats covered by 4 quote). essed if fewer th ww.ISO.org for IC_HEALTH Health Region Armstrong, Bailey Dickens, Donley, I Lamb, Lipscomb, Sherman, Swisher Archer, Baylor, Bi Haskell, Jack, Jone	rug use of rug use of the ZIP of the ZIP of the zip of a part of the zip of zip	or an HIV diagnor and HIV diagnor	osis the Zoosis (patias "" (beer the ZII, includir Claim Alphan Maintaine es alcoholo CFR Patron Claim Alphan Mars, Coch, Hansford, y, Ochiltrenties I, Comanch tague, Nola	ZIP code is bla ents covered b ack quote). If a P code is blank g 'unknown', numeric d by the Interr l or drug use o rt 2 rules) the numeric mran, Collingswort Hartley, Hemphil e, Oldham, Pamel e, Cottle, Eastland n, Runnels, Scurr	nk. If ICD y 42 USC a facility h t. If a facil the ZIP Contational One r an HIV of country is th, Crosby, E l, Hockley, I r, Potter, Rar l, Fisher, Foa	p-10-CM \$ \$290dd-2 and has fewer than ity has fewer ode is blank. rganization for diagnosis reported as "'" Dallam, Deaf Smith, Hutchinson, King, hdall, Roberts, ard, Hardeman,
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14: Description:	indicar indicar 42 CF fifty o than 5 36 5 PAT_ Count: Standar (patier (back o Suppro See wi 41 2 PUBL Public 1	tes alcohol or d tes alcohol or d tes alcohol or d R Part 2 rules) utpatient service patients reporte COUNTRY ry of patient's r ardization (ISO) ats covered by a quote). essed if fewer th ww.ISO.org for IC_HEALTH Health Region Armstrong, Bailey Dickens, Doncey, Lamb, Lipscomb, Sherman, Swisher Archer, Baylor, Bi Haskell, Jack, Jone Stonewall, Taylor, Stonewall, Taylor,	rug use of rug use of the ZIP of	or an HIV diagnor and HIV diagnor	osis the Zoosis (patias "" (beer the ZII, includir Claim Alphan Maintaine es alcoho 2 CFR Pa Country. Claim Alphan Alphan Claim Alphan Claim Alphan Country.	ZIP code is bla ents covered b ack quote). If a code is blank g 'unknown', numeric d by the Interr l or drug use o rt 2 rules) the numeric mran, Collingswort Hartley, Hemphil e, Oldham, Parmer e, Cottle, Eastland n, Runnels, Scurr ng counties	nk. If ICD y 42 USC a facility h a. If a facil the ZIP Contact of the American HIV country is the Crosby, E l, Hockley, I c, Potter, Rar d, Fisher, For y, Shacklefor	o-10-CM § \$290dd-2 and has fewer than ity has fewer ode is blank. rganization for diagnosis reported as "'" Dallam, Deaf Smith, Hutchinson, King, hdall, Roberts, ard, Hardeman, rd, Stephens,
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14: Description:	indical indical indical indical indical 42 CF fifty of than 5 36 5 PAT_Country Standa (patient (back of Supprose with 1 2 PUBL Public 1	tes alcohol or dites al	rug use of the ZIP content of a part of the ZIP content of a part of the zidential of patient, Briscoe, Confloyd, Garz Lubbock, I., Terry, What of the zidential of zidenti	or an HIV diagnor an HIV diagnor an HIV diagnor an HIV diagnor and HIV diagnor	osis the Zosis (patias "" (bias "" (bia	ZIP code is bla ents covered b ack quote). If a code is blank g 'unknown', numeric d by the Interr l or drug use o rt 2 rules) the numeric mran, Collingswort Hartley, Hemphil e, Oldham, Parmer e, Cottle, Eastland n, Runnels, Scurr ng counties	nk. If ICD y 42 USC a facility h a. If a facil the ZIP Contact of the American HIV country is the Crosby, E l, Hockley, I c, Potter, Rar d, Fisher, For y, Shacklefor	o-10-CM § \$290dd-2 and has fewer than ity has fewer ode is blank. rganization for diagnosis reported as "'" Dallam, Deaf Smith, Hutchinson, King, hdall, Roberts, ard, Hardeman, rd, Stephens,
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14: Description:	indical indical indical indical indical indical 42 CF fifty of than 5 36 5 PAT_Count. Standa (patier (back) Suppro See with 2 PUBL Public 1	tes alcohol or d tes alcohol or d tes alcohol or d R Part 2 rules) utpatient servic patients reporte COUNTRY ry of patient's r ardization (ISO ats covered by a quote). essed if fewer th ww.ISO.org for IC_HEALTH Health Region Armstrong, Bailey Dickens, Donley, I Lamb, Lipscomb, Sherman, Swisher Archer, Baylor, Br Haskell, Jack, Jone Stonewall, Taylor, Collin, Cooke, Da Pinto, Parker, Roc	rug use of rug use of the ZIP of zip	or an HIV diagnor an HIV diagnor an HIV diagnor an HIV diagnor and HIV diagnor	osis the Zosis (patias "" (base the ZII), includir Claim Alphan maintaine es alcoholo CFR Patron Claim Alphan Country. Claim Alphan Claim Alphan Claim Alphan Country. Claim Alphan Country Claim Alphan Country Claim Alphan Country Cohiltred Tague, Nola Country Commanch tague, Nola Country Country Country Country Commanch tague, Nola Country Countr	ZIP code is bla ents covered b ack quote). If a code is blank g 'unknown', numeric d by the Interr l or drug use o rt 2 rules) the numeric mran, Collingswort Hartley, Hemphil e, Oldham, Parmer e, Cottle, Eastland n, Runnels, Scurr ng counties n, Hood, Hunt, Joh	nk. If ICD y 42 USC a facility h the ZIP Contactional One r an HIV of country is the Crosby, E 1, Hockley, I 1, Hockley, I 1, Fotter, Rar y, Shacklefor anson, Kaufin	Dellam, Deaf Smith, Hutchinson, King, and, Hardeman, rd, Stephens, man, Navarro, Palo
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14: Description:	indicar indicar 42 CF fifty o than 5 36 5 PAT_ Count: Standar (patier (back o Suppro See wi 41 2 PUBL Public 1	tes alcohol or d tes alcohol or d tes alcohol or d R Part 2 rules) utpatient service patients reporte COUNTRY ry of patient's r ardization (ISO) ats covered by a quote). essed if fewer th ww.ISO.org for IC_HEALTH Health Region Armstrong, Bailey Dickens, Donley, I Lamb, Lipscomb, Sherman, Swisher Archer, Baylor, Br Haskell, Jack, Jone Stonewall, Taylor, Collin, Cooke, Da Pinto, Parker, Roc Anderson, Bowie,	rug use of the ZIP control of a particle of a particle of the ZIP control of patient, Briscoe, Control of patient, Terry, Whomas, Callas, Denton kwall, Som Camp, Cas	or an HIV diagnor an HIV diagnor an HIV diagnor an HIV diagnor and HIV diagnor	osis the Zoosis (patias "" (baser the ZII), includir Claim Alphar maintaine es alcoholo CFR Patron Claim Alphar Claim Alphar Claim Alphar Claim Alphar Claim Alphar Country.	ZIP code is bla ents covered b ack quote). If a P code is blank ag 'unknown', numeric d by the Interr l or drug use o rt 2 rules) the numeric mran, Collingswort Hartley, Hemphil e, Oldham, Parmer n, Runnels, Scurr ng counties n, Hood, Hunt, Joh Gregg, Harrison, H	nk. If ICD y 42 USC a facility h the ZIP Contactional One r an HIV of country is the Crosby, E 1, Hockley, I 1, Hockley, I 1, Fotter, Rar y, Shacklefor anson, Kaufin fenderson, H	Dellam, Deaf Smith, Hutchinson, King, and, Hardeman, rd, Stephens, man, Navarro, Palo topkins, Lamar,

DSHS/THCIC www.dshs.texas.gov/THCIC

Page 11 -

DSHS Document # E25-14164
Last Updated: August, 2024

Beginning Position: Length:	5 6 7 8 9 10 11	San Jacinto, Shelby, Trinity Austin, Brazoria, Chamber Walker, Waller, Wharton of Bastrop, Bell, Blanco, Bost Hamilton, Hays, Hill, Lam San Saba, Travis, Washing Atascosa, Bandera, Bexar, Guadalupe, Jackson, Karne Verde, Victoria, Wilson, Z Andrews, Borden, Coke, C	y, Tyler counties, Colorado, counties que, Brazos, pasas, Lee, Lton, William Calhoun, Coes, Kendall, Favala countie toncho, Cranon, Mason, Mu, Ward, Winleso, Hudspettneron, Duval	Burlesor Burlesor, Lin son cour mal, De' Kerr, Kin es e, Crocke enard, M kler cour n, Jeff Da t, Hidalge cio, Starr	nd, Galvesto n, Burnet, C nestone, Lla tities Witt, Dimminey, La Sallett, Dawson idland, Pecchities avis, Presidi o, Jim Hogg	n, Harris, Lib aldwell, Cory no, McLenna it, Edwards, F le, Lavaca, M , Ector, Gaine os, Reagan, R o counties , Jim Wells, F llacy, Zapata	perty, M rell, Fall in, Mad Frio, Gil laverick es, Glas eeves, S	lls, Fayette, Freestone, Grimes, ison, Milam, Mills, Robertson, llespie, Goliad, Gonzales, x, Medina, Real, Uvalde, Val scock, Howard, Irion, Kimble, Schleicher, Sterling, Sutton, , Kleberg, Live Oak,
Field 15:		GTH_OF_SERVICE	турс.		Атрпани	illiciic		
Description:		th of service in days eq	uals States	ment F	rom Data	through St	tatama	ant Thru Data. The
Description.		mum length of service i					iaiciiic	ant Tinu Date. The
Beginning Position:	45	mum length of service i	Data Sou		Calculat	•		
Length:	2		Type:	irce.	Alphanu			
Field 16:		AGE	1 ype.		Aiphanu	illiciic		
Description:		_AGE indicating age of patie	nt in days	or won	e on data	of corvice		
Coding Scheme:	00	1-28 days	10	35-39	s on date	of service.	20	85-89
Coung Scheme:	01	29-365 days	11	40-44			21	90+
	02	1-4 years	12	45-49			HIV a	and drug/alcohol use patients:
	03	5-9	13	50-54			22	0-17
	04	10-14	14	55-59			23	18-44
	05	15-17	15	60-64			24	45-64
	06 07	18-19 20-24	16 17	65-69 70-74			25 26	65-74 75+
	08	25-29	18	75-79			20	Invalid
	09	30-34	19	80-84				mvand
Beginning Position:	47		Data Sou		Assigne	d		
Length:	2		Type:		Alphanu			
Field 17:	RAC	TE.	-31000					_
Description:		indicating the patient's	race					
Suppression:				of one	race that	race is cha	naed	to 'Other' (code equals 5).
Coding Scheme:	11 a 1	American Indian/Eskimo/A		or one	race mai	Tacc is cite	ingcu	to Other (code equals 3).
Coung Scheme.	2	Asian or Pacific Islander	neut					
	3	Black						
	4	White						
	5	Other Invalid						
Beginning Position:	49	ilivanu	Data Sou	ırce	Claim			
Length:	1		Type:	11	Alphanu	ımeric		
Field 18:		NICITY	турс.		ripilane	illicite		
Description:		indicating the Hispanic	o origin of	the no	tiont			
Suppression:	If a f	acility has fewer than to	on notionto	of one	roog the	othnicity o	fnotio	ents of that race is
Suppression:		-	en patients	or one	race the	enimenty of	i pane	ents of that face is
Coding Scheme:	suppi 1	ressed (code is blank). Hispanic Origin						
Coung Scheme:	2	Not of Hispanic Origin						
	`	Invalid						
Beginning Position:	50		Data Sou	ırce:	Claim			
Length:	1		Type:		Alphanu	ımeric		
Field 19:	FIRS	ST_PAYMENT_SRC						
Description:		indicating the expected	d primary	source	of payme	nt.		
Coding Scheme:	09	Self Pay (Removed from 5					ntenano	ce Organization
		beginning 2Q2012 data)						
	10	Central Certification			LI	Liability		
DSHS/THCIC			- Dogg 1	2 —		DS	HS D	ocument # E25-14164
www.dshs.texas.gov/	THCI	C	Page 1	4]	Last U	J pdated: August, 2024

	11 12 13 14 15 16 AM BL CH CI DS	Other Non-federal Program Preferred Provider Organiz: Point of Service (POS) Exclusive Provider Organiz Indemnity Insurance Health Maintenance Organi Medicare Risk Automobile Medical Blue Cross/Blue Shield CHAMPUS Commercial Insurance Disability Insurance	ation (PPC zation (EPC	O)	LM MA MB MC TV OF VA WC ZZ	Workers C	Part A Part B eral P dmini	A 3
Beginning Position:	51	·	Data S	nurce	Claim			
Length:	2		Type:	our cc.	Alphanu	meric		
Field 20:		CONDARY_PAYMENT			1119114114			
Description:		e indicating the expected	_	ary sour	ce of payn	nent.		
Coding Scheme:		e as field FIRST_PAYM			1 3			
Beginning Position:	53	_	Data S		Claim			
Length:	2		Type:		Alphanu	meric		
Field 21:	TYP	PE_OF_BILL			•			
Description:		vides specific information					st di	git = type of facility.
		ond digit = type of care.	Third dig	git = seq	uence of t	he claim.		
Coding Scheme:		git–Type of Facility		igit–Type o		f . 4:		ligit–Sequence of claim
	1	Hospital	1	Part A	including M	ledicare	0	Non-payment/Zero claim
	2	Skilled nursing	2		Medicare P	art B only	1	Admit through discharge claim
		Home health	3	Outpatien			2	Interim-first claim
		Religious non-medical health care—Hospital	4	Outpatien Part B on	t Other, Me	dicare	3	Interim-continuing claim
		Religious non-medical health	5		iate Care–Le	vel I	4	Interim-last claim
		care-Extended care						
		Intermediate care	6		ate Care–Le		5	Late charge(s) only claim
	7	Clinic	7	Sub-acute	e inpatient –	Level III	6	Adjustment of prior claim (Not used by Medicare)
	8	Special facility	8	Swing be	d		7	Replacement of prior claim
			_				8	Void/cancel of prior claim
Beginning Position:	55		Data So	ource:	Claim			
Length:	3	AND TOTAL CORP. 4	Type:		Alphanu	meric		
Field 22:		NDITION_CODE_1	1					
C- 1 C-1	01	e describing a condition Military service related	relating	to the cla	aım. 83	C section/	Induc	tions 39 weeks or greater
Coding Scheme:	02	Condition is employment re	elated		84			ite Kidney Injury (AKI)
	03	Patient covered by insurance	re not refle	cted here	85	Delayed R		fication of Hospice Terminal
						Illness Additional	Цат	odialysis Treatment with
	04	Information only bill.			86	Medical Ju		
	05	Lien has been filed			4.0	TRICARE	exte	rnal partnership program
	03				A0			
	06	ESRD patient in first 18 mc	onths of en	titlement	A0 A1	EPSDT/CI		
	06	ESRD patient in first 18 mo covered by EGHP Treatment of non-terminal of			A1	EPSDT/CI	HAP	
		covered by EGHP Treatment of non-terminal of patient	condition f	for hospice	A1	EPSDT/CI	HAP	icapped children's program
	06	covered by EGHP Treatment of non-terminal of patient Beneficiary would not prov	condition f	for hospice	A1	EPSDT/CI	HAP hand	
	06 07	covered by EGHP Treatment of non-terminal of patient	condition formation formation coverage	for hospice	A1 A2	EPSDT/Cl	HAP hand deral	Funding
	06 07 08 09	covered by EGHP Treatment of non-terminal of patient Beneficiary would not provide concerning other insurance. Neither patient or spouse is Patient and/or spouse is em	condition formation for coverage employed	for hospice	A1 A2 A3 A4	EPSDT/Cl Physically Special Fe Family pla	HAP hand deral	Funding
	06 07 08	covered by EGHP Treatment of non-terminal of patient Beneficiary would not provide concerning other insurance. Neither patient or spouse is Patient and/or spouse is emexists Disabled beneficiary but no	condition formation formation in the coverage semployed but	for hospice nation no EGHP	A1 A2 A3 A4	EPSDT/Cl Physically Special Fe Family pla Disability	HAP hand deral nning	Funding
	06 07 08 09 10	covered by EGHP Treatment of non-terminal opatient Beneficiary would not prov concerning other insurance Neither patient or spouse is Patient and/or spouse is emexists Disabled beneficiary but no exists	condition formation formation in the coverage semployed but	for hospice nation no EGHP	A1 A2 A3 A4 A5 A6	EPSDT/Cl Physically Special Fe Family pla Disability Vaccines/I	HAP hand deral nning Medic	Funding g care 100% payment
	06 07 08 09 10	covered by EGHP Treatment of non-terminal of patient Beneficiary would not provide concerning other insurance. Neither patient or spouse is Patient and/or spouse is emexists Disabled beneficiary but no	condition formation formation in the coverage semployed but	for hospice nation no EGHP	A1 A2 A3 A4 A5	EPSDT/Cl Physically Special Fe Family pla Disability Vaccines/I Second op	HAP hand deral nning Medic inion	Funding g care 100% payment
	06 07 08 09 10 11	covered by EGHP Treatment of non-terminal opatient Beneficiary would not prov concerning other insurance Neither patient or spouse is Patient and/or spouse is emexists Disabled beneficiary but no exists Patient is homeless	condition to vide information coverage to employed but ployed but to LGHP co	for hospice nation no EGHP	A1 A2 A3 A4 A5 A6 A9	EPSDT/Cl Physically Special Fe Family pla Disability Vaccines/I Second op Abortion p	HAP hand deral nning Medic inion	Funding g care 100% payment surgery

			Abortion performed due to life endengaring
21	Billing for denial notice	AD	Abortion performed due to life endangering physical condition
22	Patient on multiple drug regimen	AE	Abortion performed due to physical health of mother that is not life endangering
23	Home care giver available	AF	Abortion performed due to emotional/psychological health of mother
24	Home IV patient also receiving HHA services	AG	Abortion performed due to social or economic reasons
25	Patient is non-US resident	AH	Elective abortion
26	VA eligible patient chooses to receive services in a Medicare certified facility	AI	Sterilization
27	Patient referred to a sole community hospital for a diagnostic laboratory test	AJ	Payer responsible for co-payment
28	Patient and/or spouse's EGHP is secondary to Medicare	AK	Air ambulance required
29	Disabled beneficiary and/or family member's LGHP is secondary to Medicare	AL	Specialized treatment/bed unavailable
30	Non-research services provided to patients enrolled in a qualified clinical trial	AM	Non-emergency medically necessary stretcher transport required
31	Patient is student (full time - day)	AN	Pre-admission screening not required
32	Patient is student (cooperative/work study program)	В0	Medicare coordinated care demonstration claim
33	Patient is student (full time - night)	B1	Beneficiary is ineligible for demonstration program
34	Patient is student (part-time)	B4	Admission unrelated to discharge on same day
36	General care patient in a special unit	BP	Gulf Oil Spill of 2010
37	Ward accommodation at patient request	C1	Approved as billed
38	Semi-private room not available	C2	Automatic approval as billed based on focused review
39	Private room medically necessary	C3	Partial approval
40	Same day transfer	C4	Admission/services denied
41	Partial hospitalization	C5	Post payment review applicable
42	Continuing care not related to inpatient admission	C6	Admission Preauthorization
43	Continuing care not provided within prescribed postdischarge window	C7	Extended Authorization
44	Inpatient admission changed to outpatient	D0	Changes to Service Dates
45	Ambiguous Gender Category	D1	Changes to Charges
46	Non-availability statement on file	D3	Second or Subsequent Interim PPS Bill
47	Transfer from another Home Health Agency	D4	Change in clinical codes (ICD) for diagnosis and/or procedure codes.
48	Psychiatric residential treatment centers for children and adolescents (RTCs)	D5	Cancel to correct Insured's ID or Provider ID
49	Product replacement within product lifecycle	D6	Cancel Only to Repay a Duplicate or OIG Overpayment
50	Product Replacement for Known Recall of a Product	D7	Change to Make Medicare the Secondary Payer
51	Attestation of Unrelated Outpatient Nondiagnostic Services	D8	Change to Make Medicare the Primary Payer
52	Out of Hospice Service Area	D9	Any Other Change
53	Initial placement of a medical device provided as part of a clinical trial or a free sample	DR	Disaster related
54	No Skilled Home Health Visits in Billing Period. Policy Exception Documented at the Home Health Agency	E0	Changes in Patient Status
55	SNF bed not available	G0	Distinct Medical Visit
56	Medical appropriateness	НО	Delayed Filing, Statement of Intent Submitted
57	SNF readmission	H2	Discharge by a Hospice Provider for Cause
58	Terminated Medicare+Choice organization enrollee	Н3	Reoccurrence of GI Bleed Comorbid Category
59	Non-primary ESRD facility	H4	Reoccurrence of Pneumonia Comorbid Category
60	Day outlier	H5	Reoccurrence of Pericarditis Comorbid Category
61	Cost outlier	P1	Do not Resuscitate Order (DNR)
			Direct Inpatient Admission from Emergency
66	Provider does not wish cost outlier payment	P7	Room

DSHS/THCIC

DSHS Document # E25-14164 **Last Updated:** August, 2024

Page 14

www. dshs. texas. gov/THCIC

	67	Beneficiary elects not to use life time reser	rve	R1	Request for reopening Reason Code -
	60	(LTR) days Beneficiary elects to use life time reserve (TR)		Mathematical or Computational Mistake Request for reopening Reason Code -Inaccurate
	68	days	` ,	R2	Data Entry
	69	IME/DGME/N&AH Payment Only		R3	Request for reopening Reason Code - Misapplication of a Fee Schedule
	70	Self-administered anemia management dru	ıg	R4	Request for reopening Reason Code - Computer Errors
	71	Full care in unit		R5	Request for reopening Reason Code - Incorrectly Identified Duplicate Claim
	72	Self care in unit		R6	Request for reopening Reason Code - Other Clerical Errors or Minor Errors and Omissions not Specified in R1-R5 above
	73	Self care training		R7	Request for reopening Reason Code - Corrections other than clerical errors
	74	Home		R8	Request for reopening Reason Code - New and Material Evidence
	75	Home - 100% reimbursement		R9	Request for reopening Reason Code - Faulty Evidence
	76	Back-up in facility dialysis		WO	United Mine Workers of America (UMWA) Demonstration Indicator
	77	Provider accepts or is obligated/required di contractual arrangement or law to accept payment by a primary payer as payment		W2	Duplicate of Original Bill
	78	New coverage not implemented by HMO		W3	Level I Appeal
	79	CORF services provided offsite		W4	Level II Appeal
	80	Home dialysis - nursing facility C-section/Inductions <39 Weeks-Medical		W5	Level III Appeal
	81	Necessity			
Daginning Dagitians	82 58	C-section/Inductions <39 Weeks-Elective	oo. Cl	aim	
Beginning Position: Length:	2	Data Sourc			meric
Field 23:		Type: NDITION_CODE_2	AI	pnanu	illeric
rielu 25:		describing a condition relating to the	na claim		
Coding Scheme:		e as Field CONDITION_CODE_1.	ic ciaiiii.	•	
Beginning Position:	60	Data Source	ce. Cla	aim	
Length:	2	Type:			meric
Field 24:	CON	CONDITION_CODE_3			
		describing a condition relating to the	ne claim.		
Coding Scheme:	Same	e as Field CONDITION_CODE_1.			
Beginning Position:	62	Data Sourc	ce: Cla	aim	
Length:	2	Type:	Al	phanu	meric
Field 25:		IDITION_CODE_4			
~ " ~ "		describing a condition relating to the	ne claim.	•	
Coding Scheme:		e as Field CONDITION_CODE_1.	CI		
Beginning Position:	64 2	Data Sourc		aim	
Length: Field 26:		Type: NDITION CODE 5	Al	pnanu	meric
riciu 20.		describing a condition relating to the	ne claim		
Coding Scheme:		e as Field CONDITION_CODE_1.	ic ciaiiii	•	
Beginning Position:	66	Data Source	ce: Cla	aim	
Length:	2	Type:			meric
Field 27:		DITION CODE 6			
	Code describing a condition relating to the claim.				
Coding Scheme:	Same as Field CONDITION_CODE_1.				
Beginning Position:	68	Data Source		aim	
Length:	2	Type:	Al	phanu	meric
Field 28:		DITION_CODE_7			
	Code describing a condition relating to the claim.				
Coding Scheme:		e as Field CONDITION_CODE_1.	C1	ain-	
Beginning Position:	70	Data Source	ce: Cla	aim	DOLLO D
DSHS/THCIC	/m== ~=	Page 15	-		DSHS Document # E25-14164
www.dshs.texas.gov/	THCI				Last Updated: August, 2024

Length:	2	Type:	Alphanumeric	
Field 29:	CONDITION_CODE_8	CONDITION_CODE_8		
	Code describing a condition	relating to the c	aim.	
Coding Scheme:	Same as Field CONDITION	N_CODE_1.		
Beginning Position:	72	Data Source: Claim		
Length:	2	Type:	Alphanumeric	
Field 30:	PAT_REASON_FOR_VI			
11014 001			h, 5th, 6th and 7th digits if applicable. Decimal is	
	implied following the third		ii, sui, sui and thi digits if applicable. Beefinal is	
	1 0		onger collecting PAT_REASON_FOR_VISIT in	
	Outpatient Professional clai		oliger collecting PAT_REASON_POR_VISIT III	
Doginning Dogitions	74		Claim	
Beginning Position:		Data Source:		
Length:	7	Type:	Alphanumeric	
Field 31:	PRINC_DIAG_CODE			
			diagnosis, including the 4th, 5th, 6th and 7th digits	
	if applicable. Decimal is im			
Beginning Position:	81	Data Source:	Claim	
Length:	7	Type:	Alphanumeric	
Field 32:	OTH_DIAG_CODE_1			
	ICD-10-CM diagnosis code	, including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is	
	implied following the third	character.	• • • • • • • • • • • • • • • • • • • •	
Beginning Position:	88	Data Source:	Claim	
Length:	7	Type:	Alphanumeric	
Field 33:	OTH_DIAG_CODE_2			
Tield 55.		including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is	
	implied following the third		ii, 5tii, 6tii and 7tii digits ii applicable. Beeimai is	
Beginning Position:	95	Data Source:	Claim	
	7			
Length:	•	Type:	Alphanumeric	
Field 34:	OTH_DIAG_CODE_3	. 1 1: .1 4.	1 54 64 174 11 1 16 11 11 D 1 11	
			h, 5th, 6th and 7th digits if applicable. Decimal is	
	implied following the third		~· ·	
Beginning Position:	102	Data Source:	Claim	
Length:	7	Type:	Alphanumeric	
Field 35:	OTH_DIAG_CODE_4			
	ICD-10-CM diagnosis code	, including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is	
	implied following the third	character.		
Beginning Position:	109	Data Source:	Claim	
Length:	7	Type:	Alphanumeric	
Field 36:	OTH_DIAG_CODE_5			
	ICD-10-CM diagnosis code	, including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is	
	implied following the third		6 11	
Beginning Position:	116	Data Source:	Claim	
Length:	7	Type:	Alphanumeric	
Field 37:	OTH DIAG CODE 6	турс.	Triphanamene	
ricia 57.		including the At	h, 5th, 6th and 7th digits if applicable. Decimal is	
	implied following the third		ii, 5tii, 6tii and 7tii digits ii applicable. Decimai is	
Danimuina Danisian.			Claim	
Beginning Position:	123	Data Source:	Claim	
Length:	7 OFH DIAG CODE 7	Type: Alphanumeric		
Field 38:	OTH_DIAG_CODE_7			
			h, 5th, 6th and 7th digits if applicable. Decimal is	
	implied following the third			
Beginning Position:	130	Data Source:	Claim	
Length:	7	Type:	Alphanumeric	
Field 39:	OTH_DIAG_CODE_8			

DSHS/THCIC www.dshs.texas.gov/THCIC

- Page 16 -

DSHS Document # E25-14164
Last Updated: August, 2024

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Data Source: Beginning Position:** 137 Claim Length: Type: Alphanumeric 7 Field 40: OTH DIAG CODE 9 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position: Data Source:** Claim Length: Type: Alphanumeric 7 Field 41: OTH DIAG CODE 10 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 151 Data Source: Claim Length: Type: Alphanumeric Field 42: OTH DIAG CODE 11 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position: Data Source:** 158 Claim Length: Type: Alphanumeric Field 43: OTH DIAG CODE 12 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 165 **Data Source:** Claim Length: 7 Type: Alphanumeric Field 44: OTH DIAG CODE 13 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 172 **Data Source:** Claim Length: Alphanumeric 7 Type: Field 45: OTH DIAG CODE 14 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 179 **Data Source:** Claim Length: Type: Alphanumeric Field 46: OTH DIAG CODE 15 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 186 **Data Source:** Claim Length: Type: Alphanumeric **Field 47:** OTH DIAG CODE 16 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 193 **Data Source:** Claim Length: 7 Type: Alphanumeric Field 48: OTH DIAG CODE 17 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 200 **Data Source:** Claim Length: Alphanumeric Type: Field 49: OTH DIAG CODE 18 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 207 **Data Source:** Claim Length: Alphanumeric Type: Field 50: OTH DIAG CODE 19 DSHS/THCIC **DSHS Document** # E25-14164 Page 17

Last Updated: August, 2024

www.dshs.texas.gov/THCIC

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 214 **Data Source:** Claim Length: Type: Alphanumeric 7 Field 51: OTH DIAG CODE 20 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position: Data Source:** Claim Length: Alphanumeric Type: 7 Field 52: OTH DIAG CODE 21 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 228 Data Source: Claim Length: Type: Alphanumeric 7 Field 53: OTH DIAG CODE 22 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position: Data Source:** 235 Claim Length: Type: Alphanumeric OTH DIAG CODE 23 Field 54: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 242 **Data Source:** Claim Length: 7 Type: Alphanumeric Field 55: OTH DIAG CODE 24 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position: Data Source:** Claim Length: Alphanumeric 7 Type: Field 56: RELATED CAUSE CODE 1 Code identifying an accompanying cause of an illness, injury or an accident. Auto accident **Coding Scheme:** AA Abuse AB Another party responsible AP **Employment** FMOther accident OA **Beginning Position:** 256 **Data Source:** Claim Length: Type: Alphanumeric RELATED CAUSE CODE 2 **Field 57:** Code identifying an accompanying cause of an illness, injury or an accident. **Coding Scheme:** Same as Field RELATED CAUSE CODE 1. **Beginning Position:** 258 **Data Source:** Claim Length: Type: Alphanumeric Field 58: RELATED CAUSE CODE 3 Code identifying an accompanying cause of an illness, injury or an accident. **Coding Scheme:** Same as Field RELATED CAUSE CODE 1. **Beginning Position:** 260 Data Source: Claim Length: Type: Alphanumeric Field 59: E CODE 1 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of the primary external cause of morbidity. A decimal is implied following the third character. **Beginning Position:** 262 **Data Source:** Claim Length: 7 Alphanumeric Type: E CODE 2 Field 60:

DSHS/THCIC www.dshs.texas.gov/THCIC

Page 18 —

DSHS Document # E25-14164 Last Updated: August, 2024

			h, 5th, 6th and 7th digits if applicable, of an
			nal is implied following the third character.
Beginning Position:	269	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 61:	E_CODE_3		
			h, 5th, 6th and 7th digits if applicable, of an
			mal is implied following the third character.
Beginning Position:	276	Data Source:	Claim
Length:	7 E CODE 4	Type:	Alphanumeric
Field 62:	E_CODE_4		1. 5d. 6d. a. 17d. 15. 4. 16. a. 15. a. 1. a. 6. a.
			h, 5th, 6th and 7th digits if applicable, of an
Doginaina Dogitions	283	Data Source:	nal is implied following the third character. Claim
Beginning Position: Length:	283 7	Type:	Alphanumeric
Field 63:	E_CODE_5	Type.	Alphanumeric
riciu 05.		including the At	h, 5th, 6th and 7th digits if applicable, of an
			nal is implied following the third character.
Beginning Position:	290	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 64:	E_CODE_6	Type.	raphanamere
Ticia on		e including the 4t	h, 5th, 6th and 7th digits if applicable, of an
			nal is implied following the third character.
Beginning Position:	297	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 65:	E_CODE_7	- J F	
		e, including the 4t	h, 5th, 6th and 7th digits if applicable, of an
			mal is implied following the third character.
Beginning Position:	304	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 66:	E_CODE_8		•
	ICD-10-CM diagnosis code	e, including the 4t	h, 5th, 6th and 7th digits if applicable, of an
	additional external cause of	morbidity. Decir	nal is implied following the third character.
Beginning Position:	311	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 67:	E_CODE_9		
			h, 5th, 6th and 7th digits if applicable, of an
			mal is implied following the third character.
Beginning Position:	318	Data Source:	Claim
Length:	7	Туре:	Alphanumeric
Field 68:	E_CODE_10		1 54 54 154 1 1 1 6
	· ·		h, 5th, 6th and 7th digits if applicable, of an
D ' ' D '			nal is implied following the third character.
Beginning Position:	325	Data Source:	Claim
Length: Field 69:	PROC. CODE 1	Type:	Alphanumeric
rieia 69:	PROC_CODE_1		the highest charge performed during the period
	covered by the bill. HCPCS		t the highest charge performed during the period
Beginning Position:	332	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 70:	PROC_CODE_2	Type.	Aipiianumenc
riciu /v.		procedure with the	e next highest charge performed during the period
	covered by the bill. HCPCS		t next ingliest charge performed during the period
Beginning Position:	337	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 71:	PROC_CODE_3	1 јрс.	1 Inprimination
11010 / 11	I NOC_CODE_3		
DSHS/THCIC		_ Dogg 10 _	DSHS Document # E25-14164
www.dshs.texas.gov/	THCIC	— Page 19 —	Last Updated: August, 2024
WWW.usiis.tcAus.gov/	THEIC		

Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 342 **Data Source:** Claim Length: Alphanumeric 5 Type: **Field 72:** PROC CODE 4 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position: Data Source:** Claim Length: Alphanumeric 5 Type: **Field 73:** PROC CODE 5 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 352 Data Source: Claim Length: 5 Type: Alphanumeric **Field 74:** PROC CODE 6 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position: Data Source:** 357 Claim Length: Type: Alphanumeric 5 PROC CODE 7 Field 75: Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 362 **Data Source:** Claim Length: 5 Type: Alphanumeric Field 76: PROC CODE 8 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position: Data Source:** Claim Length: Alphanumeric Type: 5 Field 77: PROC CODE 9 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 372 **Data Source:** Claim Length: 5 Type: Alphanumeric Field 78: PROC CODE 10 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 377 **Data Source:** Claim Length: Type: Alphanumeric **Field 79:** PROC CODE 11 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 382 **Data Source:** Claim Length: 5 Alphanumeric Type: Field 80: PROC CODE 12 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 387 **Data Source:** Claim Length: Alphanumeric Type: Field 81: PROC CODE 13 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 392 **Data Source:** Claim Length: Alphanumeric Type: Field 82: PROC CODE 14 DSHS/THCIC **DSHS Document** # E25-14164 Page 20

Last Updated: August, 2024

www.dshs.texas.gov/THCIC

Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 397 **Data Source:** Claim Length: Alphanumeric 5 Type: PROC CODE 15 Field 83: Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position: Data Source:** Claim Length: Alphanumeric 5 Type: Field 84: PROC CODE 16 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 407 Data Source: Claim Length: 5 Type: Alphanumeric Field 85: PROC CODE 17 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position: Data Source:** 412 Claim Length: Type: Alphanumeric 5 PROC CODE 18 Field 86: Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 417 **Data Source:** Claim Length: 5 Type: Alphanumeric Field 87: PROC CODE 19 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position: Data Source:** 422 Claim Length: Alphanumeric 5 Type: Field 88: PROC CODE 20 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 427 **Data Source:** Claim Alphanumeric Length: 5 Type: Field 89: PROC CODE 21 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 432 **Data Source:** Claim Length: Type: Alphanumeric Field 90: PROC CODE 22 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 437 **Data Source:** Claim Length: 5 Alphanumeric Type: PROC CODE 23 Field 91: Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 442 **Data Source:** Claim Length: Alphanumeric 5 Type: Field 92: PROC CODE 24 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 447 **Data Source:** Claim Length: Alphanumeric Type: Field 93: PROC CODE 25 DSHS/THCIC **DSHS Document** # E25-14164 Page 21

Last Updated: August, 2024

www.dshs.texas.gov/THCIC

Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 452 **Data Source:** Claim Length: Alphanumeric 5 Type: Field 94: OTHER AMOUNT Ancillary Service Charge, Other Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 0002-0099, 022X-024X, 052X-053X, 055X-060X, 064X-070X, 076X-078X, 090X-095X, 099X. **Beginning Position:** 457 **Data Source:** Calculated Length: 12 Type: Numeric Field 95: PHARM AMOUNT Ancillary Service Charge, Pharmacy Charge Amount, Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 026X, 063X. **Beginning Position:** 469 **Data Source:** Calculated Length: 12 Type: Numeric Field 96: MEDSURG AMOUNT Ancillary Service Charge, Medical/Surgical Supply Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 027X, 062X. **Beginning Position:** 481 Calculated **Data Source:** Length: 12 Type: Numeric **Field 97:** DME AMOUNT Ancillary Service Charge, Durable Medical Equipment Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue centers 0290-0292, 0294-0299. **Beginning Position:** 493 **Data Source:** Calculated Length: 12 Type: Numeric Field 98: USED DME AMOUNT Ancillary Service Charge, Used Durable Medical Equipment Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 0293. **Beginning Position:** 505 **Data Source:** Calculated Length: 12 Type: Numeric Field 99: PT AMOUNT Ancillary Service Charge, Physical Therapy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 042X. **Beginning Position:** 517 **Data Source:** Calculated Length: Numeric Type: 12 OT_AMOUNT **Field 100:** Ancillary Service Charge, Occupational Therapy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 043X. **Beginning Position:** 529 **Data Source:** Calculated Length: 12 Type: Numeric Field 101: SPEECH AMOUNT Ancillary Service Charge, Speech Pathology Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 044X, 047X. **Beginning Position:** 541 **Data Source:** Calculated Length: Type: Numeric **Field 102:** IT_AMOUNT

Ancillary Service Charge, Inhalation Therapy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 041X. 046X. **Beginning Position:** Calculated 553 **Data Source:** Length: 12 Numeric Type: **Field 103: BLOOD AMOUNT** Ancillary Service Charge for blood provided during the patient's stay. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 038X. **Beginning Position:** 565 **Data Source:** Calculated Length: 12 Type: Numeric Field 104: **BLOOD ADMIN AMOUNT** Ancillary Service Charge for blood storage and processing related to the patient's stay. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 039X. **Data Source: Beginning Position:** 577 Calculated Length: 12 Numeric Type: OR AMOUNT **Field 105:** Ancillary Service Charge, Operating Room Charge amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 036X, 071X-072X. **Beginning Position:** Calculated 589 **Data Source:** Length: 12 Type: Numeric LITH AMOUNT **Field 106:** Ancillary Service Charge, Lithotripsy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 079X. **Beginning Position: Data Source:** Calculated 601 Length: 12 Numeric Type: **Field 107:** CARD AMOUNT Ancillary Service Charge, Cardiology Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 048X, 073X. **Beginning Position:** 613 **Data Source:** Calculated Length: 12 Type: Numeric **Field 108:** ANES AMOUNT Ancillary Service Charge, Anesthesia Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 037X. **Beginning Position:** 625 **Data Source:** Calculated Length: 12 Type: Numeric **Field 109:** LAB AMOUNT Ancillary Service Charge, Laboratory Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 030X-031X, 074X-075X. **Beginning Position:** 637 **Data Source:** Calculated Length: 12 Numeric Type: RAD AMOUNT **Field 110:** Ancillary Service Charge, Radiology Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 028X, 032X-035X, 040X. **Beginning Position:** 649 **Data Source:** Calculated Length: 12 Type: Numeric MRI_AMOUNT **Field 111:** Ancillary Service Charge, MRI Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 061X. **Beginning Position:** 661 **Data Source:** Calculated DSHS/THCIC **DSHS Document** # E25-14164

Page 23

Last Updated: August, 2024

www.dshs.texas.gov/THCIC

Length:	12	Type:	Numeric
Field 112:	OP_AMOUNT		
			es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center
Beginning Position:	673	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 113:	ER_AMOUNT		
			Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center
Beginning Position:	685	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 114:	AMBULANCE_AMOUN		
Beginning Position:	Ancillary Service Charge,	Ambulance Charg	ge Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X. Calculated
Length:	12	Type:	Numeric
Field 115:	PRO_FEE_AMOUNT	V 1°	
	Ancillary Service Charge, algorithm. Sum of charges 096X-098X.	associated with re	Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center
Beginning Position:	709	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 116:	ORGAN_AMOUNT		
Beginning Position:			n Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated
Length:	12	Type:	Numeric
Field 117:	ESRD AMOUNT	V 1	
	Ancillary Service Charge, MEDPAR algorithm. Sum revenue center 080X, 0822	of charges associated of charges associated of the charges as of the cha	Dialysis Charge Amount. Calculated using ated with revenue codes other than 0100-0219,
Beginning Position:	733	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 118:	CLINIC_AMOUNT		
	Ancillary Service Charge,	Clinic Visit Charg	ge Amount. Calculated using MEDPAR algorithm.
	Sum of charges associated	with revenue code	es other than 0100-0219, revenue center 051X.
Beginning Position:	745	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 119:	TOTAL_CHARGES		
	Sum of accommodation checovered ancillary charges.	Replaces TOTAL	
Beginning Position:	757	Data Source:	Claim
Length:	12	Type:	Numeric
Field 120:	TOTAL_NON_COV_CF Sum of non-covered accor	nmodation charges	s, non-covered ancillary charges.
Beginning Position:	769	Data Source:	Claim
Length:	12	Type:	Numeric
Field 121:	TOTAL_CHARGES_AN Sum of covered and non-c		harges
Beginning Position:	781	Data Source:	Claim
Length:	12	Type:	Numeric
Field 122:	TOTAL_NON_COV_CH		
1 1Clu 122;	TOTAL_NON_COV_CF	ianges_ancii	_
DSHS/THCIC		— Page 24 —	DSHS Document # E25-14164
www.dshs.texas.gov		1 aye 44	Last Updated: August, 2024

Sum of non-covered ancillary charges. **Beginning Position:** 793 **Data Source:** Claim Length: 12 Numeric Type: **Field 123:** PHYSICIAN1 INDEX NUMBER Unique identifier assigned to the licensed physician reported as the Operating Physician, if reported in the 837 Institutional Guide format, or Rendering Physician 1, if reported in the 837 Professional Guide format. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include a health practitioner other than a physician who provides a diagnostic or therapeutic procedure related to the outpatient's surgical or radiological procedure, including a technician, psychologist, chiropractor, dentist, nurse practitioner, nurse midwife or podiatrist, authorized by the facility to treat patients. Suppressed when the number of physicians reported for a facility or the number of physicians **Suppression:** reported for CCS PROC_CODE_1 for the facility is less than five. 999999998 Cell size less than 5 **Coding Scheme:** 999999999 Temporary license or license number could not be matched **Beginning Position:** 805 Data Source: Assigned Length: 10 Alphanumeric Type: **Field 124:** PHYSICIAN2 INDEX NUMBER Unique identifier assigned to the licensed physician reported as the other provider, if reported in the 837 Institutional Guide format, or the Rendering Physician 2, if reported in the 837 Professional Guide format. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include a health practitioner other than a physician who provides a diagnostic or therapeutic procedure related to the outpatient's surgical or radiological procedure, including a technician, psychologist, chiropractor, dentist, nurse practitioner, nurse midwives or podiatrist, authorized by the facility to treat patients. **Suppression:** Suppressed when the number of physicians reported for a facility or the number of physicians represented for CCS_PROC_CODE_1 for a facility is less than five. 999999998 Cell size less than 5 **Coding Scheme:** 999999999 Temporary license or license number could not be matched **Beginning Position:** 815 **Data Source:** Assigned Length: 10 Type: Alphanumeric INPUT FORMAT **Field 125:** Format in which the outpatient data file was submitted by the facility 837 Professional 0 **Coding Scheme:** 1 837 Institutional **Beginning Position: Data Source:** 825 Assigned Length: Type: Alphanumeric **Field 126:** SOURCE OF ADMISSION **Description:** Code indicating source of the admission. Non-Healthcare Facility Point of Origin (Beginning July 1, 2010) **Coding Scheme:** 2 Clinic or Physician's Office 4 Transfer from a hospital Transfer from a skilled nursing facility, intermediate care facility or assisted living facility 5 6 Transfer from another health care facility 8 Court/Law Enforcement Information not available D Transfer from One Distinct Unit of the Hospital to another Distinct Unit of the Same Hospital Resulting in a Separate Claim to the Payer Е Transfer from Ambulatory Surgery Center F Transfer from a Hospice Facility Invalid If Type of Admission=4 (Newborn) 5 Born inside this hospital 6 Born outside this hospital **Beginning Position: Data Source:** 826 Claim Length: Type: Alphanumeric **Field 127:** PAT STATUS **Description:** Code indicating patient status as of the ending date of service for the period of care reported Discharged to home or self-care (routine discharge) DSHS/THCIC **DSHS Document** # E25-14164

Page 25

www.dshs.texas.gov/THCIC

Last Updated: August, 2024

Coding Scheme:	02 03	Discharged/transferred to a short-term general hospital for inpatient care Discharged/transferred to skilled nursing facility (SNF) with Medicare certification in anticipation of skilled
	0.4	care
	04	Discharged/transferred to a facility that provides custodial or supportive care
	05 06	Discharged/transferred to a Designated Cancer Center or Children's Hospital (effective 10-1-2007) Discharged/transferred to home under care of an organized home health service organization in anticipation of
		covered skilled care
	07	Left against medical advice
	09	Admitted as inpatient to this hospital
	20 21	Expired Discharged/transferred to Court/Law Enforcement
	30	Still patient
	40	Expired at home
	41	Expired in a medical facility
	42	Expired, place unknown
	43	Discharged/transferred to federal government operated health facility
	50	Hospice-home
	51	Hospice–medical facility (Certified) providing hospice level of care
	61	Discharged/transferred within this institution to Medicare-approved swing bed
	62 63	Discharged/transferred to inpatient rehabilitation facility Discharged/transferred to Medicare-certified long term care hospital
	64	Discharged/transferred to Medicaid-certified nursing facility under Medicaid but not certified under Medicare
	65	Discharged/transferred to psychiatric hospital or psychiatric distinct part of a hospital
	66	Discharged/transferred to Critical Access Hospital (CAH)
	69	Discharged/Transferred to a designated disaster alternate care (effective 10-1-2013)
	70	Discharge/transfer to another type of health care institution not defined elsewhere in the code list
	81	Discharged to Home or Self Care with a Planned Acute. Care Hospital Inpatient Readmission (effective 10-1-
	82	2013) Disabeled of Transferred to a Short Term Constal Hagnital for Impaient Constrict a Planned Acute Cons
	82	Discharged/Transferred to a Short-Term General Hospital for Inpatient Care with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
	83	Discharged/Transferred to a Skilled Nursing Facility (SNF) with Medicare Certification with a Planned Acute
	84	Care Hospital Inpatient Readmission (effective 10-1-2013) Discharged/Transferred to a Facility that Provides Custodial or Supportive Care with a Planned Acute Care
	85	Hospital Inpatient Readmission (effective 10-1-2013) Discharged/transferred to a Designated Cancer Center or Children's Hospital with a Planned Acute Care
		Hospital Inpatient Readmission (effective 10-1-2013)
	86	Discharged/Transferred to Home under Care of Organized Home Health Service Organization with a Planned
	87	Acute Care Hospital Inpatient Readmission (effective 10-1-2013) Discharged/Transferred to Court/Law Enforcement with a Planned Acute Care Hospital Inpatient Readmission
	07	(effective 10-1-2013)
	88	Discharged/Transferred to a Federal Health Care Facility with a Planned Acute Care Hospital Inpatient
	Readmission (effective 10-1-2013)	
	89	Discharged/Transferred to a Hospital-based Medicare Approved Swing Bed with a Planned Acute Care
	0.0	Hospital Inpatient Readmission (effective 10-1-2013)
	90	Discharged/Transferred to an Inpatient Rehabilitation Facility (IRF) including Rehabilitation Distinct Part Units of a Hospital with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
	91	Discharged/Transferred to a Medicare Certified Long Term Care Hospital (LTCH) with a Planned Acute Care
		Hospital Inpatient Readmission (effective 10-1-2013)
	92	Discharged/Transferred to a Nursing Facility Certified Under Medicaid but not Certified Under Medicare with
		a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
	93	Discharged/Transferred to a Psychiatric Hospital or Psychiatric Distinct Part Unit of a Hospital with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
	94	Discharged/Transferred to a Critical Access Hospital (CAH) with a Planned Acute Care Hospital Inpatient
	95	Readmission (effective 10-1-2013) Discharged/Transferred to Another Type of Health Care Institution not Defined Elsewhere in this Code List
)3	with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
	`	Invalid
Beginning Position:	827	Data Source: Claim
Length:	2	Type: Alphanumeric
Field 128:	PRO	OVIDER_NAME
Description:		ne provided by the facility.
Suppression:		lities reporting fewer than 50 events (Provider ID equals '999999') are assigned the name
~~bb- opprom.		v Volume Facility'. If a facility reported fewer than 5 events for a particular gender,
		iding 'unknown', Provider Name is blank.
Beginning Position:	829	Data Source: Provider
Length:	55	
Field 129:		Type: Alphanumeric ERGENCY_DEPT_FLAG
r iciu 149;	CIVII	ENGENCI_DEFI_FLAG
DSHS/THCIC		DSHS Document # E25-14164
www.dshs.texas.gov/	/THCI	Page 26 Last Updated: August, 2024
3		•

Indicator of emergency department visit. Y visit was emergency related **Description:**

Y N **Coding Scheme:** Visit was not emergency related

Beginning Position: 884 Assigned Alphanumeric **Data Source:** Length: Type:

CLASSIFICATION DATA FILE

	CLASSIF	ICATION D	OATA FILE
Field 1:	RECORD_ID		
Description:		er. Unique numb	er assigned to identify the record. First available 1st
20001170110110			D ID in THCIC Research Data Files (RDF's).
Beginning Position:	1	Data Source:	Assigned
Length:	12	Type:	Alphanumeric
Field 2:	CCSR_ PRIN_DIAG_CO		
			CS) classification of PRIN_DIAG_CODE into
	clinically meaningful diagno		
Beginning Position:	13	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 3:	CCSR_OTH_DIAG_COD		
	Clinical Classifications Soft	tware Refined (Co	CSR) classification of OTH_DIAG_CODE_1 into
	clinically meaningful diagno	osis category.	
Beginning Position:	17	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 4:	CCSR_OTH_DIAG_COD		
			CSR) classification of OTH_DIAG_CODE_2 into
	clinically meaningful diagno		
Beginning Position:	21	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 5:	CCSR_OTH_DIAG_COD		
			CSR) classification of OTH_DIAG_CODE_3 into
	clinically meaningful diagno	~ .	
Beginning Position:	25	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 6:	CCSR_OTH_DIAG_COD		GGD) 1 'C' ' COTH DIAG GODE A'
			CSR) classification of OTH_DIAG_CODE_4 into
Doninging Donition.	clinically meaningful diagno		Assissand
Beginning Position:	29 4	Data Source:	Assigned
Length: Field 7:	CCSR_OTH_DIAG_COD	Type:	Alphanumeric
riciu 7.			CSR) classification of OTH_DIAG_CODE_5 into
	clinically meaningful diagno		esk) classification of OTI_DIAG_cobl_5 into
Beginning Position:	33	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 8:	CCSR_OTH_DIAG_COD		
2101000			CSR) classification of OTH_DIAG_CODE_6 into
	clinically meaningful diagno		,
Beginning Position:	37	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 9:	CCSR_OTH_DIAG_COD		
	Clinical Classifications Soft	tware Refined (Co	CSR) classification of OTH_DIAG_CODE_7 into
	clinically meaningful diagno	osis category.	
Beginning Position:	41	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 10:	CCSR_OTH_DIAG_COD	E_8	
			CSR) classification of OTH_DIAG_CODE_8 into
	clinically meaningful diagno		
Beginning Position:	45	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 11:	CCSR_OTH_DIAG_COD		
			CSR) classification of OTH_DIAG_CODE_9 into
	clinically meaningful diagno	osis category.	
- arra (mr. ar a			D. 0770 D

- Page 28 -

DSHS Document # E25-14164

Last Updated: August, 2024

DSHS/THCIC

www.dshs.texas.gov/THCIC

Beginning Position:	49	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 12:	CCSR_OTH_DIAG_COL		
	Clinical Classifications Sof	tware Refined (C	CSR) classification of OTH_DIAG_CODE_10 into
	clinically meaningful diagn		
Beginning Position:	53	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 13:	CCSR_OTH_DIAG_COL		
			CSR) classification of OTH_DIAG_CODE_11 into
D 1 1 D 1/1	clinically meaningful diagn		
Beginning Position:	57	Data Source:	Assigned
Length: Field 14:	CCCD OTH DIAC COL	Type:	Alphanumeric
rieia 14:	CCSR_OTH_DIAG_COL		CSR) classification of OTH_DIAG_CODE_12 into
	clinically meaningful diagn		CSK) classification of OTH_DIAG_CODE_12 into
Beginning Position:	61	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 15:	CCSR_OTH_DIAG_COL		
			CSR) classification of OTH_DIAG_CODE_13 into
	clinically meaningful diagn		, – – –
Beginning Position:	65	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 16:	CCSR_OTH_DIAG_COL		
			CSR) classification of OTH_DIAG_CODE_14 into
	clinically meaningful diagn		
Beginning Position:	69	Data Source:	Assigned
Length:	GCCD OTH DIAG COL	Type:	Alphanumeric
Field 17:	CCSR_OTH_DIAG_COL		CSR) classification of OTH_DIAG_CODE_15 into
	clinically meaningful diagn		CSK) Classification of OTH_DIAG_CODE_13 into
Beginning Position:	73	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 18:	CCSR_OTH_DIAG_COL		F * · · · · · ·
			CSR) classification of OTH_DIAG_CODE_16 into
	clinically meaningful diagn	osis category.	
Beginning Position:	77	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 19:	CCSR_OTH_DIAG_COL		
			CSR) classification of OTH_DIAG_CODE_17 into
D!! D!4!	clinically meaningful diagn		A selected
Beginning Position:	81 4	Data Source:	Assigned
Length: Field 20:	CCSR_OTH_DIAG_COL	<u>Type:</u> OF 18	Alphanumeric
riciu 20.			CSR) classification of OTH_DIAG_CODE_18 into
	clinically meaningful diagn		CSIC) classification of OTII_DIMO_CODE_10 into
Beginning Position:	85	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 21:	CCSR_OTH_DIAG_COL		
	Clinical Classifications Sof	tware Refined (C	CSR) classification of OTH_DIAG_CODE_19 into
	clinically meaningful diagn	osis category.	
Beginning Position:	89	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 22:	CCSR_OTH_DIAG_COL		CODY 1 10 11 COMY DY 10 CODY
			CSR) classification of OTH_DIAG_CODE_20 into
	clinically meaningful diagn	osis category.	
DSHS/THCIC		D 20	DSHS Document # E25-14164
www.dshs.texas.gov	y/THCIC	— Page 29 —	Last Updated: August, 2024
			.

Beginning Position:	93	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 23:	CCSR_OTH_DIAG_COD	E 21	•
			CSR) classification of OTH_DIAG_CODE_21 into
	clinically meaningful diagno		, – – –
Beginning Position:	97	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 24:	CCSR_OTH_DIAG_COD		1 inplication of the control of the
riciu 24.			CSR) classification of OTH_DIAG_CODE_22 into
	clinically meaningful diagno		CSK) classification of OTTI_DIAO_CODE_22 into
Paginning Desition	101	Data Source:	Assigned
Beginning Position:			Assigned
Length:	4	Type:	Alphanumeric
Field 25:	CCSR_OTH_DIAG_COD		
			CSR) classification of OTH_DIAG_CODE_23 into
	clinically meaningful diagno		
Beginning Position:	105	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 26:	CCSR_OTH_DIAG_COD	E_24	
	Clinical Classifications Soft	ware Refined (C	CSR) classification of OTH_DIAG_CODE_24 into
	clinically meaningful diagno		
Beginning Position:	109	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 27:	CCS_PROC_CODE_1	1 J Po.	1 inplication in the control of the
riciu 27.		ware (CCS) for S	Services and Procedures classification of
	PROC_CODE_1 into clinic		
Beginning Position:	113	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 28:	CCS_PROC_CODE_2		
			Services and Procedures classification of
	PROC_CODE_2 into clinic	ally meaningful p	procedure category.
Beginning Position:	116	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 29:	CCS_PROC_CODE_3	<i>J</i> I.	1
		ware (CCS) for S	Services and Procedures classification of
	PROC_CODE_3 into clinic		
Beginning Position:	119	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
		Type.	Aiphanumenc
Field 30:	CCS_PROC_CODE_4	(000) ((
			Services and Procedures classification of
5 1 1 5 W	PROC_CODE_4 into clinic		
Beginning Position:	122	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 31:	CCS_PROC_CODE_5		
	Clinical Classifications Soft	ware (CCS) for S	Services and Procedures classification of
	PROC_CODE_5 into clinic	ally meaningful p	procedure category.
Beginning Position:	125	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 32:	CCS PROC CODE 6	TJPC.	1 inproduction
riciu 34:		woma (CCC) for C	Complete and Dragodymas also if the stirm of
			Services and Procedures classification of
n , , , , , , , , , , , , , , , , , , ,	PROC_CODE_6 into clinic		
Beginning Position:	128	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 33:	CCS_PROC_CODE_7		
			Services and Procedures classification of
	PROC_CODE_7 into clinic	ally meaningful p	procedure category.
DSHS/THCIC		D 20	DSHS Document # E25-14164
www.dshs.texas.gov	/THCIC	— Page 30 —	Last Updated: August, 2024
ii ii ii iii iiiiiiiiiiiiiiiiiiiiiiiii	, 111010		Lust Opunion. Mugust, 2027

Beginning Position:	131	Data Source:	Assigned	
Length: Field 34:	3 CCS PROC CODE 8	Type:	Alphanumeric	
F1e1a 34:		twee (CCS) for	Services and Procedures classification of	
	PROC_CODE_8 into clinic			
Beginning Position:	134	Data Source:	Assigned	
Length:	3	Type:	Alphanumeric	
Field 35:	CCS_PROC_CODE_9	1 jpc.	7 inproduction	
11014 001		tware (CCS) for S	Services and Procedures classification of	
	PROC_CODE_9 into clinic			
Beginning Position:	137	Data Source:	Assigned	
Length:	3	Type:	Alphanumeric	
Field 36:	CCS_PROC_CODE_10	• •	•	
	Clinical Classifications Sof	tware (CCS) for S	Services and Procedures classification of	
	PROC_CODE_10 into clin			
Beginning Position:	140	Data Source:	Assigned	
Length:	3	Type:	Alphanumeric	
Field 37:	CCS_PROC_CODE_11			
			Services and Procedures classification of	
	PROC_CODE_11 into clin			
Beginning Position:	143	Data Source:	Assigned	
Length:	3	Type:	Alphanumeric	
Field 38:	CCS_PROC_CODE_12			
			Services and Procedures classification of	
D 1 1 D 11	PROC_CODE_12 into clin			
Beginning Position:	146	Data Source:	Assigned	
Length:	3	Type:	Alphanumeric	
Field 39:	CCS_PROC_CODE_13	· (GGG) (
			Services and Procedures classification of	
D!! D!4!	PROC_CODE_13 into clin		· · · · · · · · · · · · · · · · · · ·	
Beginning Position:	149	Data Source:	Assigned	
Length: Field 40:	3 CCS_PROC_CODE_14	Type:	Alphanumeric	
rieia 4v:		twore (CCS) for 9	Services and Procedures classification of	
	PROC_CODE_14 into clin			
Beginning Position:	152	Data Source:	Assigned	
Length:	3	Type:	Alphanumeric	
Field 41:	CCS PROC CODE 15	Type.	Aiphanumene	
riciu 41.		tware (CCS) for S	Services and Procedures classification of	
	PROC_CODE_15 into clin	, ,		
Beginning Position:	155	Data Source:	Assigned	
Length:	3	Type:	Alphanumeric	
Field 42:	CCS PROC CODE 16	J.F.	<u>r</u>	
•		tware (CCS) for S	Services and Procedures classification of	
	PROC_CODE_16 into clin			
Beginning Position:	158	Data Source:	Assigned	
Length:	3	Type:	Alphanumeric	
Field 43:	CCS_PROC_CODE_17			
	Clinical Classifications Sof	tware (CCS) for S	Services and Procedures classification of	
	PROC_CODE_17 into clin	ically meaningful	procedure category.	
Beginning Position:	161	Data Source:	Assigned	
Length:	3	Type:	Alphanumeric	
Field 44:	CCS_PROC_CODE_18			
			Services and Procedures classification of	
	PROC_CODE_18 into clin	ically meaningful	l procedure category.	
Dalia mirara			DOTTO D	
DSHS/THCIC	IDITATA	— Page 31 —	DSHS Document # E25-14164	
www.dshs.texas.gov	//THCIC		Last Updated: August, 2024	

T	
Length: 3 Type: Alphanumeric	
Field 45: CCS_PROC_CODE_19	
Clinical Classifications Software (CCS) for Services and Procedures classification of	
PROC_CODE_19 into clinically meaningful procedure category.	
Beginning Position: 167 Data Source: Assigned	
Length: 3 Type: Alphanumeric	
Field 46: CCS_PROC_CODE_20	
Clinical Classifications Software (CCS) for Services and Procedures classification of	
PROC_CODE_20 into clinically meaningful procedure category.	
Beginning Position: 170 Data Source: Assigned	
Length: 3 Type: Alphanumeric	
Field 47: CCS_PROC_CODE_21	
Clinical Classifications Software (CCS) for Services and Procedures classification of	
PROC_CODE_21 into clinically meaningful procedure category.	
Beginning Position: 173 Data Source: Assigned	
Length: 3 Type: Alphanumeric	
Field 48: CCS_PROC_CODE_22	
Clinical Classifications Software (CCS) for Services and Procedures classification of	
PROC_CODE_22 into clinically meaningful procedure category.	
Beginning Position: 176 Data Source: Assigned	
Length: 3 Type: Alphanumeric	
Field 49: CCS_PROC_CODE_23	
Clinical Classifications Software (CCS) for Services and Procedures classification of	
PROC_CODE_23 into clinically meaningful procedure category.	
Beginning Position: 179 Data Source: Assigned	
Length: 3 Type: Alphanumeric	
Field 50: CCS_PROC_CODE_24	
Clinical Classifications Software (CCS) for Services and Procedures classification of	
PROC_CODE_24 into clinically meaningful procedure category.	
Beginning Position: 182 Data Source: Assigned	
Length: 3 Type: Alphanumeric	
Field 51: CCS_PROC_CODE_25	
Clinical Classifications Software (CCS) for Services and Procedures classification of	
PROC_CODE_25 into clinically meaningful procedure category.	
Beginning Position: 185 Data Source: Assigned	
Length: 3 Type: Alphanumeric	

CHARGES DATA FILE

Field 1:	RECORD_ID				
Description:	Record Identification Number. Unique number assigned to identify the record. First availab				
	1st qua	arter 2002. Does NOT match the RECOF	RD ID ir	THCIC Research Data Files (RDF's).	
Beginning Position:	1 Data Source: Assigned				
Length:	12	Type:	Alphanumeric		
Field 2:		ENUE_CODE	<u>F</u>		
Description:		corresponding to each specific accommod	dation a	naillary corrigo or billing aplaulation	
Description:			uation, a	nemary service or binning calculation	
G 11 G 1		to the services being billed.	0527	Francisco di la Clinia Vinitia Norma Cominacia	
Coding Scheme:	0100	All-inclusive room charges plus ancillary	0527	Freestanding Clinic - Visiting Nurse Services(s) to a Member's Home when in a Home Health Shortage Area	
	0101	All-inclusive room charges	0528	Freestanding Clinic – Visit by RHC/FQHC Practitioner to Other non RHC/FQHC Site (e.g. Scene of Accident)	
	0110	Room charges for private rooms - general	0529	Freestanding Clinic - other	
	0111	Room charges for private rooms - medical/surgical/GYN	0530	Osteopathic service - general	
	0112	Room charges for private rooms - obstetrics	0531	Osteopathic service - therapy	
	0113	Room charges for private rooms - pediatric	0539	Osteopathic service - other	
	0114	Room charges for private rooms - psychiatric	0540	Ambulance service - general	
	0115	Room charges for private rooms - hospice	0541	Ambulance service - supplies	
	0116	Room charges for private rooms - detoxification	0542	Ambulance service - medical transport	
	0117	Room charges for private rooms - oncology	0543	Ambulance service - heart mobile	
	0118 0119	Room charges for private rooms - rehabilitation Room charges for private rooms - other	0544 0545	Ambulance service - oxygen Ambulance service - air ambulance	
	0119	Room charges for semi-private rooms - general	0546	Ambulance service - an ambulance Ambulance service - neonatal	
	0120	Room charges for semi-private rooms -	0547	Ambulance service - heonatar Ambulance service - pharmacy	
	0121	medical/surgical/GYN		Amountainee service pharmacy	
	0122	Room charges for semi-private rooms - obstetrics	0548	Ambulance service - telephone transmission EKG	
	0123	Room charges for semi-private rooms - pediatric	0549	Ambulance service - other	
012		Room charges for semi-private rooms - psychiatric	0550	Skilled nursing - general	
	0125	Room charges for semi-private rooms - hospice	0551	Skilled nursing - visit charge	
	0126	Room charges for semi-private rooms - detoxification	0552	Skilled nursing - hourly charge	
	0127	Room charges for semi-private rooms - oncology	0559	Skilled nursing - other	
	0128	Room charges for semi-private rooms - rehabilitation	0560	Medical social services - general	
	0129	Room charges for semi-private rooms - other	0561	Medical social services - visit charge	
	0130	Room charges for semi-private - 3/4 beds - rooms - general	0562	Medical social services - hourly charge	
	0131	Room charges for semi-private - 3/4 beds - rooms - medical/surgical/GYN	0569	Medical social services - other	
	0132	Room charges for semi-private - 3/4 beds - rooms - obstetrics	0570	Home health aide - general	
	0133	Room charges for semi-private - 3/4 beds - rooms - pediatric	0571	Home health aide - visit charge	
	0134	Room charges for semi-private - 3/4 beds - rooms - psychiatric	0572	Home health aide - hourly charge	
	0135	Room charges for semi-private - 3/4 beds - rooms - hospice	0579	Home health aide - other	
	0136 0137	Room charges for semi-private - 3/4 beds - rooms - detoxification Room charges for semi-private - 3/4 beds -	0580	Other visits (home health) - general Other visits (home health) - visit charge	
	0137	rooms - oncology Room charges for semi-private - 3/4 beds -	0581 0582	Other visits (home health) - visit charge Other visits (home health) - hourly charge	
	0138	rooms - rehabilitation Room charges for semi-private - 3/4 beds -	0582	Other visits (nome health) - nourly charge Other visits (home health) - assessment	
	0140	rooms - other Room charges for private (deluxe) rooms -	0589	Other visits (home health) - assessment Other visits (home health) - other	
	0110	general	0307		

DSHS Document # E25-14164 **Last Updated:** August, 2024

0141	Room charges for private (deluxe) rooms - medical/surgical/GYN	0590	Units of service (home health) - general
0142	Room charges for private (deluxe) rooms -	0600	Oxygen (home health) - general
0143		0601	Oxygen (home health) - stat/equip/supply or
0144	pediatric Room charges for private (deluxe) rooms - psychiatric	0602	contents Oxygen (home health) - stat/equip/supply under 1 liter per minute
0145	1 7	0603	Oxygen (home health) - stat/equip/supply over 4 liters per minute
0146	•	0604	Oxygen (home health) - portable add-in
0147		0609	Oxygen (home health) - other
0148	••	0610	Magnetic Resonance Technology (MRT) - MRI - general
0149		0611	Magnetic Resonance Technology (MRT) - MRI - brain (including brain stem)
0150	Room charges for ward rooms - general	0612	Magnetic Resonance Technology (MRT) - MRI - spinal cord (including spine)
0151	Room charges for ward rooms - medical/surgical/GYN	0614	Magnetic Resonance Technology (MRT) - MRI - other
0152	Room charges for ward rooms - obstetrics	0615	Magnetic Resonance Technology (MRT) - MRA – head and neck
0153	Room charges for ward rooms - pediatric	0616	Magnetic Resonance Technology (MRT) - MRA – lower extremities
0154	Room charges for ward rooms - psychiatric	0618	Magnetic Resonance Technology (MRT) - MRA – other
0155	Room charges for ward rooms - hospice	0619	Magnetic Resonance Technology (MRT) - Other MRT
0156	Room charges for ward rooms - detoxification	0621	Medical/surgical supplies - incident to radiology
0157	Room charges for ward rooms - oncology	0622	Medical/surgical supplies - incident to other diagnostic services
		0623	Medical/surgical supplies - surgical dressings
0158	Room charges for ward rooms - rehabilitation	0624	Medical/surgical supplies - FDA investigational devices
0159	Room charges for ward rooms - other	0631	Drugs requiring specific identification - single source
0160		0632	Drugs requiring specific identification - multiple source
0164	Room charges for other rooms – Sterile Environment	0633	Drugs requiring specific identification - restrictive prescription
0167	Room charges for other rooms – self care	0634	Drugs requiring specific identification - EPO, less than 10,000 units
0169	Ç .	0635	Drugs requiring specific identification - EPO, 10,000 or more units
0170	, ,	0636	Drugs requiring specific identification - requiring detailed coding
0171	•	0637	Drugs requiring specific identification - self- administrable
0172	,	0640	Home IV therapy services - general
0173	•	0641	Home IV therapy services – non-routine nursing, central line
0174	į,	0642	Home IV therapy services - IV site care, central line
0179	,	0643	Home IV therapy services - IV start/change, peripheral line
0180		0644	Home IV therapy services – non-routine nursing, peripheral line
0182	charges billable	0645	Home IV therapy services - training patient/caregiver, central line
0183		0646	Home IV therapy services - training, disabled patient, central line
0185	hospitalization)	0647	Home IV therapy services - training, patient/caregiver, peripheral
	Room charges for LOA - other	0648	Home IV therapy services - training, disabled
0189 0190	Ç .	0649	patient, peripheral Home IV therapy services - other

	0191	Room charges for subacute care - Level I (skilled care)	0650	Hospice services - general
	0192	Room charges for subacute care - Level II	0651	Hospice services - routine home care
	0193	(comprehensive care) Room charges for subacute care - Level III	0652	Hospice services - continuous home care
	0194	(complex care) Room charges for subacute care - Level IV (intensive care)	0655	Hospice services - inpatient respite care
	0199	Room charges for subacute care - other	0656	Hospice services - general inpatient care (non-respite)
	0200	Room charges for intensive care - general	0657	Hospice services - physician services
	0201	Room charges for intensive care - surgical	0658	Hospice services - room and board - nursing facility
	0202	Room charges for intensive care - medical	0659	Hospice services - other
	0203	Room charges for intensive care - pediatric	0660	Respite care - general
	0204	Room charges for intensive care - psychiatric	0661	Respite care - hourly charge/skilled nursing
	0206	Room charges for intensive care - intermediate intensive care unit (ICU)	0662	Respite care - hourly charge/aide/homemaker/companion
	0207	Room charges for intensive care - burn care	0663	Respite care - daily charge
	0208	Room charges for intensive care - trauma	0669	Respite care - other
	0209	Room charges for intensive care - other	0670	Outpatient special residence - general
	0210	Room charges for coronary care - general	0671	Outpatient special residence - hospital based
	0211	Room charges for coronary care - myocardial infarction	0672	Outpatient special residence - contracted
	0212	Room charges for coronary care - pulmonary care	0679	Outpatient special residence - other
	0213	Room charges for coronary care - heart transplant	0681	Trauma response - level I
	0214	Room charges for coronary care - intermediate coronary care unit (CCU)	0682	Trauma response - level II
	0219	Room charges for coronary care - other	0683	Trauma response - level III
	0220	Special charges - general	0684	Trauma response - level IV
	0221	Special charges - admission charge	0689	Trauma response - other
	0222	Special charges - technical support charge	0690	Pre-hospice/Palliative Care Services - general
	0223 0224	Special charges - UR service charge	0691 0692	Pre-hospice/Palliative Care Services – visit charge Pre-hospice/Palliative Care Services – hourly
	0224	Special charges - late discharge, medically necessary	0092	charge
	0229	Special charges - other	0693	Pre-hospice/Palliative Care Services - evaluation
	0230	Incremental nursing care - general	0694	Pre-hospice/Palliative Care Services – consultation and education
	0231	Incremental nursing care - nursery	0695	Pre-hospice/Palliative Care Services – inpatient care
	0232	Incremental nursing care - OB	0696	Pre-hospice/Palliative Care Services – physician services
	0233	Incremental nursing care - ICU (includes transitional care)	0699	Pre-hospice/Palliative Care Services - other
	0234	Incremental nursing care - CCU (includes transitional care)	0700	Cast Room services - general
	0235	Incremental nursing care - hospice	0710	Recovery Room services - general
	0239	Incremental nursing care - other	0720	Labor/Delivery Room services - general
	0240	All-inclusive ancillary - general	0721	Labor/Delivery Room services - labor
	0241	All-inclusive ancillary - basic	0722	Labor/Delivery Room services - delivery
	0242	All-inclusive ancillary - comprehensive	0723	Labor/Delivery Room services - circumcision
	0243	All-inclusive ancillary - specialty	0724	Labor/Delivery Room services - birthing center
	0249	All-inclusive ancillary - other	0729	Labor/Delivery Room services - other
	0250	Pharmacy - general	0730	EKG/ECG services - general
	0251	Pharmacy - generic drugs	0731	EKG/ECG services - Holter monitor
	0252	Pharmacy – non-generic drugs	0732	EKG/ECG services - telemetry
	0253	Pharmacy - take-home drugs	0739	EKG/ECG services - other
	0254	Pharmacy - drugs incident to other diagnostic services	0740	EEG services - general
	0255	Pharmacy - drugs incident to radiology	0750	Gastrointestinal services - general
DSHS/THCIC				DSHS Document # E25 14164

0256	Pharmacy - experimental drugs	0760	Treatment or observation room services -
			general
0257	Pharmacy - nonprescription	0761	Specialty Room - Treatment/ Observation Room - Treatment Room
0258	Pharmacy - IV solutions	0762	Specialty Room - Treatment/ Observation Room - Observation Room
0259	Pharmacy - other	0769	Treatment or observation room services - other
0260	IV Therapy - general	0770	Preventive care services - general
0261	IV Therapy - infusion pump	0771	Preventive care services - vaccine administration
0262	IV Therapy - pharmacy services	0780	Telemedicine services - general
0263	IV Therapy - drug/supply delivery	0790	Extra-corporeal shockwave therapy - general
0264	IV Therapy - supplies	0800	Inpatient renal dialysis services - general
0269	IV Therapy - other	0801	Inpatient renal dialysis services - hemodialysis
0270	2.0	0802	•
	Medical surgical supplies and devices - general		Inpatient renal dialysis services - peritoneal (non-CAPD)
0271	Medical surgical supplies and devices - nonsterile	0803	Inpatient renal dialysis services - continuous ambulatory peritoneal dialysis (CAPD)
0272	Medical surgical supplies and devices - sterile	0804	Inpatient renal dialysis services - continuous cycling peritoneal dialysis (CAPD)
0273	Medical surgical supplies and devices - take- home	0809	Inpatient renal dialysis services - other
0274	Medical surgical supplies and devices - prosthetic/orthotic	0810	Acquisition of body components- general
0275	Medical surgical supplies and devices - pacemaker	0811	Acquisition of body components - living donor
0276	Medical surgical supplies and devices - intraocular lens (IOL)	0812	Acquisition of body components - cadaver donor
0277	Medical surgical supplies and devices - oxygen - take-home	0813	Acquisition of body components - unknown donor
0278	Medical surgical supplies and devices - other implants	0814	Acquisition of body components - unsuccessful organ search-donor bank charges
0279	Medical surgical supplies and devices - other	0815	Acquisition of body components – stem cells- allogeneic
0280	Oncology - general	0819	Acquisition of body components - other donor
0289	Oncology - other	0820	Hemodialysis - outpatient or home - general
0290	DME - general	0821	Hemodialysis - outpatient or home - composite or other rate
0291	DME - rental	0822	Hemodialysis - outpatient or home – home supplies
0292	DME - purchase of new	0823	Hemodialysis - outpatient or home – home equipment
0293	DME - purchase of used	0824	Hemodialysis - outpatient or home – maintenance 100%
0294	DME - supplies/drugs for DME effectiveness	0825	Hemodialysis - outpatient or home - support services
0299	DME - other equipment	0826	Hemodialysis - outpatient or home – shorter duration (effective 7/1/17)
0300	Laboratory - general	0829	Hemodialysis - outpatient or home - other
0301	Laboratory - chemistry	0830	Peritoneal dialysis - outpatient or home - general
0302	Laboratory - immunology	0831	Peritoneal dialysis - outpatient or home - composite or other rate
0303	Laboratory - renal patient (home)	0832	Peritoneal dialysis - outpatient or home - home
0304	Laboratory – non-routine dialysis	0833	supplies Peritoneal dialysis - outpatient or home – home equipment
0305	Laboratory - hematology	0834	Peritoneal dialysis - outpatient or home – maintenance 100%
0306	Laboratory - bacteriology and microbiology	0835	Peritoneal dialysis - outpatient or home - support services
0307	Laboratory - urology	0839	Peritoneal dialysis - outpatient or home - other
0309	Laboratory - other	0840	CAPD - outpatient or home - general
0310	Laboratory pathological - general	0841	CAPD - outpatient or home - composite or other
0311	Laboratory pathological - cytology	0842	rate CAPD - outpatient or home – home supplies
			- ^^

0312	Laboratory pathological - histology	0843	CAPD - outpatient or home – home equipment
0314	Laboratory pathological - biopsy	0844	CAPD - outpatient or home – maintenance 100%
0319	Laboratory pathological - other	0845	CAPD - outpatient or home - support services
0320	Radiology - diagnostic - general	0849	CAPD - outpatient or home - other
0321	Radiology - diagnostic - angiocardiography	0850	CCPD - outpatient or home - general
0322	Radiology - diagnostic - arthrography	0851	CCPD - outpatient or home - composite or other rate
0323	Radiology - diagnostic - arteriography	0852	CCPD - outpatient or home - home supplies
0324	Radiology - diagnostic - chest x-ray	0853	CCPD - outpatient or home - home equipment
0329	Radiology - diagnostic - other	0854	CCPD - outpatient or home - maintenance 100%
0330	Radiology - therapeutic and/or chemotherapy administration - general	0855	CCPD - outpatient or home - support services
0331	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - injected	0859	CCPD - outpatient or home - other
0332	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - oral	0860	Magnetoencephalography (MEG) - General
0333	Radiology - therapeutic and/or chemotherapy administration - radiation therapy	0861	Magnetoencephalography (MEG) - MEG
0335	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - IV	0880	Miscellaneous dialysis - general
0339	Radiology - therapeutic and/or chemotherapy administration - other	0881	Miscellaneous dialysis - ultrafiltration
0340	Nuclear medicine - general	0882	Miscellaneous dialysis - home aide visit
0341	Nuclear medicine - diagnostic procedures	0889	Miscellaneous dialysis - other
0342	Nuclear medicine - therapeutic procedures	0900	Behavior health treatments/services - general
0343	Nuclear medicine - diagnostic	0901	Behavior health treatments/services -
0344	radiopharmaceuticals Nuclear medicine - therapeutic	0902	electroshock Behavior health treatments/services - milieu
0349	radiopharmaceuticals Nuclear medicine - other	0903	therapy Behavioral health treatments/services - play therapy
0350	CT scan - general	0904	Behavior health treatments/services - activity therapy
0351	CT scan - head	0905	Behavior health treatments/services - intensive outpatient services - psychiatric
0352	CT scan - body	0906	Behavior health treatments/services - intensive outpatient services - chemical dependency
0359	CT scan - other	0907	Behavior health treatments/services - community behavioral health program
0360	Operating room services - general	0911	Behavior health treatment/services - rehabilitation
0361 0362	Operating room services - minor surgery	0912 0913	Behavior health treatment/services - partial hospitalization - less intensive
0367	Operating room services - organ transplant other than kidney Operating room services - kidney transplant	0913	Behavior health treatment/services - partial hospitalization - intensive Behavior health treatment/services - individual
0369	Operating room services - other	0914	therapy Behavior health treatment/services - group
0370	Anesthesia - general	0916	therapy Behavior health treatment/services - family
0371	Anesthesia - incident to radiology	0917	therapy Behavior health treatment/services -
0372	Anesthesia - incident to other diagnostic	0918	biofeedback Behavior health treatment/services - testing
0374	services Anesthesia - acupuncture	0919	Behavior health treatment/services - other
	Anesthesia - other	0920	Other diagnostic services - general
0379			Other diagnostic services - peripheral vascular
0379 0380	Blood - general	0921	lab
	Blood - general Blood - packed red cells	0921 0922	
0380			lab
0380 0381	Blood - packed red cells	0922	lab Other diagnostic services - electromyogram
0380 0381 0382	Blood - packed red cells Blood - whole blood	0922 0923	lab Other diagnostic services - electromyogram Other diagnostic services - pap smear

DSHS/THCIC

0386	Blood - other components	0931	Medical rehabilitation day program - half day
0387	Blood - other derivatives (cryoprecipitate)	0932	Medical rehabilitation day program - full day
0389	Blood - other	0940	Other therapeutic services - general
0390	Blood and blood component administration,	0941	Other therapeutic services - recreational therapy
0391	storage and processing - general Blood and blood component administration, storage and processing - administration	0942	Other therapeutic services - education/training
0392	Blood and blood component administration,	0943	Other therapeutic services - cardiac
0399	storage and processing – processing and storage Blood and blood component administration,	0944	rehabilitation Other therapeutic services - drug rehabilitation
0400	storage and processing - other Other imaging services - general	0945	Other therapeutic services - alcohol rehabilitation
0401	Other imaging services - diagnostic	0946	Other therapeutic services - complex medical
0402	mammography Other imaging services - ultrasound	0947	equipment - routine Other therapeutic services - complex medical equipment - ancillary
0403	Other imaging services - screening mammography	0948	Other therapeutic services – pulmonary rehabilitation
0404	Other imaging services - PET	0949	Other therapeutic services - other
0409	Other imaging services - other	0951	Other therapeutic services – athletic training
0410	Respiratory services - general	0952	Other therapeutic services - kinesiotherapy
0412	Respiratory services - inhalation	0953	Other therapeutic services – chemical
0413	Respiratory services - hyperbaric oxygen therapy	0960	dependency (drug and alcohol) Professional fees - general
0419	Respiratory services - other	0961	Professional fees - psychiatric
0420	Physical therapy - general	0962	Professional fees - ophthalmology
0421	Physical therapy - visit charge	0963	Professional fees - anesthesiologist (MD)
0422	Physical therapy - hourly charge	0964	Professional fees - anesthetist (CRNA)
0423	Physical therapy - group rate	0969	Professional fees - other
0424	Physical therapy - evaluation or reevaluation	0971	Professional fees - laboratory
0429	Physical therapy - other	0972	Professional fees - radiology - diagnostic
0430	Occupational therapy - general	0973	Professional fees - radiology - therapeutic
0431	Occupational therapy - visit charge	0974	Professional fees - radiology - nuclear medicine
0432	Occupational therapy - hourly charge	0975	Professional fees - operating room
0433	Occupational therapy - group rate	0976	Professional fees - respiratory therapy
0434	Occupational therapy - group rate Occupational therapy - evaluation or	0977	Professional fees - physical therapy
0439	reevaluation Occupational therapy - other	0978	Professional fees - occupational therapy
0440	Speech-language pathology - general	0979	Professional fees - speech therapy
0441	Speech-language pathology - visit charge	0981	Professional fees - emergency room
0442	Speech-language pathology - hourly charge	0982	Professional fees - outpatient services
0443	Speech-language pathology - group rate	0983	Professional fees - clinic
0444	Speech-language pathology - evaluation or reevaluation	0984	Professional fees - medical social services
0449	Speech-language pathology - other	0985	Professional fees - EKG
0450	Emergency room - general	0986	Professional fees - EEG
0451	Emergency room - EMTALA emergency medical screening services	0987	Professional fees - hospital visit
0452	Emergency room - beyond EMTALA screening	0988	Professional fees - consultation
0456	Emergency room - urgent care	0989	Professional fees - private duty nurse
0459	Emergency room - other	0990	Patient convenience items - general
0460	Pulmonary function - general	0991	Patient convenience items - cafeteria/guest tray
0469	Pulmonary function - other	0992	Patient convenience items - private linen service
0470	Audiology - general	0993	Patient convenience items - telephone/telegraph
0471	Audiology - diagnostic	0994	Patient convenience items - TV/radio
0472	Audiology - treatment	0995	Patient convenience items - nonpatient room rentals
0479	Audiology - other	0996	Patient convenience items - late discharge charge
0480	Cardiology - general	0997	Patient convenience items - admission kits

DSHS Document # E25-14164 **Last Updated:** August, 2024

www.dshs.texas.gov/THCIC

DSHS/THCIC				DSHS Document # E25-14164
	25	Significant, Separately Identifiable Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional on the Same Day of the Procedure or Other Service	E1	Upper left eyelid
	24	Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional during a Postoperative Period	P6	A declared brain-dead patient whose organs are being removed for donor purposes
	23	Unusual Anesthesia	P5	A moribund patient who is not expected to survive without the operation
Coding Scheme:	22	Increased procedural services	P4	A patient with severe systemic disease that is a constant threat to life
Description:		fies special circumstances related to the p		A patient with severe systemic disease that is a
Field 5:		OIFIER_1	C	6.4
Length:	5	Type:	Alphar	numeric
Beginning Position:	19	Data Source:	Claim	
Coding Scheme:		ttps://www.cms.gov/medicare/coding/hcp CS codes.	ocsreieas	secouesets for complete list of Level II
Cading Sahama		nmodations.	200roloc	pandagata for annulate list of I a1 II
Description:		A Common Procedure Coding System (He	CPCS) c	code applicable to ancillary services or
Field 4		CS_PROCEDURE_CODE	CDCC'	1 1 11
Length:	2	Type:	Alphar	numeric
Beginning Position:	17	Data Source:	Claim	
Description:		identifying the type/source of the descrip CS_PROCEDURE_CODE.	tive nun	nber used in
Field 3:		CS_QUALIFIER		
Length:	4	Type:		numeric
Beginning Position:	13	Data Source:	Claim	
	0526	Practitioner to a Member in a SNF (not Covered Part A Stay) or NF or ICF MR or Other Residential Facility Freestanding Clinic - urgent care		
	0525	Practitioner to a Member in a Covered Part A Stay at SNF Freestanding Clinic - Visit by RHC/FQHC		
	0524	Freestanding Clinic - Visit by RHC/FQHC	3109	Adult foster care - other
	0523	Freestanding Clinic - family practice	3105	Adult foster care - daily
	0522	RHC/FQHC Freestanding Clinic - Home Visit by RHC/FQHC Practitioner	3104	Adult day care, social - daily
	0521	Freestanding Clinic - Clinic Visit by Member to	3103	Adult day care, medical and social - daily
	0520	Freestanding Clinic - general	3102	Adult day care, social - hourly
	0519	Clinic - other	3101	Adult day care, medical and social - hourly
	0517	Clinic - family practice	2109	Alternative therapy services - other
	0516	Clinic - urgent care	2106	Alternative therapy services - hypnosis
	0515	Clinic - pediatric	2105	Alternative therapy services - biofeedback
	0513	Clinic - OB/GYN	2103	Alternative therapy services - reflexology
	0512	Clinic - psychiatric	2102	Alternative therapy services - acupressure Alternative therapy services - massage
	0511 0512	Clinic - chronic pain Clinic - dental	2101 2102	Alternative therapy services - acupuncture Alternative therapy services - acupressure
	0510	Clinic - general	2100	Alternative therapy services - general
	0509	Outpatient services - other	1005	Behavior health accommodations - group home
	0500	Outpatient services - general	1004	living Behavior health accommodations - halfway house
	0499	Ambulatory surgical care - other	1003	treatment - chemical dependency Behavior health accommodations - supervised
	0490	Ambulatory surgical care - general	1002	treatment - psychiatric Behavior health accommodations - residential
	0489	Cardiology - other	1001	Behavior health accommodations - residential
	0483	Cardiology - echocardiology	1000	Behavior health accommodations - general
	0482	Cardiology - stress test	0999	Patient convenience items - other

www.dshs.texas.gov/THCIC

Last Updated: August, 2024

Length:	2	Type:	Alphar	numeric
Beginning Position:	24	Data Source:	Claim	
	P3	A patient with severe systemic disease		
	P2	A patient with mild systemic disease	XU	Unusual Non-Overlapping Service
	P1	A normal healthy patient	XP	Separate Practitioner
	D1	specified	T/D	G A D GG
	8P	Performance Measure Reporting Modifier- Action not performed, reason not otherwise	XS	Separate Structure
	3P	Patient Reasons Performance Measure Exclusion Modifier due to System Reasons	XE	Separate Encounter
	2P	Medical Reasons Performance Measure Exclusion Modifier due to	TA	Left foot, great toe
	1P	Performance Measure Exclusion Modifier due to	T9	Right foot, fifth digit
	99	Multiple Modifiers	T8	Right foot, fourth digit
	95	Synchronous Telemedicine Service Rendered Via a Real-Time Interactive Audio and Video Telecommunications System	Т7	Right foot, third digit
	92	Alternative Laboratory Platform Testing	T6	Right foot, second digit
	91	Repeat Clinical Diagnostic Laboratory Test	T5	Right foot, great toe
	90	Reference (Outside) Laboratory	T4	Left foot, fifth digit
	82	Repeat procedure by same physician	T3	Left foot, fourth digit
	81	Minimum Assistant Surgeon	T2	Left foot, third digit
	80	Assistant Surgeon	T1	Left foot, second digit
	79	Unrelated Procedure or Service by the Same Physician or Other Qualified Health Care Professional During the Postoperative Period	RT	Right side of the body procedure
	70	Room by the Same Physician or Other Qualified Health Care Professional Following Initial Procedure for a Related Procedure During the Postoperative Period		
	77 78	Repeat Procedure by Another Physician or Other Qualified Health Care Professional Unplanned Return to the Operating/Procedure	RC RI	Right coronary artery Ramus intermedius coronary artery
		Qualified Health Care Professional	_	provider of services
	76	Surgery Center (ASC) Procedure after Administration of Anesthesia Repeat Procedure by Same Physician or Other	QN	by a provider of services Ambulance service furnished directly by a
	74	Surgery Center (ASC) Procedure prior to the Administration of Anesthesia Discontinued Outpatient Hospital/Ambulatory	QM	Ambulance service provided under arrangement
	73	Discontinued Outpatient Hospital/Ambulatory	LT	Left side of the body procedure
	66	Surgical Team	LM	Left main coronary artery
	63	Procedure Performed on Infants less than 4kg	LD	Left anterior descending coronary artery
	59 62	Distinct Procedural Service Two Surgeons	GH LC	Diagnostic mammogram converted from screening mammogram on same day Left circumflex coronary artery
	58	Staged or Related Procedure or Service by the Same Physician or Other Qualified Health Care Professional During the Postoperative Period	GG	Performance and payment of a screening mammography and diagnostic mammography on same patient, same day.
	57	Decision for Surgery	FA	Left hand, thumb
	56	Preoperative Management Only	F9	Right hand, fifth digit
	55	Postoperative Management Only	F8	Right hand, fourth digit
	54	Surgical Care Only	F7	Right hand, third digit
	53	Discontinued Procedure	F6	Right hand, second digit
	52	Reduced Services	F5	Right hand, thumb
	51	Multiple Procedures	F4	Left hand, fifth digit
	50	Bilateral Procedure	F3	Left hand, fourth digit
	33 47	Preventive Service Anesthesia by Surgeon	F1 F2	Left hand, second digit Left hand, third digit
	32	Mandated Services	E4	Lower right eyelid
	21	the Same Date	ES	Opper right eyend
	27	Professional Component Multiple Outpatient Hospital E/M Encounters on	E3	Upper right eyelid

DSHS/THCIC www.dshs.texas.gov/THCIC

Page 40 ——

DSHS Document # E25-14164
Last Updated: August, 2024

Field 6:	MODIFIER_2			
Description:	Identifies special circumstances related to the performance of the service.			
Coding Scheme:	Same as Field MODIFIER_	_1		
Beginning Position:	26	Data Source:	Claim	
Length:	2	Type:	Alphanumeric	
Field 7:	MODIFIER_3			
Description:			performance of the service.	
Coding Scheme:	Same as Field MODIFIER_	_1		
Beginning Position:	28	Data Source:	Claim	
Length:	2	Type:	Alphanumeric	
Field 8:	MODIFIER_4			
Description:			performance of the service.	
Coding Scheme:	Same as Field MODIFIER_			
Beginning Position:	30	Data Source:	Claim	
Length:	2	Type:	Alphanumeric	
Field 9:	UNIT_MEASUREMENT	_		
Description:	Code specifying the units in	n which a value is	being expressed.	
Coding Scheme:	DA Days F2 International unit			
	UN Unit			
Beginning Position:	32	Data Source:	Claim	
Length:	2	Type:	Alphanumeric	
Field 10:	UNITS_OF_SERVICE			
Description:	Numeric value of quantity			
Beginning Position:	34	Data Source:	Claim	
Length:	7	Type:	Numeric	
Field 11:	UNIT_RATE			
Description:	Rate per unit			
Beginning Position:	41	Data Source:	Claim	
Length:	12	Type:	Numeric	
Field 12:	CHRGS_LINE_ITEM			
Description:	Total amount of the charge			
Beginning Position:	53	Data Source:	Assigned	
Length:	14	Type:	Numeric	
Field 13:	CHRGS_NON_COV			
Description:	Total non-covered amount of			
Beginning Position:	67	Data Source:	Assigned	
Length:	14	Type:	Numeric	

FACILITY TYPE INDICATOR FILE

Facility type indicators provided by the facilities. Provide the data user with information on the type of facility providing the outpatient service.

	mitata in		
Field 1:	THCIC_ID		ii i parra
Description:	Provider ID. Unique identif	-	- ·
Beginning Position:	1	Data Source:	Assigned
Length:	6	Type:	Alphanumeric
Field 2:	FAC_TYPE		
Description:	Types of healthcare facilitie		
Beginning Position:	7	Data Source:	Provider
Length:	4	Type:	Alphanumeric
Field 3:	FAC_TEACHING_IND		
Description:	Teaching facility indicator.		
Coding Scheme:	A Member, Council of Teaching H	Iospitals	
Beginning Position:	X Other teaching facility 11	Data Source:	Provider
	1		
Length: Field 4:	FAC_PSYCH_IND	Type:	Alphanumeric
Description:	Psychiatric facility indicator		Duranidan
Beginning Position:	12	Data Source:	Provider
Length:	1 EAG DEHAR DID	Type:	Alphanumeric
Field 5:	FAC_REHAB_IND		
Description:	Rehabilitation facility indicate		D '1
Beginning Position:	13	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 6:	FAC_ACUTE_CARE_IN		
Description:	Acute care facility indicator		
Beginning Position:	14	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 7:	FAC_SNF_IND		
Description:	Skilled nursing facility indi		
Beginning Position:	15	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 8:	FAC_LONG_TERM_AC_		
Description:	Long term acute care facility		
Beginning Position:	16	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 9:	FAC_OTHER_LTC_IND		
Description:	Other long term care facility		
Beginning Position:	17	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 10:	FAC_PEDS_IND		
Description:	Pediatric facility Indicator.		
Coding Scheme:			and Related Institutions (NACHRI)
Paginning Pagition	X Facilities that also treat children		Drovidor
Beginning Position:	18	Data Source:	Provider
Length:	EAC CARRIOVACCIII A	Type:	Alphanumeric
Field 11:	FAC_CARDIOVASCULA	_	
Description:	Cardiovascular facility indic		Duoridan
Beginning Position:	19	Data Source:	Provider
Length:	EAC CHIDODDACTIC	Type:	Alphanumeric
Field 12:	FAC_CHIROPRACTIC_	IND	
DSHS/THCIC		- Page 42	DSHS Document # E25-14164
www.dshs.texas.gov/	THCIC	1 age 44	Last Updated: August, 2024

Description:	Chiropractic care facility in	dicator.	
Beginning Position:	20	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 13:	FAC_ENDOSCOPY_IND		•
Description:	Endoscopy facility indicato		
Beginning Position:	21	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 14:	FAC_FOOT_IND		•
Description:	Foot care facility indicator.		
Beginning Position:	22	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 15:	FAC GASTROENTERO		•
Description:	Gastroenterology facility in	dicator.	
Beginning Position:	23	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 16:	FAC_GENERAL_IND	• •	•
Description:	General care facility indicate	tor.	
Beginning Position:	24	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 17:	FAC_NEUROLOGICAL		•
Description:	Neurological care facility in		
Beginning Position:	25	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 18:	FAC OB GYN IND		•
Description:	Obstetrics and gynecology	facility indicator.	
Beginning Position:	26	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 19:	FAC OPTHAMOLOGY		1
Description:	Opthamology facility indicate		
Beginning Position:	27	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 20:	FAC_ORAL_IND	• •	•
Description:		inatan	
	Oral health care facility and	icator.	
Beginning Position:	Oral health care facility ind 28	Data Source:	Provider
	•		Provider Alphanumeric
Beginning Position:	28	Data Source: Type:	
Beginning Position: Length:	28 1	Data Source: Type: D	
Beginning Position: Length: Field 21:	28 1 FAC_ORTHOPEDIC_IN	Data Source: Type: D	
Beginning Position: Length: Field 21: Description:	28 1 FAC_ORTHOPEDIC_IN Orthopedic care facility ind	Data Source: Type: D icator.	Alphanumeric
Beginning Position: Length: Field 21: Description: Beginning Position:	28 1 FAC_ORTHOPEDIC_IN Orthopedic care facility ind 29	Data Source: Type: D icator. Data Source: Type:	Alphanumeric Provider
Beginning Position: Length: Field 21: Description: Beginning Position: Length:	28 1 FAC_ORTHOPEDIC_IN Orthopedic care facility ind 29 1	Data Source: Type: D icator. Data Source: Type: DGY_IND	Alphanumeric Provider
Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22:	28 1 FAC_ORTHOPEDIC_IN Orthopedic care facility ind 29 1 FAC_OTOLARYNGOLO	Data Source: Type: D icator. Data Source: Type: DGY_IND	Alphanumeric Provider
Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22: Description: Beginning Position: Length:	28 1 FAC_ORTHOPEDIC_IN Orthopedic care facility ind 29 1 FAC_OTOLARYNGOLO Otolaryngology facility ind 30 1	Data Source: Type: D icator. Data Source: Type: DGY_IND icator. Data Source: Type:	Alphanumeric Provider Alphanumeric
Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22: Description: Beginning Position: Length: Field 23:	28 1 FAC_ORTHOPEDIC_IN Orthopedic care facility ind 29 1 FAC_OTOLARYNGOLO Otolaryngology facility ind 30	Data Source: Type: D icator. Data Source: Type: DGY_IND icator. Data Source: Type:	Alphanumeric Provider Alphanumeric Provider
Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22: Description: Beginning Position: Length: Field 23: Description:	28 1 FAC_ORTHOPEDIC_IN Orthopedic care facility ind 29 1 FAC_OTOLARYNGOLO Otolaryngology facility ind 30 1	Data Source: Type: D icator. Data Source: Type: DGY_IND icator. Data Source: Type: ND ndicator.	Alphanumeric Provider Alphanumeric Provider
Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22: Description: Beginning Position: Length: Field 23:	28 1 FAC_ORTHOPEDIC_IN Orthopedic care facility ind 29 1 FAC_OTOLARYNGOLO Otolaryngology facility ind 30 1 FAC_PAIN_MNGMT_I	Data Source: Type: D icator. Data Source: Type: DGY_IND icator. Data Source: Type: ND	Alphanumeric Provider Alphanumeric Provider
Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22: Description: Beginning Position: Length: Field 23: Description: Beginning Position: Length: Length:	FAC_ORTHOPEDIC_IN Orthopedic care facility ind 29 1 FAC_OTOLARYNGOLO Otolaryngology facility ind 30 1 FAC_PAIN_MNGMT_I Pain management facility in 31 1	Data Source: Type: D icator. Data Source: Type: DGY_IND icator. Data Source: Type: ND ndicator.	Alphanumeric Provider Alphanumeric Provider Alphanumeric
Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22: Description: Beginning Position: Length: Field 23: Description: Beginning Position: Beginning Position:	FAC_ORTHOPEDIC_IN Orthopedic care facility ind 29 1 FAC_OTOLARYNGOLO Otolaryngology facility ind 30 1 FAC_PAIN_MNGMT_I Pain management facility in 31 1 FAC_PLASTIC_IND	Data Source: Type: D icator. Data Source: Type: DGY_IND icator. Data Source: Type: ND idicator. Data Source: Type: Type:	Alphanumeric Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric
Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22: Description: Beginning Position: Length: Field 23: Description: Beginning Position: Length: Field 24: Description:	FAC_ORTHOPEDIC_IN Orthopedic care facility ind 29 1 FAC_OTOLARYNGOLO Otolaryngology facility ind 30 1 FAC_PAIN_MNGMT_I Pain management facility in 31 1	Data Source: Type: D icator. Data Source: Type: DGY_IND icator. Data Source: Type: ND idicator. Data Source: Type: Type:	Alphanumeric Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric
Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22: Description: Beginning Position: Length: Field 23: Description: Beginning Position: Length: Field 24: Description: Beginning Position: Beginning Position:	FAC_ORTHOPEDIC_IN Orthopedic care facility ind 29 1 FAC_OTOLARYNGOLO Otolaryngology facility ind 30 1 FAC_PAIN_MNGMT_I Pain management facility in 31 1 FAC_PLASTIC_IND	Data Source: Type: D icator. Data Source: Type: DGY_IND icator. Data Source: Type: ND idicator. Data Source: Type: Type:	Alphanumeric Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric
Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22: Description: Beginning Position: Length: Field 23: Description: Beginning Position: Length: Field 24: Description: Beginning Position: Length: Field 24: Description: Length: Length:	FAC_ORTHOPEDIC_IN Orthopedic care facility ind 29 1 FAC_OTOLARYNGOLO Otolaryngology facility ind 30 1 FAC_PAIN_MNGMT_I Pain management facility in 31 1 FAC_PLASTIC_IND Plastic surgery facility indic 32 1	Data Source: Type: D icator. Data Source: Type: DGY_IND icator. Data Source: Type: ND ndicator. Data Source: Type:	Alphanumeric Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric
Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22: Description: Beginning Position: Length: Field 23: Description: Beginning Position: Length: Field 24: Description: Beginning Position: Length: Field 25:	FAC_PAIN_MNGMT_I Pain management facility ind 31 1 FAC_PLASTIC_IND Plastic surgery facility indicates 32 1 FAC_THORACIC_IND	Data Source: Type: D icator. Data Source: Type: DGY_IND icator. Data Source: Type: ND indicator. Data Source: Type: Cator. Data Source: Type:	Alphanumeric Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric
Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22: Description: Beginning Position: Length: Field 23: Description: Beginning Position: Length: Field 24: Description: Beginning Position: Length: Field 25: Description:	FAC_ORTHOPEDIC_IN Orthopedic care facility ind 29 1 FAC_OTOLARYNGOLO Otolaryngology facility ind 30 1 FAC_PAIN_MNGMT_I Pain management facility in 31 1 FAC_PLASTIC_IND Plastic surgery facility indic 32 1 FAC_THORACIC_IND Thoracic care facility Indicated	Data Source: Type: D icator. Data Source: Type: DGY_IND icator. Data Source: Type: ND ndicator. Data Source: Type: cator. Data Source: Type:	Alphanumeric Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric
Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22: Description: Beginning Position: Length: Field 23: Description: Beginning Position: Length: Field 24: Description: Beginning Position: Length: Field 25: Description: Beginning Position: Length: Field 25: Description: Beginning Position: Beginning Position:	FAC_PAIN_MNGMT_I Pain management facility ind 31 1 FAC_PLASTIC_IND Plastic surgery facility indicates 32 1 FAC_THORACIC_IND	Data Source: Type: D icator. Data Source: Type: DGY_IND icator. Data Source: Type: ND indicator. Data Source: Type: Cator. Data Source: Type:	Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric
Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22: Description: Beginning Position: Length: Field 23: Description: Beginning Position: Length: Field 24: Description: Beginning Position: Length: Field 25: Description:	FAC_ORTHOPEDIC_IN Orthopedic care facility ind 29 1 FAC_OTOLARYNGOLO Otolaryngology facility ind 30 1 FAC_PAIN_MNGMT_I Pain management facility in 31 1 FAC_PLASTIC_IND Plastic surgery facility indic 32 1 FAC_THORACIC_IND Thoracic care facility Indicated	Data Source: Type: D icator. Data Source: Type: DGY_IND icator. Data Source: Type: ND ndicator. Data Source: Type: cator. Data Source: Type:	Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric
Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22: Description: Beginning Position: Length: Field 23: Description: Beginning Position: Length: Field 24: Description: Beginning Position: Length: Field 25: Description: Beginning Position: Length: Field 25: Description: Beginning Position: Length:	FAC_PLASTIC_IND Plastic surgery facility indicates FAC_THORACIC_IND Thoracic care facility Indicates	Data Source: Type: D icator. Data Source: Type: DGY_IND icator. Data Source: Type: ND ndicator. Data Source: Type: cator. Data Source: Type:	Alphanumeric Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric
Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22: Description: Beginning Position: Length: Field 23: Description: Beginning Position: Length: Field 24: Description: Beginning Position: Length: Field 25: Description: Beginning Position: Length: Field 25: Description: Beginning Position: Beginning Position:	FAC_PLASTIC_IND Plastic surgery facility indicase FAC_THORACIC_IND Thoracic care facility indicases FAC_THORACIC_IND Thoracic care facility Indicases	Data Source: Type: D icator. Data Source: Type: DGY_IND icator. Data Source: Type: ND ndicator. Data Source: Type: cator. Data Source: Type:	Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric Provider Alphanumeric

Field 26:	FAC_UROLOGY_IND
Description:	Urology care facility indicator.
Beginning Position:	34 Data Source: Provider
Length:	1 Type: Alphanumeric
Field 27:	FAC_OTHER_IND
Description:	Other facility indicator.
Beginning Position:	35 Data Source: Provider
Length:	1 Type: Alphanumeric
Field 28:	FAC_EMERGENCY_DEPARTMENT_IND
Description:	Facility indicator for Hospitals and FEMCFs, including Hospital-owned FEMCFs, starting with
	the 4 th Quarter 2020 Facility Type Data File.
	Note:
	The FEMCFs names are available at https://dshs.texas.gov/thcic/ (downloadable Excel sheet
	named Current Facility Contact), under "Facility Reporting Requirement". The provider names
	and THCIC IDs in the Excel sheet are more current than the ones in the provider file dataset.
	For the first quarterly implementation, 4 th Quarter 2020, the facility indicator has incomplete
	data due to implementation timing.
Beginning Position:	36 Data Source: Provider
Length:	1 Type: Alphanumeric
Field 29:	FAC_ONCOLOGY_IND
Description:	Oncology facility indicator.
Beginning Position:	Data Source: Provider
Length:	1 Type: Alphanumeric
Field 30:	PROVIDER_NAME
Description:	Hospital name provided by the hospital.
Beginning Position:	38 Data Source: Provider 55 Type: Alphanumeric
Length: Field 31:	55 Type: Alphanumeric POA_PROVIDER_INDICATOR
riela 31:	Indicator identifying whether facility is required to submit Diagnosis Present on Admission
	(POA) codes. 25 TAC §421.9(e) identifies the following facility types as exempt from
	reporting POA to the department: Critical Access Hospitals, Inpatient Rehabilitation Hospitals,
	Inpatient Psychiatric Hospitals, Cancer Hospitals, Children's or Pediatric Hospitals and Long
	Term Care Hospitals.
Coding Scheme:	M Mixed (Facility has sections that would be exempted from reporting POA for those patients)
O	R Required
	X Exempt Invalid
Beginning Position:	93 Data Source: Assigned
Length:	1 Type: Alphanumeric
Field 32:	CERT_STATUS
	Assignment of a code to indicate the certification of data and submission of comments by the
	facility. First available 3 rd quarter 1999.
Coding Scheme:	1 Certified, without comment
	2 Certified, with comment
	Certified, with comment, comment not received by deadline Facility elected not to certify
	5 Facility closed; data not certified
	6 Facility out of compliance, did not certify data
	Data not certified. Facility affected by natural or man-made disaster (Starting 4Q2016)
Beginning Position:	94 Data Source: Assigned
Length:	1 Type: Alphanumeric

GROUPER FILE

	DECORD ID		
Field 1:	RECORD_ID	1 77 1	
Description:			ber assigned to identify the record. First available
D ' ' D ''	•		CORD_ID in THCIC Research Data Files (RDF's).
Beginning Position:	1	Data Source:	Assigned
Length:	12	Type:	Alphanumeric
Field 2:	REVENUE_CODE_SE		
D 1 1 D 1/1	_		of submission of the revenue codes.
Beginning Position:	13	Data Source:	Assigned
Length:	BROGEN EARG GRA	Type:	Alphanumeric
Field 3:	FROZEN_EAPG_GRP		N who was in the 2M FADC Common
Doniumiu a Donisi au	•	Data Source:	Number, as assigned by 3M EAPG Grouper.
Beginning Position: Length:	16 12	Type:	Assigned Alphanumeric
Field 4:	FROZEN_FINAL_EA		Aipilanumeric
riela 4:			G) category code, as assigned by 3M™ EAPG
	Grouper. Not available		category code, as assigned by 51vr. EAFO
Beginning Position:	28	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 5:	FROZEN_FINAL_EA		<u> </u>
riciu 3.			G) type code, as assigned by 3M™ EAPG Grouper.
	Not available 4Q09.	atient Group (EAT	d) type code, as assigned by 3M - EAI G Grouper.
Beginning Position:	30	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 6:	FROZEN FINAL EA		7 ii piidiidii erie
Ticia o.			(EAPG), as assigned by 3M™ EAPG Grouper. Not
	available 4Q09.	nory runein Group	(Erif G), as assigned by 5141 Erif G Grouper. Not
Beginning Position:	32	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 7:	FROZEN_APC_GRP_		j
			Yersion Number as assigned by 3M APC Grouper.
	Not available 4Q09.	, ,	
Beginning Position:	47	Data Source:	Assigned
Length:	12	Type:	Alphanumeric
Field 8:	FROZEN_APC_PROC	CEDURE_CODE	
	Ambulatory Payment Cl	assification (APC)	procedure code as assigned by 3M [™] APC Grouper.
	Not available 4Q09.		
Beginning Position:	59	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 9:	FROZEN_APC_PX_S		
			procedure status indicator as assigned by 3M TM APC
	Grouper. Not available	-	
Beginning Position:	64	Data Source:	Assigned
Length:	2	Туре:	Alphanumeric
Field 10:	FROZEN_APC_WEIG		
		lassification (APC)	weighting as assigned by 3M TM APC Grouper. Not
	available 4Q09.	5	
Beginning Position:	66	Data Source:	Assigned
Length:	9	Type:	Alphanumeric
Field 11:	EAPG_GRP_VER		N 1
n · · n · ·	•	-	Number, as assigned by 3M EAPG Grouper
Beginning Position:	80	Data Source:	Assigned
Length:	12	Type:	Alphanumeric
DSHS/THCIC			
			DSHS Document # F25-14164
www.dshs.texas.gov	v/THCIC	—— Page 45 —	DSHS Document # E25-14164 Last Updated: August, 2024

Field 12:	FINAL_EAPG_CAT_CODE			
	Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M™ EAPG			
	Grouper. Not available 4Q09.			
Beginning Position:		ata Source:	Assigned	
Length:	2 T	'ype:	Alphanumeric	
Field 13:	FINAL_EAPG_TYPE_COD			
		Group (EAPO	G) type code, as assigned by 3M™ EAPG Grouper.	
	Not available 4Q09.			
Beginning Position:	94 D	ata Source:	Assigned	
Length:		ype:	Alphanumeric	
Field 14:	FINAL_EAPG			
	•	Patient Group ((EAPG), as assigned by 3M [™] EAPG Grouper. Not	
	available 4Q09.			
Beginning Position:		ata Source:	Assigned	
Length:		ype:	Alphanumeric	
Field 15:	APC_GRP_VER			
		ation (APC) V	ersion Number as assigned by 3M APC Grouper.	
	Not available 4Q09.			
Beginning Position:	111 D a	ata Source:	Assigned	
			_	
Length:		ype:	Alphanumeric	
Length: Field 16:	APC_PROCEDURE_CODE	E		
	APC_PROCEDURE_CODE Ambulatory Payment Classific	E	Alphanumeric procedure code as assigned by 3M [™] APC Grouper.	
Field 16:	APC_PROCEDURE_CODE Ambulatory Payment Classific Not available 4Q09.	Ecation (APC)	procedure code as assigned by 3M [™] APC Grouper.	
Field 16: Beginning Position:	APC_PROCEDURE_CODE Ambulatory Payment Classific Not available 4Q09. 123	E cation (APC) j Pata Source:	procedure code as assigned by 3M [™] APC Grouper. Assigned	
Field 16: Beginning Position: Length:	APC_PROCEDURE_CODE Ambulatory Payment Classific Not available 4Q09. 123 D 5 T	E cation (APC) j Pata Source: Type:	procedure code as assigned by 3M [™] APC Grouper.	
Field 16: Beginning Position:	APC_PROCEDURE_CODE Ambulatory Payment Classific Not available 4Q09. 123 D 5 T APC_PX_STATUS_IND_CO	E cation (APC) Pata Source: Type: ODE	procedure code as assigned by 3M™ APC Grouper. Assigned Alphanumeric	
Field 16: Beginning Position: Length:	APC_PROCEDURE_CODE Ambulatory Payment Classific Not available 4Q09. 123 D 5 T APC_PX_STATUS_IND_CO Ambulatory Payment Classific	E cation (APC) Pata Source: Type: ODE	procedure code as assigned by 3M [™] APC Grouper. Assigned	
Field 16: Beginning Position: Length: Field 17:	APC_PROCEDURE_CODE Ambulatory Payment Classific Not available 4Q09. 123 D 5 T APC_PX_STATUS_IND_CO Ambulatory Payment Classific Grouper. Not available 4Q09.	cation (APC) pata Source: Type: ODE cation (APC) pata	procedure code as assigned by 3M TM APC Grouper. Assigned Alphanumeric procedure status indicator as assigned by 3M TM APC	
Field 16: Beginning Position: Length: Field 17: Beginning Position:	APC_PROCEDURE_CODE Ambulatory Payment Classific Not available 4Q09. 123 D 5 T APC_PX_STATUS_IND_CO Ambulatory Payment Classific Grouper. Not available 4Q09. 128 D	cation (APC) pata Source: Type: ODE Cation (APC) pata Source:	procedure code as assigned by 3M™ APC Grouper. Assigned Alphanumeric procedure status indicator as assigned by 3M™ APC Assigned	
Field 16: Beginning Position: Length: Field 17: Beginning Position: Length:	APC_PROCEDURE_CODE Ambulatory Payment Classific Not available 4Q09. 123	cation (APC) pata Source: Type: ODE cation (APC) pata	procedure code as assigned by 3M TM APC Grouper. Assigned Alphanumeric procedure status indicator as assigned by 3M TM APC	
Field 16: Beginning Position: Length: Field 17: Beginning Position:	APC_PROCEDURE_CODE Ambulatory Payment Classific Not available 4Q09. 123	cation (APC) pata Source: ype: ODE cation (APC) pata Source: ype:	Assigned Alphanumeric Assigned Alphanumeric Assigned Alphanumeric	
Field 16: Beginning Position: Length: Field 17: Beginning Position: Length:	APC_PROCEDURE_CODE Ambulatory Payment Classific Not available 4Q09. 123	cation (APC) pata Source: ype: ODE cation (APC) pata Source: ype:	procedure code as assigned by 3M TM APC Grouper. Assigned Alphanumeric procedure status indicator as assigned by 3M TM APC Assigned	
Field 16: Beginning Position: Length: Field 17: Beginning Position: Length: Field 18:	APC_PROCEDURE_CODE Ambulatory Payment Classific Not available 4Q09. 123	cation (APC) pata Source: Type: ODE Cation (APC) pata Source: Type: Cation (APC)	Assigned Alphanumeric procedure status indicator as assigned by 3M TM APC Assigned Alphanumeric weighting as assigned by 3M TM APC Grouper. Not	
Field 16: Beginning Position: Length: Field 17: Beginning Position: Length: Field 18:	APC_PROCEDURE_CODE Ambulatory Payment Classific Not available 4Q09. 123 D 5 T APC_PX_STATUS_IND_CO Ambulatory Payment Classific Grouper. Not available 4Q09. 128 D 2 T APC_WEIGHT Ambulatory Payment Classific available 4Q09. 130 D	cation (APC) pata Source: ODE cation (APC) pata Source: Ope: Oata Source: Ope: Cation (APC) pata Source:	procedure code as assigned by 3M [™] APC Grouper. Assigned Alphanumeric procedure status indicator as assigned by 3M [™] APC Assigned Alphanumeric weighting as assigned by 3M [™] APC Grouper. Not Assigned	
Field 16: Beginning Position: Length: Field 17: Beginning Position: Length: Field 18:	APC_PROCEDURE_CODE Ambulatory Payment Classific Not available 4Q09. 123 D 5 T APC_PX_STATUS_IND_CO Ambulatory Payment Classific Grouper. Not available 4Q09. 128 D 2 T APC_WEIGHT Ambulatory Payment Classific available 4Q09. 130 D	cation (APC) pata Source: Type: ODE Cation (APC) pata Source: Type: Cation (APC)	procedure code as assigned by 3M [™] APC Grouper. Assigned Alphanumeric procedure status indicator as assigned by 3M [™] APC Assigned Alphanumeric weighting as assigned by 3M [™] APC Grouper. Not	

Last Updated: August, 2024



Texas Department of State Health Services

TEXAS OUTPATIENT SURGICAL AND RADIOLOGICAL PROCEDURE

Public Use Data File DATA FIELDS

BASE DATA FILE

Number	Field Name	Position	Length	Field Type
1	SERVICE_QUARTER	1	6	Alphanumeric
2	RECORD_ID- Does NOT match the THCIC RECORD_ID in Research Data Files (RDF's)	7	12	Alphanumeric
3	THCIC_ID	19	6	Alphanumeric
4	SPEC_UNIT_1	25	1	Alphanumeric
5	SPEC_UNIT_2	26	1	Alphanumeric
6	SPEC_UNIT_3	27	1	Alphanumeric
7	SPEC_UNIT_4	28	1	Alphanumeric
8	SPEC_UNIT_5	29	1	Alphanumeric
9	SEX_CODE	30	1	Alphanumeric
10	PAT_COUNTY	31	3	Alphanumeric
11	PAT_STATE	34	2	Alphanumeric
12	PAT_ZIP	36	5	Alphanumeric
13	PAT_COUNTRY	41	2	Alphanumeric
14	PUBLIC_HEALTH_REGION	43	2	Alphanumeric
15	LENGTH_OF_SERVICE	45	2	Alphanumeric
16	PAT_AGE	47	2	Alphanumeric
17	RACE	49	1	Alphanumeric
18	ETHNICITY	50	1	Alphanumeric
19	FIRST_PAYMENT_SRC	51	2	Alphanumeric
20	SECONDARY_PAYMENT_SRC	53	2	Alphanumeric
21	TYPE_OF_BILL	55	3	Alphanumeric
22	CONDITION_CODE_1	58	2	Alphanumeric
23	CONDITION_CODE_2	60	2	Alphanumeric
24	CONDITION_CODE_3	62	2	Alphanumeric
25	CONDITION_CODE_4	64	2	Alphanumeric

DSHS/THCIC www.dshs.texas.gov/THCIC Page 47 DSHS Document # E25-14164
Last Updated: August, 2024

Number	Field Name	Position	Length	Field Type
26	CONDITION_CODE_5	66	2	Alphanumeric
27	CONDITION_CODE_6	68	2	Alphanumeric
28	CONDITION_CODE_7	70	2	Alphanumeric
29	CONDITION_CODE_8	72	2	Alphanumeric
30	PAT_REASON_FOR_VISIT	74	7	Alphanumeric
31	PRINC_DIAG_CODE	81	7	Alphanumeric
32	OTH_DIAG_CODE_1	88	7	Alphanumeric
33	OTH_DIAG_CODE_2	95	7	Alphanumeric
34	OTH_DIAG_CODE_3	102	7	Alphanumeric
35	OTH_DIAG_CODE_4	109	7	Alphanumeric
36	OTH_DIAG_CODE_5	116	7	Alphanumeric
37	OTH_DIAG_CODE_6	123	7	Alphanumeric
38	OTH_DIAG_CODE_7	130	7	Alphanumeric
39	OTH_DIAG_CODE_8	137	7	Alphanumeric
40	OTH_DIAG_CODE_9	144	7	Alphanumeric
41	OTH_DIAG_CODE_10	151	7	Alphanumeric
42	OTH_DIAG_CODE_11	158	7	Alphanumeric
43	OTH_DIAG_CODE_12	165	7	Alphanumeric
44	OTH_DIAG_CODE_13	172	7	Alphanumeric
45	OTH_DIAG_CODE_14	179	7	Alphanumeric
46	OTH_DIAG_CODE_15	186	7	Alphanumeric
47	OTH_DIAG_CODE_16	193	7	Alphanumeric
48	OTH_DIAG_CODE_17	200	7	Alphanumeric
49	OTH_DIAG_CODE_18	207	7	Alphanumeric
50	OTH_DIAG_CODE_19	214	7	Alphanumeric
51	OTH_DIAG_CODE_20	221	7	Alphanumeric
52	OTH_DIAG_CODE_21	228	7	Alphanumeric
53	OTH_DIAG_CODE_22	235	7	Alphanumeric
54	OTH_DIAG_CODE_23	242	7	Alphanumeric
55	OTH_DIAG_CODE_24	249	7	Alphanumeric
56	RELATED_CAUSE_CODE_1	256	2	Alphanumeric
57	RELATED_CAUSE_CODE_2	258	2	Alphanumeric
58	RELATED_CAUSE_CODE_3	260	2	Alphanumeric
59	E_CODE_1	262	7	Alphanumeric
60	E_CODE_2	269	7	Alphanumeric
61	E_CODE_3	276	7	Alphanumeric
62	E_CODE_4	283	7	Alphanumeric
63	E_CODE_5	290	7	Alphanumeric
64	E_CODE_6	297	7	Alphanumeric
65	E_CODE_7	304	7	Alphanumeric

DSHS/THCIC www.dshs.texas.gov/THCIC Page 48 DSHS Document # E25-14164
Last Updated: August, 2024

Number	Field Name	Position	Length	Field Type
66	E_CODE_8	311	7	Alphanumeric
67	E_CODE_9	318	7	Alphanumeric
68	E_CODE_10	325	7	Alphanumeric
69	PROC_CODE_1	332	5	Alphanumeric
70	PROC_CODE_2	337	5	Alphanumeric
71	PROC_CODE_3	342	5	Alphanumeric
72	PROC_CODE_4	347	5	Alphanumeric
73	PROC_CODE_5	352	5	Alphanumeric
74	PROC_CODE_6	357	5	Alphanumeric
75	PROC_CODE_7	362	5	Alphanumeric
76	PROC_CODE_8	367	5	Alphanumeric
77	PROC_CODE_9	372	5	Alphanumeric
78	PROC_CODE_10	377	5	Alphanumeric
79	PROC_CODE_11	382	5	Alphanumeric
80	PROC_CODE_12	387	5	Alphanumeric
81	PROC_CODE_13	392	5	Alphanumeric
82	PROC_CODE_14	397	5	Alphanumeric
83	PROC_CODE_15	402	5	Alphanumeric
84	PROC_CODE_16	407	5	Alphanumeric
85	PROC_CODE_17	412	5	Alphanumeric
86	PROC_CODE_18	417	5	Alphanumeric
87	PROC_CODE_19	422	5	Alphanumeric
88	PROC_CODE_20	427	5	Alphanumeric
89	PROC_CODE_21	432	5	Alphanumeric
90	PROC_CODE_22	437	5	Alphanumeric
91	PROC_CODE_23	442	5	Alphanumeric
92	PROC_CODE_24	447	5	Alphanumeric
93	PROC_CODE_25	452	5	Alphanumeric
94	OTHER_AMOUNT	457	12	Numeric
95	PHARM_AMOUNT	469	12	Numeric
96	MEDSURG_AMOUNT	481	12	Numeric
97	DME_AMOUNT	493	12	Numeric
98	USED_DME_AMOUNT	505	12	Numeric
99	PT_AMOUNT	517	12	Numeric
100	OT_AMOUNT	529	12	Numeric
101	SPEECH_AMOUNT	541	12	Numeric
102	IT_AMOUNT	553	12	Numeric
103	BLOOD_AMOUNT	565	12	Numeric
104	BLOOD_ADM_AMOUNT	577	12	Numeric
105	OR_AMOUNT	589	12	Numeric

DSHS/THCIC www.dshs.texas.gov/THCIC

Page 49

DSHS Document # E25-14164 Last Updated: August, 2024

Number	Field Name	Position	Length	Field Type
106	LITH_AMOUNT	601	12	Numeric
107	CARD_AMOUNT	613	12	Numeric
108	ANES_AMOUNT	625	12	Numeric
109	LAB_AMOUNT	637	12	Numeric
110	RAD_AMOUNT	649	12	Numeric
111	MRI_AMOUNT	661	12	Numeric
112	OP_AMOUNT	673	12	Numeric
113	ER_AMOUNT	685	12	Numeric
114	AMBULANCE_AMOUNT	697	12	Numeric
115	PRO_FEE_AMOUNT	709	12	Numeric
116	ORGAN_AMOUNT	721	12	Numeric
117	ESRD_AMOUNT	733	12	Numeric
118	CLINIC_AMOUNT	745	12	Numeric
119	TOTAL_CHARGES	757	12	Numeric
120	TOTAL_NON_COV_CHARGES	769	12	Numeric
121	TOTAL_CHARGES_ANCIL	781	12	Numeric
122	TOTAL_NON_COV_CHARGES_ANCIL	793	12	Numeric
123	PHYSICIAN1_INDEX_NUMBER	805	10	Alphanumeric
124	PHYSICIAN2_INDEX_NUMBER	815	10	Alphanumeric
125	INPUT_FORMAT	825	1	Alphanumeric
126	SOURCE_OF_ADMISSION	826	1	Alphanumeric
127	PAT_STATUS	827	2	Alphanumeric
128	PROVIDER_NAME	829	55	Alphanumeric
129	EMERGENCY_DEPT_FLAG	884	1	Alphanumeric
	Record_Length		884	

CLASSIFICATION DATA FILE

Number	Field Name	Position	Length	Field Type
1	RECORD_ID - Does NOT match the THCIC RECORD_ID in Research Data Files (RDF's)	1	12	Alphanumeric
2	CCSR_PRINC_DIAG_CODE	13	6	Alphanumeric
3	CCSR_OTH_DIAG_CODE_1	17	6	Alphanumeric
4	CCSR_OTH_DIAG_CODE_2	21	6	Alphanumeric
5	CCSR_OTH_DIAG_CODE_3	25	6	Alphanumeric
6	CCSR_OTH_DIAG_CODE_4	29	6	Alphanumeric
7	CCSR_OTH_DIAG_CODE_5	33	6	Alphanumeric
8	CCSR_OTH_DIAG_CODE_6	37	6	Alphanumeric
9	CCSR_OTH_DIAG_CODE_7	41	6	Alphanumeric
10	CCSR_OTH_DIAG_CODE_8	45	6	Alphanumeric
11	CCSR_OTH_DIAG_CODE_9	49	6	Alphanumeric
12	CCSR_OTH_DIAG_CODE_10	53	6	Alphanumeric
13	CCSR_OTH_DIAG_CODE_11	57	6	Alphanumeric
14	CCSR_OTH_DIAG_CODE_12	61	6	Alphanumeric
15	CCSR_OTH_DIAG_CODE_13	65	6	Alphanumeric
16	CCSR_OTH_DIAG_CODE_14	69	6	Alphanumeric
17	CCSR_OTH_DIAG_CODE_15	73	6	Alphanumeric
18	CCSR_OTH_DIAG_CODE_16	77	6	Alphanumeric
19	CCSR_OTH_DIAG_CODE_17	81	6	Alphanumeric
20	CCSR_OTH_DIAG_CODE_18	85	6	Alphanumeric
21	CCSR_OTH_DIAG_CODE_19	89	6	Alphanumeric
22	CCSR_OTH_DIAG_CODE_20	93	6	Alphanumeric
23	CCSR_OTH_DIAG_CODE_21	97	6	Alphanumeric
24	CCSR_OTH_DIAG_CODE_22	101	6	Alphanumeric
25	CCSR_OTH_DIAG_CODE_23	105	6	Alphanumeric
26	CCSR_OTH_DIAG_CODE_24	109	6	Alphanumeric
27	CCS_PROC_CODE_1	113	3	Alphanumeric
28	CCS_PROC_CODE_2	116	3	Alphanumeric
29	CCS_PROC_CODE_3	119	3	Alphanumeric
30	CCS_PROC_CODE_4	122	3	Alphanumeric
31	CCS_PROC_CODE_5	125	3	Alphanumeric
32	CCS_PROC_CODE_6	128	3	Alphanumeric
33	CCS_PROC_CODE_7	131	3	Alphanumeric
34	CCS_PROC_CODE_8	134	3	Alphanumeric
35	CCS_PROC_CODE_9	137	3	Alphanumeric

DSHS/THCIC www.dshs.texas.gov/THCIC DSHS Document # E25-14164 Last Updated: August, 2024

Number	Field Name	Position	Length	Field Type
36	CCS_PROC_CODE_10	140	3	Alphanumeric
37	CCS_PROC_CODE_11	143	3	Alphanumeric
38	CCS_PROC_CODE_12	146	3	Alphanumeric
39	CCS_PROC_CODE_13	149	3	Alphanumeric
40	CCS_PROC_CODE_14	152	3	Alphanumeric
41	CCS_PROC_CODE_15	155	3	Alphanumeric
42	CCS_PROC_CODE_16	158	3	Alphanumeric
43	CCS_PROC_CODE_17	161	3	Alphanumeric
44	CCS_PROC_CODE_18	164	3	Alphanumeric
45	CCS_PROC_CODE_19	167	3	Alphanumeric
46	CCS_PROC_CODE_20	170	3	Alphanumeric
47	CCS_PROC_CODE_21	173	3	Alphanumeric
48	CCS_PROC_CODE_22	176	3	Alphanumeric
49	CCS_PROC_CODE_23	179	3	Alphanumeric
50	CCS_PROC_CODE_24	182	3	Alphanumeric
51	CCS_PROC_CODE_25	185	3	Alphanumeric
_	Record_Length		187	

CHARGES DATA FILE

Number	Field Name	Position	Length	Field Type
1	RECORD_ID - Does NOT match the THCIC RECORD_ID in Research Data Files (RDF's)	1	12	Alphanumeric
2	REVENUE_CODE	13	4	Alphanumeric
3	HCPCS_QUALIFIER	17	2	Alphanumeric
4	HCPCS_PROCEDURE_CODE	19	5	Alphanumeric
5	MODIFIER_1	24	2	Alphanumeric
6	MODIFIER_2	26	2	Alphanumeric
7	MODIFIER_3	28	2	Alphanumeric
8	MODIFIER_4	30	2	Alphanumeric
9	UNIT_MEASUREMENT_CODE	32	2	Alphanumeric
10	UNITS_OF_SERVICE	34	7	Numeric
11	UNIT_RATE	41	12	Numeric
12	CHRGS_LINE_ITEM	53	14	Numeric
13	CHRGS_NON_COV	67	14	Numeric
	Record_Length		80	

FACILITY TYPE DATA FILE

Number	Field Name	Position	Length	Field Type
1	THCIC_ID	1	6	Alphanumeric
2	FAC_TYPE	7	4	Alphanumeric
3	FAC_TEACHING_IND	11	1	Alphanumeric
4	FAC_PSYCH_IND	12	1	Alphanumeric
5	FAC_REHAB_IND	13	1	Alphanumeric
6	FAC_ACUTE_CARE_IND	14	1	Alphanumeric
7	FAC_SNF_IND	15	1	Alphanumeric
8	FAC_LONG_TERM_AC_IND	16	1	Alphanumeric
9	FAC_OTHER_LTC_IND	17	1	Alphanumeric
10	FAC_PEDS_IND	18	1	Alphanumeric
11	FAC_CARDIOVASCULAR_IND	19	1	Alphanumeric
12	FAC_CHIROPRACTIC_IND	20	1	Alphanumeric
13	FAC_ENDOSCOPY_IND	21	1	Alphanumeric
14	FAC_FOOT_IND	22	1	Alphanumeric
15	FAC_GASTROENTEROLOGY_IND	23	1	Alphanumeric
16	FAC_GENERAL_IND	24	1	Alphanumeric
17	FAC_NEUROLOGICAL_IND	25	1	Alphanumeric
18	FAC_OB_GYN_IND	26	1	Alphanumeric
19	FAC_OPTHAMOLOGY_IND	27	1	Alphanumeric
20	FAC_ORAL_IND	28	1	Alphanumeric
21	FAC_ORTHOPEDIC_IND	29	1	Alphanumeric
22	FAC_OTOLARYRGOLOGY_IND	30	1	Alphanumeric
23	FAC_PAIN_MNGMT_IND	31	1	Alphanumeric
24	FAC_PLASTIC_IND	32	1	Alphanumeric
25	FAC_THORACIC_IND	33	1	Alphanumeric
26	FAC_UROLOGY_IND	34	1	Alphanumeric
27	FAC_OTHER_IND	35	1	Alphanumeric
28	FAC_EMERGENCY_DEPARTMENT_IND ¹	36	1	Alphanumeric
29	FAC_ONCOLOGY_IND ¹	37	1	Alphanumeric
30	PROVIDER_NAME	38	55	Alphanumeric
31	POA_PROVIDER_INDICATOR	93	1	Alphanumeric
32	CERT_STATUS	94	1	Alphanumeric
	Record_Length		94	

¹ Facility Type Code added to the 4th Quarter 2020 Facility Type Data File **DSHS/THCIC**

GROUPER FILE

Number	Field Name	Position	Length	Field Type
1	RECORD_ID - Does NOT match the THCIC RECORD_ID in Research Data Files (RDF's)	1	12	Alphanumeric
2	REVENUE_CODE_SEQUENCE_NUMBER	13	3	Alphanumeric
3	FROZEN_EAPG_GRP_VER	16	12	Alphanumeric
4	FROZEN_APC_GRP_VER	28	12	Alphanumeric
5	FROZEN_FINAL_EAPG_CATEGORY_CODE	40	2	Alphanumeric
6	FROZEN_FINAL_EAPG_TYPE_CODE	42	2	Alphanumeric
7	FROZEN_FINAL_EAPG	44	5	Alphanumeric
8	FROZEN_APC_PROCEDURE_CODE	49	5	Alphanumeric
9	FROZEN_APC_PX_STATUS_IND_CODE	54	2	Alphanumeric
10	FROZEN_APC_WEIGHT	56	9	Alphanumeric
11	EAPG_GRP_VER	65	12	Alphanumeric
12	APC_GRP_VER	77	12	Alphanumeric
13	FINAL_EAPG_CATEGORY_CODE	89	2	Alphanumeric
14	FINAL_EAPG_TYPE_CODE	91	2	Alphanumeric
15	FINAL_EAPG	93	5	Alphanumeric
16	APC_PROCEDURE_CODE	98	5	Alphanumeric
17	APC_PX_STATUS_IND_CODE	103	2	Alphanumeric
18	APC_WEIGHT	105	9	Alphanumeric
	Record_Length		113	