

Collaborative Staging Codes**Malignant Melanoma of Skin, Vulva, Penis, Scrotum****C44.0-C44.9, C51.0-C51.2, C51.8-C51.9, C60.0-C60.2, C60.8-C60.9, C63.2****(M-8720-8790)**

C44.0 Skin of lip, NOS

C44.1 Eyelid

C44.2 External ear

C44.3 Skin of ear and unspecified parts of face

C44.4 Skin of scalp and neck

C44.5 Skin of trunk

C44.6 Skin of upper limb and shoulder

C44.7 Skin of lower limb and hip

C44.8 Overlapping lesion of skin

C44.9 Skin, NOS

C51.0 Labium majus

C51.1 Labium minus

C51.2 Clitoris

C51.8 Overlapping lesion of vulva

C51.9 Vulva, NOS

C60.0 Prepuce

C60.1 Glans penis

C60.2 Body of penis

C60.8 Overlapping lesion of penis

C60.9 Penis

C63.2 Scrotum, NOS

Note 1: Laterality must be coded for C44.1-C44.3, and C44.5-C44.7. For codes C44.3 and C44.5, if the tumor is midline (e.g., chin), code as 9, midline, in the laterality field.

Note 2: For melanoma of sites other than those above, use the site-specific schema for the appropriate site.

Note 3: The level of invasion, as defined by Dr. Wallace Clark, is used when defining subcategories of T1 melanomas, but not for thicker melanoma (i.e., T2, T3 or T4).

Malignant Melanoma of Skin, Vulva, Penis, Scrotum**CS Tumor Size (Revised: 08/14/2006)**

Note: Record the size of the tumor in the CS Tumor Size table below, not depth or thickness. Depth or thickness is recorded in Site-Specific Factor 1 in the Measured Thickness (Depth), Breslow's Measurement table.

Code	Description
000	No mass/tumor found
001-988	001 - 988 millimeters (code exact size in millimeters)
989	989 millimeters or larger

990	Microscopic focus or foci only, no size of focus given
991	Described as less than 1 cm
992	Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm"
993	Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm"
994	Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm"
995	Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm"
999	Unknown; size not stated Not documented in patient record

Malignant Melanoma of Skin, Vulva, Penis, Scrotum

CS Extension (Revised: 05/04/2004)

Note 1: If there is a discrepancy between the Clark level and the pathologic description of extent, use the higher (more extensive) code.

Note 2: Satellite lesions/nodules or in-transit metastasis are coded under CS Lymph Nodes.

Note 3: Ulceration of the melanoma is coded in Site-Specific Factor 2.

Code	Description	TNM	SS77	SS2000
00	In situ: noninvasive; intraepidermal Clark's level I Basement membrane of the epidermis is intact	Tis	IS	IS
10	Papillary dermis invaded Clark's level II	*	L	L
20	Papillary-reticular dermal interface invaded Clark's level III	*	L	L
30	Reticular dermis invaded Clark's level IV	*	L	L
40	Skin/dermis, NOS Localized, NOS	*	L	L
50	Subcutaneous tissue invaded (through entire dermis) Clark's level V	*	L	RE
80	Further contiguous extension: Underlying cartilage, bone, skeletal muscle	*	D	D

95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed (e.g., shave biopsy or regressed melanoma) Not documented in patient record	*	U	U

Malignant Melanoma of Skin, Vulva, Penis, Scrotum**CS TS/Ext-Eval****SEE STANDARD TABLE**

NOTE: For these primary sites code CS Tumor Size/Ext Eval on the basis of the CS Extension field only.

Malignant Melanoma of Skin, Vulva, Penis, Scrotum**CS Lymph Nodes (Revised: 08/22/2006)**

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Note 2: Satellite lesions/nodules or in-transit metastases are coded under CS Lymph Nodes.

Note 3: Use codes 10-12 if there is regional node involvement without satellite nodule(s) or in-transit metastases. Use codes 13-15 if there are satellite nodule(s) or in-transit metastases but there is either no regional lymph node involvement, or involvement of regional nodes is not stated. Use codes 20-22 if both satellite nodules(s)/in-transit metastases and regional lymph node(s) are present.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Regional lymph node(s) by primary site: (includes bilateral or contralateral nodes for head, neck, and trunk) HEAD AND NECK SITES: All subsites: Cervical, NOS Lip: Mandibular, NOS: Submandibular(submaxillary) Eyelid/canthus: Facial, NOS: Buccinator (buccal) Nasolabial Mandibular, NOS: Submandibular (submaxillary) Parotid, NOS: Infra-auricular	*	RN	RN

<p>10 cont'd</p>	<p>External ear/auditory canal: Mastoid (post-/retro-auricular) (occipital) Preauricular Face, Other (cheek, chin forehead, jaw, nose and temple): Facial, NOS: Buccinator (buccal) Nasolabial Mandibular, NOS: Submandibular (submaxillary) Parotid, NOS: Infra-auricular Preauricular Scalp: Mastoid (post-/retro-auricular) (occipital) Parotid, NOS: Infra-auricular Preauricular Spinal accessory (posterior cervical) Neck: Axillary Mandibular, NOS Mastoid (post-/retro-auricular) Parotid, NOS: Infra-auricular Preauricular Spinal accessory (posterior cervical) Supraclavicular (transverse cervical) UPPER TRUNK: Axillary Cervical Internal mammary Supraclavicular Lower Trunk: Superficial inguinal (femoral) ARM/SHOULDER: Axillary Epitrochlear for hand/forearm Spinal accessory (posterior cervical) for shoulder</p>	<p>*</p>	<p>RN</p>	<p>RN</p>
----------------------	--	----------	-----------	-----------

10 cont'd	<p>LEG/HIP: Popliteal for heel and calf Superficial inguinal (femoral)</p> <p>VULVA/PENIS/SCROTUM: Deep inguinal: Rosenmuller or Cloquet node Superficial inguinal (femoral)</p> <p>ALL SITES: Regional lymph node(s), NOS</p>	*	RN	RN
12	<p>Regional lymph node(s) by primary site: HEAD AND NECK SITES:</p> <p>Lip: Facial, NOS Buccinator (buccal) Nasolabial Mandibular, NOS Submental Parotid, NOS Infra-auricular Preauricular</p> <p>Eyelid/canthus: Facial, NOS: Mandibular, NOS Submental</p> <p>Face, Other (cheek, chin, forehead, jaw, nose, and temple) Mandibular, NOS Submental</p> <p>Neck: Mandibular, NOS Submental</p>	*	D	RN
13	Satellite nodule(s) or in-transit metastases, NOS (distance from primary tumor not stated) WITHOUT regional lymph node involvement or regional nodes not stated.	N2c	RE	RE
14	Satellite nodule(s) or in-transit metastases less than or equal to 2cm from primary tumor WITHOUT regional lymph node involvement or involvement of regional nodes not stated	N2c	RE	RE

15	Satellite nodule(s) or in-transit metastases greater than 2cm from primary tumor WITHOUT regional lymph node involvement or involvement of regional nodes not stated.	N2c	RE	RN
17	Matted lymph nodes in code 10	N3	RN	RN
18	Matted lymph nodes in code 12	N3	D	RE + RN
20	Satellite nodule(s) or in-transit metastases WITH regional lymph nodes listed in code 10	N3	RE + RN	RE + RN
22	Satellite nodule(s) or in-transit metastases WITH regional lymph nodes listed in code 12.	N3	D	RE + RN
80	Lymph nodes, NOS	*	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Malignant Melanoma of Skin, Vulva, Penis, Scrotum

Reg LN Pos (Revised: 08/18/2006)

Note 1: Record this field even if there has been preoperative treatment.

Note 2: Although satellite nodules and in-transit metastasis are coded under CS Lymph Nodes, DO NOT count as Reg LN Pos in this field.

Code	Description
00	All nodes examined negative.
01-89	01 - 89 nodes positive (code exact number of nodes positive)
90	90 or more nodes positive
95	Positive aspiration or core biopsy of lymph node(s)
97	Positive nodes - number unspecified
98	No nodes examined
99	Unknown if nodes are positive; not applicable Not documented in patient record

Malignant Melanoma of Skin, Vulva, Penis, Scrotum**Reg LN Exam (Revised: 08/18/2006)**

Note: Although satellite nodules and in-transit metastasis are coded under CS Lymph Nodes, DO NOT count as Reg LN Exam in this field.

Code	Description
00	No nodes examined
01-89	01 - 89 nodes examined (code exact number of regional lymph nodes examined)
90	90 or more nodes examined
95	No regional nodes removed, but aspiration or core biopsy of regional nodes performed
96	Regional lymph node removal documented as sampling and number of nodes unknown/not stated
97	Regional lymph node removal documented as dissection and number of nodes unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection; nodes examined, but number unknown
99	Unknown if nodes were examined; not applicable or negative Not documented in patient record

Malignant Melanoma of Skin, Vulva, Penis, Scrotum**CS Mets at DX (Revised: 08/22/2006)**

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
05	Underlying cartilage, bone, skeletal muscle	*	D	D
10	Distant lymph node(s)	*	D	D
40	Distant metastasis, NOS	*	D	D
42	Metastases to skin or subcutaneous tissue beyond regional lymph nodes	*	D	D
43	Lung	*	D	D
44	All other visceral sites Carcinomatosis Other distant sites	M1c	D	D

52	(10) + (42)	*	D	D
53	(10) + (43)	*	D	D
54	(10) + (44)	M1c	D	D
99	Unknown Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

Site Specific Surgery Codes**Skin****C440–C449**

(Except for M9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Codes

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser ablation

No specimen sent to pathology from surgical events 10–14

- 20 Local tumor excision, NOS
 - 26 Polypectomy
 - 27 Excisional biopsy

Any combination of 20 or 26–27 WITH

- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation

[SEER Note: Codes 21 to 24 above combine 20 Local tumor excision, 26 Polypectomy or 27 Excisional biopsy with 21 PDT, 22 Electrocautery, 23 Cryosurgery, or 24 Laser ablation]

- 25 Laser excision

Specimen sent to pathology from surgical events 20–27

[SEER Notes: Code UVB phototherapy for mycosis fungoides primaries under Surgery of Primary Site for skin. Assign code 11 if there is no pathology specimen. Assign code 21 if there is a pathology specimen. Codes 20-27 include shave and wedge resection]

- 30 Biopsy of primary tumor followed by a gross excision of the lesion (does not have to be done under the same anesthesia)
 - 31 Shave biopsy followed by a gross excision of the lesion
 - 32 Punch biopsy followed by a gross excision of the lesion
 - 33 Incisional biopsy followed by a gross excision of the lesion
 - 34 Mohs surgery, NOS
 - 35 Mohs with 1-cm margin or less
 - 36 Mohs with more than 1-cm margin

[**SEER Notes:** Codes 30 to 33 include less than a wide excision, less than or equal to 1 cm margin or margins are unknown. If it is stated to be a wide excision or reexcision, but the margins are unknown, code to 30. Code 45 represents a wide excision in which it is known that the margins of excision are greater than 1 cm.]

- 45 Wide excision or reexcision of lesion or minor (local) amputation with margins more than 1 cm, NOS. Margins **MUST** be microscopically negative.
- 46 WITH margins more than 1 cm and less than or equal to 2 cm
- 47 WITH margins greater than 2 cm

If the excision does not have microscopically negative margins greater than 1 cm, use the appropriate code, 20-36.

- 60 Major amputation
- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate **ONLY**

Site Specific Surgery Codes**All Other Sites**

C142–C148, C170–C179, C239, C240–C249, C260–C269, C300–C301, C310–C319, C339, C379, C380–C388, C390–C399, C480–C488, **C510–C519**, C529, C570–C579, C589, **C600–C609**, **C630–C639**, C680–C689, C690–C699, C740–C749, C750–C759

(Except for M9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Codes

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from surgical events 10–14

- 20 Local tumor excision, NOS
 - 26 Polypectomy
 - 27 Excisional biopsy

Any combination of 20 or 26–27 WITH

- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation

[**SEER Note:** Codes 21 to 24 above combine 20 local tumor excision, 26 Polypectomy or 27 Excisional biopsy with 21 PDT, 22 Electrocautery, 23 Cryosurgery, or 24 Laser ablation]

- 25 Laser excision

Specimen sent to pathology from surgical events 20–27

- 30 Simple/partial surgical removal of primary site
- 40 Total surgical removal of primary site; enucleation
 - 41 Total enucleation (for eye surgery only)
- 50 Surgery stated to be “debulking”
- 60 Radical surgery
 - Partial or total removal of the primary site WITH a resection in continuity (partial or total removal) with other organs

[**SEER Note:** In continuity with or “en bloc” means that all of the tissues were removed during the same procedure, but not necessarily in a single specimen]

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY