

**Malignant Melanoma of Anterior Surface of Epiglottis****C10.1****M-8720-8790**

C10.1 Anterior surface of epiglottis

**Melanoma Epiglottis Anterior****CS Tumor Size**

See Standard Table

**Melanoma Epiglottis Anterior****CS Extension**

**Note 1:** AJCC does not include a Tis or TX category for melanoma of mucosa of head and neck sites. CS Extension codes of 000 and 999 are mapped to NA and AJCC stage group is derived as NA.

**Note 2:** AJCC does not include a T1 or T2 category for mucosal melanoma of head and neck sites.

**Note 3:** Use codes 200, 315, 320, 335, 345, 350, and 351 for extension involving the mucosa only of adjacent sites. Use higher codes for extension involving deeper tissues of the primary or adjacent sites.

**Note 4:** Use code 300 for localized tumor only if no information is available to assign code 105, 200, 315, 345, or 363.

**Note 5:** Use code 352, 725, 810, or 815 if the physician's assignment of T category is the only information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive	NA	NA	IS	IS
100	<b>OBSOLETE DATA RETAINED V0200</b> Invasive tumor confined to anterior surface of epiglottis with normal vocal cord mobility	ERROR	NA	L	L
105	Tumor confined to mucosa of anterior surface of epiglottis with normal vocal cord mobility	T3	NA	L	L
200	Tumor confined to mucosa of adjacent subsite(s) of oropharynx	T3	NA	L	L
300	Localized, NOS	T3	NA	L	L
310	<b>OBSOLETE DATA RETAINED V0200</b> Vallecula without fixation of larynx	ERROR	NA	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
315	Tumor confined to mucosa of vallecula WITHOUT fixation of larynx	T3	NA	L	L
320	Mucosa of adjacent subsite(s) of supraglottis (including posterior surface of epiglottis) WITHOUT fixation of larynx	T3	NA	RE	RE
330	<b>OBSOLETE DATA RETAINED V0200</b> Larynx, glottic or NOS, without fixation of larynx	ERROR	NA	RE	RE
335	Mucosa of larynx, glottis or NOS WITHOUT fixation of larynx	T3	NA	RE	RE
340	<b>OBSOLETE DATA RETAINED V0200</b> Pyriform sinus, medial wall or NOS, without fixation of larynx	ERROR	NA	L	L
345	Mucosa of pyriform sinus, medial wall or NOS WITHOUT fixation of larynx	T3	NA	L	L
350	Mucosa of base of tongue WITHOUT fixation of larynx	T3	NA	RE	RE
351	Buccal mucosa Mucosa of floor of mouth Mucosa of gum (gingival)	T3	NA	RE	RE
352	Stated as T3 with no other information on extension	T3	NA	L	L
360	<b>OBSOLETE DATA CONVERTED V0200</b> See code 365 Any of (100) to (350) with vocal cord fixation	ERROR	ERROR	ERROR	ERROR

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
363	Involvement of deep tissue or musculature of any structure in codes 100 - 315 Soft tissue, NOS	T4a	NA	L	L
365	Involvement of any structure in codes 100 - 350 WITH vocal cord fixation	T4a	NA	RE	RE
368	Involvement of deep tissue or musculature of any structure in codes 320 - 351	T4a	NA	RE	RE
370	Paraglottic space Pre-epiglottic tissues	T4a	NA	RE	RE
380	Minor thyroid cartilage erosion (inner cortex)	T4a	NA	D	D
390	Hypopharynx, NOS Postcricoid area Pyriform sinus except medial wall (see code 340)	T4a	NA	RE	RE
430	390 + 280 Any structure in 390 + Minor thyroid cartilage erosion	T4a	NA	D	D
450	Soft palate, inferior surface including uvula, or soft palate, NOS	T4a	NA	RE	RE
470	Nasopharynx, NOS Soft palate, superior (nasopharyngeal) surface	T4a	NA	RE	RE
500	<b>OBSOLETE DATA RETAINED V0200</b> Base of tongue, except mucosa (see code 350) Buccal mucosa (inner cheek) Floor of mouth	ERROR	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
500 cont'd	Gum (gingiva)	ERROR	NA	RE	RE
620	Soft tissues of neck	T4a	NA	RE	RE
650	Pterygoid muscle	T4a	NA	RE	RE
660	450- to 650 +380 or 430 Any structure in 450 to 650 plus minor thyroid cartilage erosion coded in 380 or 430	T4a	NA	D	D
670	Invasion through thyroid cartilage (see also code 380) Thyroid cartilage, NOS Cartilage, NOS	T4a	NA	D	D
680	Trachea	T4a	NA	D	D
690	Esophagus Strap muscles: Omohyoid Sternohyoid Sternothyroid Thyrohyoid Thyroid	T4a	NA	D	D
700	Extrinsic muscles of tongue: Genioglossus Geniohyoid Hyoglossus Mylohyoid Palatoglossus Styloglossus	T4a	NA	D	D
710	Bone excluding base of skull Bone, NOS Overlying skin Hard palate Anterior two-thirds of tongue	T4a	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
710 cont'd	Parotid gland	T4a	NA	D	D
725	Stated as T4a with no other information on extension	T4a	NA	L	L
750	Prevertebral fascia or muscle Prevertebral space	T4b	NA	D	D
770	750 + 660 to 700 Any structure in 750 plus any structure coded in 660 through 700	T4b	NA	D	D
790	Contiguous extension: Carotid artery (encased) Mediastinal structures	T4b	NA	D	D
800	<b>OBSOLETE DATA RETAINED V0200</b> Further contiguous extension, including: Anterior 2/3 of tongue Bone Encases carotid artery Hard palate Mandible Mediastinal structures Parotid gland	T4b	NA	D	D
801	Further contiguous extension including: Base of skull Brain Dura Lower cranial nerves (IX, X, XI, XII) Masticator space	T4b	NA	D	D
810	Stated as T4b with no other information on extension	T4b	NA	D	D
815	Stated as T4 [NOS] with no other information on extension	T4NOS	NA	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
950	<b>OBSOLETE DATA RETAINED V0200</b> No evidence of primary tumor	ERROR	NA	U	U
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	NA	NA	U	U

**Melanoma Epiglottis Anterior****CS Tumor Size/Ext Eval**

See Standard Table

**Melanoma Epiglottis Anterior****CS Lymph Nodes**

**Note 1:** For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Rules, Section 2.

**Note 2:** For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in CS Site-Specific Factors 1, 3-9.

**Note 3:** For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

**Note 4:** The description of lymph nodes has been standardized across the head and neck schemas. All lymph node levels and groups listed here are considered regional nodes for AJCC staging.

Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

**Note 5:** Level IV nodes have been moved from code 100 in CS Version 1 to code 120. Mandibular nodes are included with Facial nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	NA	NONE	NONE
100	Positive regional node(s): Level II - Upper jugular: Jugulodigastric (subdigastric) Upper deep cervical Level IIA - Anterior Level IIB - Posterior Level III - Middle jugular: Middle deep cervical	N1	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Retropharyngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node(s), NOS	N1	NA	RN	RN
110	Positive regional node(s): Level I: Level IA - Submental Level IB - Submandibular (submaxillary), sublingual	N1	NA	D	RN
120	Positive regional node(s): Level IV - Lower jugular: Jugulo-omohyoid (supraomohyoid) Lower deep cervical Virchow node Level V - Posterior triangle group: Posterior cervical Level VA - Spinal accessory Level VB - Transverse cervical, supraclavicular (see Note 3) Level VI-Anterior compartment group: Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal Pretracheal - above suprasternal notch Recurrent laryngeal Level VII- Superior mediastinal group (for other mediastinal nodes see CS Mets at DX): Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups:	N1	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preauricular Parapharyngeal Retroauricular (mastoid) Suboccipital	N1	NA	D	D
180	Stated as N1 with no other information on regional lymph nodes	N1	NA	RN	RN
190	<b>OBSOLETE DATA RETAINED V0200;</b> Stated as N2a, no other information	ERROR	NA	RN	RN
200	<b>OBSOLETE DATA RETAINED V0200;</b> Multiple positive ipsilateral nodes listed in code 100	ERROR	NA	RN	RN
210	<b>OBSOLETE DATA RETAINED V0200;</b> Multiple positive ipsilateral nodes listed in code 110	ERROR	NA	D	RN
220	<b>OBSOLETE DATA RETAINED V0200;</b> Multiple positive ipsilateral nodes listed in code 120	ERROR	NA	D	D
290	<b>OBSOLETE DATA RETAINED V0200;</b> Stated as N2b, no other information	ERROR	NA	RN	RN
300	<b>OBSOLETE DATA RETAINED V0200;</b> Regional lymph nodes as listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
310	<b>OBSOLETE DATA RETAINED V0200;</b> Regional lymph nodes as listed in code 110 Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	RN
320	<b>OBSOLETE DATA RETAINED V0200;</b> Regional lymph nodes as listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	D
400	<b>OBSOLETE DATA RETAINED V0200;</b> Regional lymph nodes as listed in code 100: Positive bilateral or contralateral nodes	ERROR	NA	RN	RN
410	<b>OBSOLETE DATA RETAINED V0200;</b> Regional lymph nodes as listed in code 110 Positive bilateral or contralateral nodes	ERROR	NA	D	RN
420	<b>OBSOLETE DATA RETAINED V0200;</b> Regional lymph nodes as listed in code 120: Positive bilateral or contralateral nodes	ERROR	NA	D	D
490	<b>OBSOLETE DATA RETAINED V0200;</b> Stated as N2c, no other information	ERROR	NA	RN	RN
500	<b>OBSOLETE DATA RETAINED V0200;</b> Regional lymph nodes as listed in code 100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	RN	RN
510	<b>OBSOLETE DATA RETAINED V0200;</b> Regional lymph nodes as listed in code 110	ERROR	NA	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
510 cont'd	Positive node(s), not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	ERROR	NA	D	RN
520	<b>OBSOLETE DATA RETAINED V0200;</b> Regional lymph nodes as listed in code 120: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	D	D
600	<b>OBSOLETE DATA RETAINED V0200;</b> Stated as N2, NOS	ERROR	NA	RN	RN
700	<b>OBSOLETE DATA RETAINED V0200;</b> Stated as N3, no other information	ERROR	NA	RN	RN
800	Lymph nodes, NOS	N1	NA	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NA	U	U

**Melanoma Epiglottis Anterior  
CS Lymph Nodes Eval  
See Standard Table**

**Melanoma Epiglottis Anterior  
Regional Nodes Positive  
See Standard Table**

**Note:** Record this field even if there has been preoperative treatment.

**Melanoma Epiglottis Anterior  
Regional Nodes Examined  
See Standard Table**

**Melanoma Epiglottis Anterior****CS Mets at DX**

**Note:** Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

<b>Code</b>	<b>Description</b>	<b>TNM 7 Map</b>	<b>TNM 6 Map</b>	<b>SS77 Map</b>	<b>SS2000 Map</b>
00	No distant metastasis	M0	NA	NONE	NONE
10	Distant lymph node(s): Mediastinal (excluding superior mediastinal nodes) Distant lymph node(s), NOS	M1	NA	D	D
40	Distant metastasis except distant lymph node(s) Carcinomatosis	M1	NA	D	D
50	40 + 10 Distant metastasis plus distant lymph node(s)	M1	NA	D	D
60	Distant metastasis, NOS Stated as M1 with no other information on distant metastasis	M1	NA	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	NA	U	U

**Melanoma Epiglottis Anterior****CS Mets Eval****See Standard Table**

**Note:** This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed.