

Malignant Melanoma of Nasopharynx (including Pharyngeal Tonsil)**C11.0-C11.3, C11.8-C11.9****M-8720-8790**

C11.0 Superior wall of nasopharynx

C11.1 Posterior wall of nasopharynx (including pharyngeal tonsil)

C11.2 Lateral wall of nasopharynx

C11.3 Anterior wall of nasopharynx

C11.8 Overlapping lesion of nasopharynx

C11.9 Nasopharynx, NOS

Melanoma Nasopharynx**CS Tumor Size****See Standard Table****Melanoma Nasopharynx****CS Extension**

Note 1: AJCC does not include a Tis or TX category for melanoma of mucosa of head and neck sites. CSExtension codes of 000 and 999 are mapped to NA and AJCC stage group is derived as NA.

Note 2: AJCC does not include a T1 or T2 category for mucosal melanoma of head and neck sites.

Note 3: Use codes 310 and 315 for extension involving the mucosa only of adjacent sites. Use higher codes for extension involving deeper tissues of the primary or adjacent sites.

Note 4: Use code 300 for localized tumor only if no information is available to assign code 105, 205, 250, 440, or 510.

Note 5: Use code 440, 725, 810, or 815 if the physician's assignment of T category is the only information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive	NA	NA	IS	IS
100	OBSOLETE DATA RETAINED V0200 Invasive tumor confined to one of the following subsites: Inferior wall (superior surface of soft palate) One lateral wall Posterior superior wall (vault)	ERROR	NA	L	L
105	Tumor involving mucosa only of one of the following subsites: Inferior wall (superior surface of soft palate) One lateral wall	T3	NA	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
105 cont'd	Posterior superior wall (vault)	T3	NA	L	L
200	OBSOLETE DATA RETAINED V0200 Involvement of two or more subsites: Lateral wall extending into eustachian tube/middle ear Posterior, inferior, or lateral wall(s)	ERROR	NA	L	L
205	Tumor involving mucosa only of two or more subsites: Lateral wall extending into Eustachian tube/middle ear Posterior, inferior, or lateral wall(s)	T3	NA	L	L
250	Tumor involving mucosa only of nasopharynx, NOS	T3	NA	L	L
300	OBSOLETE DATA RETAINED V0200; Confined to nasopharynx Localized, NOS	T3	NA	L	L
305	Localized, NOS	T3	NA	L	L
310	Tumor involving mucosa only: Nasal cavity Oropharynx Soft palate including uvula	T3	NA	RE	RE
315	Tumor involving mucosa only: Hard palate Paranasal sinus	T3	NA	D	RE
400	OBSOLETE DATA RETAINED V0200 Oropharynx Soft palate	ERROR	NA	RE	RE
440	Stated as T3 with no other information on extension	T3	NA	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
500	OBSOLETE DATA RETAINED V0200 Nasal cavity	ERROR	NA	RE	RE
510	Involvement of deep soft tissues or musculature of any structure in code 105 or 250	T4a	NA	L	L
515	510 + 310 Involvement of deep soft tissues or musculature of any structure in code 105 or 250 plus involvement of mucosa of any structure in code 310	T4a	NA	RE	RE
520	OBSOLETE DATA CONVERTED V0203 ; See code 545 510 + 315 (Involvement of deep soft tissues or musculature of any structure in code 105, 205, or 250 + Involvement of mucosa of any structure in code 315)	ERROR	ERROR	ERROR	ERROR
530	Involvement of deep soft tissues or musculature of any structure in code 310	T4a	NA	RE	RE
535	Involvement of any structure in codes 105 to 310 WITH tumor described as FIXED	T4a	NA	RE	RE
540	Involvement of any structure in codes 105 to 310 WITH parapharyngeal extension	T4a	NA	RE	RE
545	(510 - 540) + 315 Involvement of deep soft tissues or musculature of any structure in codes 510 - 540 with involvement of mucosa of any structure in code 315	T4a	NA	D	RE
550	OBSOLETE DATA RETAINED	ERROR	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
550 cont'd	V0200 Any extension coded in 100-500 WITH fixation or tumor Described only as FIXED	ERROR	NA	RE	RE
555	Bony involvement of any structure in code 315	T4a	NA	D	RE
560	OBSOLETE DATA RETAINED V0200 Any extension coded in 100-500 WITH parapharyngeal extension	ERROR	NA	RE	RE
570	OBSOLETE DATA RETAINED V0200 Hard palate	ERROR	NA	D	RE
580	Pterygopalatine fossa WITHOUT bone invasion	T4a	NA	RE	RE
600	OBSOLETE DATA RETAINED V0200 Bone, including Skull	ERROR	NA	RE	RE
610	Bone excluding base of skull Cartilage, NOS Bone, NOS	T4a	NA	RE	RE
620	OBSOLETE DATA RETAINED V0200 Paranasal sinus	ERROR	NA	D	RE
630	(580 or 610) + (315 or 555) Involvement of any structure in code 580 or 610 plus any involvement of structures in code 315	T4a	NA	D	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
650	<p>OBSOLETE DATA REVIEWED AND CHANGED V0200 In CSv1 extension to the orbit was included in both codes 650 and 700. In addition the instructions for coding invasion of orbital bone were not clear. Codes 650 and 700 should be reviewed for orbital involvement. Involvement of bone of floor of orbit should be coded 760, and other orbit involvement should be coded 790. Orbit</p>	ERROR	ERROR	ERROR	ERROR
670	Hypopharynx Overlying skin Soft tissues of neck	T4a	NA	D	D
700	<p>OBSOLETE DATA REVIEWED AND CHANGED V0200 See note in code 650 Brain Cranial nerves Hypopharynx Infratemporal fossa Orbit Intracranial extension, NOS</p>	ERROR	ERROR	ERROR	ERROR
710	<p>OBSOLETE DATA REVIEWED AND CHANGED V0203 Code 710 included in error in CSv2: V0200, V0202 with the tag OBSOLETE DATA RETAINED V0200. Code 710 should not be entered on any case. See note in code 650; see codes 670, 760, 790. Brain Cranial nerves Hypopharynx Infratemporal fossa Orbit Intracranial extension, NOS</p>	ERROR	ERROR	ERROR	ERROR

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
725	Stated as T4a with no other information on extension	T4a	NA	L	L
750	OBSOLETE DATA CONVERTED V0200 See code 790 Masticator space	ERROR	ERROR	ERROR	ERROR
760	Skull base including floor of orbit	T4b	NA	RE	RE
765	760 + (315, 555) Base of skull including floor of orbit plus any involvement of structures in code 315 or 555	T4b	NA	D	RE
770	760 + 670 Base of skull including floor or orbit plus any involvement of structures in code 670	T4b	NA	D	D
790	Contiguous extension: Brain Dura Intracranial extension, NOS Lower cranial nerves (IX, X, XI, XII) Masticator space/infratemporal fossa Orbit	T4b	NA	D	D
800	OBSOLETE DATA RETAINED V0200 Further contiguous extension Soft tissues of the neck	ERROR	NA	D	D
801	Further contiguous extension: Carotid artery (encased) Mediastinal structures Prevertebral space	T4b	NA	D	D
810	Stated as T4b with no other information on extension	T4b	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
815	Stated as T4 [NOS] with no other information on extension	T4NOS	NA	L	L
950	OBSOLETE DATA RETAINED V0200 No evidence of primary tumor	ERROR	NA	U	U
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	NA	NA	U	U

Melanoma Nasopharynx
CS Tumor Size/Ext Eval
 See Standard Table

Melanoma Nasopharynx
CS Lymph Nodes

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Rules, Section 2.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in CS Site-Specific Factors 1, 3-9.

Note 3: For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

Note 4: The description of lymph nodes has been standardized across the head and neck schemas. All lymph node levels and groups listed here are considered regional nodes for AJCC staging. Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

Note 5: Retropharyngeal nodes have been moved from code 120 in CS Version 1 to code 050. Spinal accessory nodes have been moved from code 750 to code 110. Lower deep cervical and transverse cervical nodes have been moved from code 750 to code 120. Mandibular nodes are included with Facial nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	NA	NONE	NONE
050	Positive regional node(s): Retropharyngeal	N1	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100	Positive regional node(s): Level II - Upper jugular: Jugulodigastric (subdigastric) Upper deep cervical Level IIA - Anterior Level IIB - Posterior Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node(s), NOS	N1	NA	RN	RN
110	Positive regional node(s): Level I: Level IA - Submental Level IB - Submandibular (submaxillary), sublingual Level VA - Spinal accessory	N1	NA	D	RN
120	Positive regional node(s): Level III - Middle jugular: Middle deep cervical Level IV - Lower jugular: Jugulo-omohyoid (supraomohyoid) Lower deep cervical Virchow node Level V - Posterior triangle group: Level VB - Transverse cervical, supraclavicular (see Note 3) Level VI - Anterior compartment group: Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal Pretracheal - above suprasternal notch Recurrent laryngeal Level VII - Superior mediastinal	N1	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	<p>group:(for other mediastinal nodes see CS Mets at DX):</p> <p>Esophageal groove</p> <p>Paratracheal - below suprasternal notch</p> <p>Pretracheal - below suprasternal notch</p> <p>Other groups:</p> <p>Facial:</p> <p>Buccinator (buccal)</p> <p>Mandibular</p> <p>Nasolabial</p> <p>Parotid:</p> <p>Infraauricular</p> <p>Intraparotid</p> <p>Periparotid</p> <p>Preauricular</p> <p>Parapharyngeal</p> <p>Retroauricular (mastoid)</p> <p>Suboccipital</p>	N1	NA	D	D
180	Stated as N1 with no other information on regional lymph nodes	N1	NA	RN	RN
190	<p>OBSOLETE DATA CONVERTED V0203</p> <p>Code 190 included in error in CSv2: V0200, V0202 with the tag</p> <p>OBSOLETE DATA RETAINED V0200.</p> <p>Code 190 should not be entered on any case. Code 190 will be converted to code 600 for any case that may have been coded 190 in error.</p> <p>Stated as N2a, no other information</p>	ERROR	ERROR	ERROR	ERROR
200	<p>OBSOLETE DATA RETAINED V0200</p> <p>Multiple positive ipsilateral nodes listed in code 100</p>	ERROR	NA	RN	RN
210	OBSOLETE DATA RETAINED	ERROR	NA	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
210 cont'd	V0200 ; Multiple positive ipsilateral nodes listed in code 110	ERROR	NA	D	RN
220	OBSOLETE DATA RETAINED V0200 Stated as N2a, no other information	ERROR	NA	D	D
290	OBSOLETE DATA CONVERTED V0203 Code 290 included in error in CSv2: V0200, V0202 with the tag OBSOLETE DATA RETAINED V0200 Code 290 should not be entered on any case. Code 290 will be converted to code 600 for any case that may have been coded 290 in error. Stated as N2b, no other information	ERROR	ERROR	ERROR	ERROR
300	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	RN	RN
310	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 110 Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	RN
320	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	D
400	OBSOLETE DATA RETAINED V0200	ERROR	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
400 cont'd	Regional lymph nodes as listed in code 100: Positive bilateral or contralateral nodes	ERROR	NA	RN	RN
410	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 110 Positive bilateral or contralateral nodes	ERROR	NA	D	RN
420	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive bilateral or contralateral nodes	ERROR	NA	D	D
490	OBSOLETE DATA CONVERTED V0203 Code 490 included in error in CSV2: V0200, V0202 with the tag OBSOLETE DATA RETAINED V0200 Code 490 should not be entered on any case. Code 490 will be converted to code 600 for any case that may have been coded 490 in error. Stated as N2c, no other information	ERROR	ERROR	ERROR	ERROR
500	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	RN	RN
510	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 110 Positive node(s), not stated if ipsilateral, or bilateral, or contralateral	ERROR	NA	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
510 cont'd	AND not stated if single or multiple	ERROR	NA	D	RN
520	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	D	D
600	OBSOLETE DATA RETAINED V0200 Stated as N2, NOS	ERROR	NA	RN	RN
700	OBSOLETE DATA RETAINED V0200 Stated as N3, no other information	ERROR	NA	RN	RN
750	OBSOLETE DATA RETAINED V0200 Regional lymph nodes in the supraclavicular fossa: Inferior deep cervical (scalene) Spinal accessory (posterior cervical) Supraclavicular (transverse cervical) (See Note 3)	ERROR	NA	D	D
800	Lymph nodes, NOS	N1	NA	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NA	U	U

Melanoma Nasopharynx
CS Lymph Nodes Eval
See Standard Table

Melanoma Nasopharynx**Regional Nodes Positive****See Standard Table**

Note: Record this field even if there has been preoperative treatment.

Melanoma Nasopharynx**Regional Nodes Examined****See Standard Table****Melanoma Nasopharynx****CS Mets at DX**

Note: Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	NA	NONE	NONE
10	Distant lymph node(s): Mediastinal (excluding superior mediastinal nodes) Distant lymph node(s), NOS	M1	NA	D	D
40	Distant metastasis except distant lymph node(s) Carcinomatosis	M1	NA	D	D
50	40 + 10; Distant metastasis plus distant lymph node(s)	M1	NA	D	D
60	Distant metastasis, NOS Stated as M1 with no other information on distant metastasis	M1	NA	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	NA	U	U

Melanoma Nasopharynx**CS Mets Eval****See Standard Table**

Note: This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed