

**Hypopharynx****Pyriform Sinus, Hypopharynx, Laryngopharynx (excluding Malignant Melanoma)****C12.9, C13.0-C13.2, C13.8-C13.9**

C12.9 Pyriform sinus

C13.0 Postcricoid region

C13.1 Hypopharyngeal aspect of aryepiglottic fold

C13.2 Posterior wall of hypopharynx

C13.8 Overlapping lesion of hypopharynx

C13.9 Hypopharynx, NOS (laryngopharynx)

**Hypopharynx****CS Tumor Size****See Standard Table**

**Note:** Code the specific tumor size to the nearest millimeter (mm) as documented in the medical record. Use codes 990-995 only if a specific measurement is not available.

**Hypopharynx****CS Extension**

**Note 1:** If there is fixation of hemilarynx or larynx, code to 550, not 420 or 450.

**Note 2:** Use code 300 for localized tumor only if no information is available to assign code 100, 200, or 305.

**Note 3:** Use code 305, 455, 565, 638, 810, or 815 if the physician's assignment of T category is the only information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive	Tis	Tis	IS	IS
100	Invasive tumor confined to one of the following subsites: Laryngopharynx Postcricoid area Posterior pharyngeal wall Pyriform sinus	^	*	L	L
150	<b>OBSOLETE DATA CONVERTED V0200;</b> See code 420 Code 100 with tumor fixation	ERROR	ERROR	ERROR	ERROR
200	Tumor invades more than one subsite of hypopharynx (listed in code 100) WITHOUT fixation of hemilarynx	^	*	L	L
300	Localized, NOS	^	*	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
305	Stated as T1 with no other information on extension	^	*	L	L
400	Oropharynx	^	*	RE	RE
420	Code 100 with tumor fixation WITHOUT fixation of hemilarynx	^	*	RE	RE
450	Code 200, 300, or 400 with tumor fixation WITHOUT fixation of hemilarynx	^	*	RE	RE
455	Stated as T2 with no other information on extension	^	*	L	L
500	Larynx WITHOUT fixation	^	*	RE	RE
510	<b>OBSOLETE DATA CONVERTED V0104</b> ; See code 450 Any of codes 100-400 WITH fixation of tumor or fixation, NOS	ERROR	ERROR	ERROR	ERROR
550	Fixation of hemilarynx or larynx	T3	T3	RE	RE
560	Esophagus	T3	T4a	RE	RE
565	Stated as T3 with no other information on extension	T3	T3	RE	RE
600	Central compartment soft tissues of neck including: Prelaryngeal strap muscles Subcutaneous fat	T4a	T4a	RE	RE
610	<b>OBSOLETE DATA CONVERTED V0200</b> Assigned to T3 in AJCC7, see code 560 Esophagus	ERROR	ERROR	ERROR	ERROR
620	Thyroid gland	T4a	T4a	D	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
630	Cricoid cartilage Thyroid cartilage	T4a	T4a	D	RE
635	Hyoid bone	T4a	T4a	D	D
638	Stated as T4a with no other information on extension	T4a	T4a	RE	RE
640	Prevertebral fascia/muscle(s)	T4b	T4b	RE	RE
645	640 + 635 Prevertebral fascia/muscles plus hyoid bone	T4b	T4b	D	D
650	Carotid artery (encased)	T4b	T4b	D	RE
655	650 + 635 Carotid aratery plus hyoid bone	T4b	T4b	D	D
660	<b>OBSOLETE DATA CONVERTED V0200</b> ; See code 635 Hyoid bone	ERROR	ERROR	ERROR	ERROR
700	Mediastinal structures	T4b	T4b	D	D
760	Base of tongue Floor of mouth Nasopharynx	T4b	T4b	D	D
800	Further contiguous extension	T4b	T4b	D	D
810	Stated as T4b with no other information on extension	T4b	T4b	D	D
815	Stated as T4 [NOS] with no other information on extension	T4NOS	T4NOS	RE	RE
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown; extension not stated	TX	TX	U	U

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
99 cont'd	Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

^ For CS Extension codes 100, 200, 300, 305, 400, 420, 450, and 500 ONLY, the T category for AJCC 7 staging is assigned based on the value of CS Tumor Size and CS Extension as shown in the Extension Size Table for this schema.

\* For CS Extension codes 100, 200, 300, 305, 400, 420, 450, and 500 ONLY, the T category for AJCC 6 staging is assigned based on the value of CS Tumor Size and CS Extension as shown in the Extension Size Table for this schema.

## Hypopharynx

### CS Tumor Size/Ext Eval

See Standard Table

## Hypopharynx

### CS Lymph Nodes

**Note 1:** For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

**Note 2:** For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in Site-Specific Factors 1,3-9.

**Note 3:** If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

**Note 4:** For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

**Note 5:** The description of lymph nodes has been standardized across the head and neck schemas. All lymph node levels and groups listed here are considered regional nodes for AJCC staging.

Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

**Note 6:** Level II nodes moved from code 100 in CSV1 to code 120.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	Single positive ipsilateral regional node: Level III - Middle jugular: Middle deep cervical Level IV node - Lower jugular: Jugulo-omohyoid (supraomohyoid) Lower deep cervical	^	*	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Virchow node Retropharyngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node, NOS	^	*	RN	RN
110	Single positive ipsilateral regional node: Level I: Level IA - Submental Level IB - Submandibular (submaxillary), sublingual Level VI - Anterior compartment group: Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal Pretracheal - above suprasternal notch Recurrent laryngeal Parapharyngeal	^	*	D	RN
120	Single positive ipsilateral regional node: Level II - Upper jugular: Jugulodigastric (subdigastric) Upper deep cervical Level IIA - Anterior Level IIB - Posterior Level V - Posterior triangle group: Posterior cervical Level VA - Spinal accessory Level VB - Transverse cervical, supraclavicular (see Note 4) Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX): Esophageal groove Paratracheal - below suprasternal	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	notch Pretracheal - below suprasternal notch Other groups: Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preauricular Retroauricular (mastoid) Suboccipital	^	*	D	D
180	Stated as N1 with no other information on regional lymph nodes	^	*	RN	RN
190	Stated as N2a with no other information on regional lymph nodes	^	*	RN	RN
200	Multiple positive ipsilateral nodes listed in code 100	^	*	RN	RN
210	Multiple positive ipsilateral nodes, any listed in code 110 WITH or WITHOUT nodes listed in code 100	^	*	D	RN
220	Multiple positive ipsilateral nodes, any listed in code 120 WITH or WITHOUT nodes listed in code 100 or 110	^	*	D	D
290	Stated as N2b with no other information on regional lymph nodes	^	*	RN	RN
300	Positive ipsilateral node(s) listed in code 100, not stated if single or multiple	^	*	RN	RN
310	Positive ipsilateral node(s) listed in code 110, not stated if single or multiple	^	*	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
320	Positive ipsilateral node(s) listed in code 120, not stated if single or multiple	^	*	D	D
400	Positive bilateral or contralateral nodes listed in code 100	^	*	RN	RN
410	Positive bilateral or contralateral nodes, any listed in code 110 WITH or WITHOUT nodes listed in code 100	^	*	D	RN
420	Positive bilateral or contralateral nodes, any listed in code 120 WITH or WITHOUT nodes listed in code 100 or 110	^	*	D	D
490	Stated as N2c with no other information on regional lymph nodes	^	*	RN	RN
500	Positive node(s) listed in code 100, not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	RN	RN
510	Positive node(s) listed in code 110, not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	D	RN
520	Positive node(s) listed in code 120, not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	D	D
600	Stated as N2 [NOS] with no other information on regional lymph nodes	^	*	RN	RN
700	Stated as N3 with no other information on regional lymph nodes	^	*	RN	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; regional lymph nodes not	NX	NX	U	U

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
999 cont'd	stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NX	U	U

^ For codes 100-120, 200-220, 300-320, 400-420, 500-520, and 800 ONLY, the N category for AJCC 7th Edition staging is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table for this site.

\* For codes 100-120, 200-220, 300-320, 400-420, 500-520, and 800 ONLY, the N category for AJCC 6th Edition staging is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table for this site.

### Hypopharynx

#### CS Lymph Nodes Eval

See Standard Table

### Hypopharynx

#### Regional Nodes Positive

See Standard Table

**Note:** Record this field even if there has been preoperative treatment.

### Hypopharynx

#### Regional Nodes Examined

See Standard Table

### Hypopharynx

#### CS Mets at DX

**Note:** Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	M0	NONE	NONE
10	Distant lymph node(s): Mediastinal (excluding superior mediastinal nodes) Distant lymph node(s), NOS	M1	M1	D	D
40	Distant metastases except distant lymph node(s) Carcinomatosis	M1	M1	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
50	40+10 Distant metastasis plus distant lymph node(s)	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1 with no other information on distant metastasis	M1	M1	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

**Hypopharynx****CS Mets Eval****See Standard Table**

**Note:** This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed.

**Hypopharynx****CS Site-Specific Factor 1****Size of Lymph Nodes****Note: See page A-96**

**Note:** Code the largest diameter, whether measured clinically or pathologically, of any involved regional lymph node(s). Do not code the size of any nodes coded in CS Mets at DX.

Code	Description
000	No involved regional nodes
001-979	001 - 979 millimeters (mm); (Exact size of lymph node to nearest mm)
980	980 mm or larger; (Includes cases converted from codes 981-989 during conversion to V0200)
981-987	<b>OBSOLETE DATA CONVERTED V0200;</b> See code 980; 981 - 987 mms
988	Not applicable: Information not collected for this case; (If this item is required by your standard setter, use of code 988 will result in an edit error)
989	<b>OBSOLETE DATA CONVERTED V0200;</b> See code 980; 989 mm or larger

Code	Description
990	Microscopic focus or foci only and no size of focus given
991	Described as "less than 1centimeter (cm)"
992	Described as "less than 2cm" or "greater than 1cm" or "between 1cm and 2cm"
993	Described as "less than 3cm" or "greater than 2cm" or "between 2cm and 3cm"
994	Described as "less than 4cm" or "greater than 3cm" or "between 3cm and 4cm"
995	Described as "less than 5cm" or "greater than 4cm" or "between 4cm and 5cm"
996	Described as "less than 6cm" or "greater than 5cm" or "between 5cm and 6cm"
997	Described as "more than 6cm"
999	Regional lymph node(s) involved, size not stated Unknown if regional lymph nodes involved Not documented in patient record