

**Nasal Cavity****Nasal Cavity (excluding Malignant Melanoma)****C30.0****C30.0 Nasal cavity (excluding nose, NOS C76.0)**

**Note:** Laterality must be coded for this site, except subsites nasal cartilage and nasal septum, for which laterality is coded 0.

**Nasal Cavity****CS Tumor Size**

See Standard Table

**Nasal Cavity****CS Extension**

**Note 1:** The bones of the lateral wall of the nasal cavity include the maxilla, the perpendicular plate of the palatine bone, the medial pterygoid plate, the labyrinth and inferior concha of the ethmoid. The roof of the nasal cavity is formed by the nasal bone. The floor of the nasal cavity, which forms the roof of the mouth, is composed of the bones of the hard palate: the horizontal plate of the palatine bone posteriorly and the palatine process of the maxilla anteriorly.

**Note 2:** "Bony invasion" does not include extension to palate, cribriform plate, or pterygoid plates. Extension to these structures is coded separately.

**Note 3:** Code Base of skull NOS only if no information is available to code to more specific bony structures in the skull.

**Note 4:** In code 700, "minimal extension to anterior cranial fossa" implies tumor pushing through the cribriform plate, but without invasion of the dura or brain.

**Note 5:** Use code 300 for localized tumor only if no information is available to assign code 100, 110, 200, or 410.

**Note 6:** Use code 110, 410, 680, 725, 810, or 815 if the physician's assignment of T category is the only information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive	Tis	Tis	IS	IS
100	Invasive tumor confined to one of the following subsites: Septum Floor Lateral wall, including: Meatus (superior, middle, inferior) Nasal conchae (superior, middle, inferior) Vestibule (edge of naris to mucocutaneous junction) WITHOUT	T1	T1	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	bony invasion	T1	T1	L	L
105	Invasive tumor confined to one subsite listed in code 100 WITH bony invasion	T1	T1	RE	RE
110	Confined to nasal cavity, NOS Stated as T1 with no other information on extension	T1	T1	L	L
200	Invasive tumor confined to two or more subsites listed in code 100 WITHOUT bony invasion	T2	T2	L	L
205	Invasive tumor confined to two or more subsites listed in code 100 WITH bony invasion	T2	T2	RE	RE
300	Localized, NOS	T1	T1	L	L
400	Extending to adjacent region within the nasoethmoidal complex: Nasolacrimal duct Ethmoid sinus Choana WITH or WITHOUT bony invasion	T2	T2	RE	RE
410	Stated as T2 with no further information on extension	T2	T2	RE	RE
600	<b>OBSOLETE DATA REVIEWED AND CHANGED V0203</b> Code 600 defined as "Adjacent organs/structures including: Bone of skull, Choana, Frontal sinus, Hard palate, Nasopharynx" in CSv1. Code 600 defined as "Adjacent organs/structures including: Base of skull NOS, Palate" in CSV2: V0201,	ERROR	ERROR	ERROR	ERROR

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
600 cont'd	V0202. Extension to frontal sinus and extension to nasopharynx were each included in two codes in CSv1. Review and recode all cases to code 400, 610, 690, or 770 as appropriate. Adjacent organs/structures including: Base of skull, NOS Palate	ERROR	ERROR	ERROR	ERROR
610	Adjacent organs/structures including: Base of skull, NOS Hard palate	T3	T3	RE	RE
650	Cribiform plate	T3	T3	RE	RE
660	Maxillary sinus	T3	T3	D	D
670	Medial wall or floor of the orbit	T3	T3	D	D
680	Stated as T3 with no other information on extension	T3	T3	RE	RE
690	Frontal sinus Pterygoid plates	T4a	T4a	RE	RE
695	690 + (660 or 670) Any structure in code 690 plus any structure in code 660 or 670	T4a	T4a	D	D
700	<b>OBSOLETE DATA REVIEWED AND CHANGED V0203</b> Code 700 defined as "Tumor invades: Anterior orbital contents, Skin of nose, Skin of Cheek, Minimal extension to: Anterior cranial fossa, Sphenoid or frontal sinuses" in CSv1. Code 700 defined as "Tumor invades: Anterior orbital contents, skin of nose, Skin of cheek, Anterior cranial fossa (minimal extension),	ERROR	ERROR	ERROR	ERROR

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
700 cont'd	Sphenoid sinus" in CSv2:V0201, V0202. Frontal sinus included in two codes, 600 and 700, in CSv1. Review and recode all cases to codes 690, 695, 705, 740, or 780 as appropriate. Tumor invades: Anterior orbital contents Skin of nose Skin of cheek Anterior cranial fossa Sphenoid sinus	ERROR	ERROR	ERROR	ERROR
705	Anterior orbital contents Skin of nose Skin of cheek Anterior cranial fossa (minimal extension) Sphenoid sinus	T4a	T4a	D	D
710	<b>OBSOLETE DATA CONVERTED V0200; See code 760</b> Tumor invades: Orbital apex Dura Brain Middle cranial fossa Cranial nerves other than (V2), nasopharynx, or clivus	ERROR	ERROR	ERROR	ERROR
725	Stated as T4a with no other information on extension	T4a	T4a	RE	RE
730	Nasopharynx	T4b	T4b	RE	RE
740	730 + (660, 670, 695, 705)	T4b	T4b	D	D
760	<b>OBSOLETE DATA REVIEWED AND CHANGED V0203</b> Nasopharynx included in codes 600 and 710 in CSv1; code 710 converted	ERROR	ERROR	ERROR	ERROR

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
760 cont'd	to 760 in CSv2:0200. Review and recode nasopharynx and other structures to codes 730, 740, 770, or 780 Further contiguous extension including: Brain Clivus Cranial nerves (other than V2, maxillary division of trigeminal nerve) Dura Middle cranial fossa Nasopharynx Orbital apex	ERROR	ERROR	ERROR	ERROR
770	Further contiguous extension including: Brain Clivus Cranial nerves (other than V2, maxillary division of trigeminal nerve) Dura Middle cranial fossa Orbital apex	T4b	T4b	D	D
780	770 + (730, 740)	T4b	T4b	D	D
810	Stated as T4b with no other information on extension	T4b	T4b	D	D
815	Stated as T4 [NOS] with no other information on extension	T4NOS	T4NOS	RE	RE
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

**Nasal Cavity****CS Tumor Size/Ext Eval**

See Standard Table

**Nasal Cavity****CS Lymph Nodes**

**Note 1:** For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Rules, Section 2.

**Note 2:** For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in CS Site-Specific Factors 1, 3-9.

**Note 3:** If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

**Note 4:** For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

**Note 5:** The description of lymph nodes has been standardized across the head and neck schemas. All lymph node levels and groups listed here are considered regional nodes for AJCC staging.

Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

**Note 6:** Mandibular nodes are included with Facial nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	Single positive ipsilateral regional node: Level I: Level IA - Submental Level IB - Submandibular (submaxillary), sublingual Level II - Upper jugular: Jugulodigastric (subdigastric) Upper deep cervical Level IIA - Anterior Level IIB - Posterior Retropharyngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node, NOS	^	*	RN	RN
120	Single positive ipsilateral regional node: Level III - Middle jugular:	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	<p>Middle deep cervical Level IV - Lower jugular: Jugulo-omohyoid (supraomohyoid) Lower deep cervical Level V - Posterior triangle group: Posterior cervical Level VA - Spinal accessory Level VB - Transverse cervical, supraclavicular (see Note 4) Level VI - Anterior compartment group: Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal Pretracheal - above suprasternal notch Recurrent laryngeal Level VII - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX): Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups: Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preparotid Parapharyngeal Retroauricular (mastoid) Suboccipital</p>	^	*	D	D
180	Stated as N1 with no other information on regional lymph nodes	^	*	RN	RN
190	Stated as N2a with no other information on regional lymph nodes	^	*	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
200	Multiple positive ipsilateral nodes listed in code 100	^	*	RN	RN
220	Multiple positive ipsilateral nodes, any listed in code 120 WITH or WITHOUT nodes listed in code 100	^	*	D	D
290	Stated as N2b with no other information on regional lymph nodes	^	*	RN	RN
300	Positive ipsilateral node(s) listed in code 100, not stated if single or multiple or regional	^	*	RN	RN
320	Positive ipsilateral node(s) listed in code 120, not stated if single or multiple	^	*	D	D
400	Positive bilateral or contralateral nodes listed in code 100	^	*	RN	RN
420	Positive bilateral or contralateral nodes, any listed in code 120 WITH or WITHOUT nodes listed in code 100	^	*	D	D
490	Stated as N2c with no other information on regional lymph nodes	^	*	RN	RN
500	Positive node(s) listed in code 100, not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	RN	RN
520	Positive node(s) listed in code 120, not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	D	D
600	Stated as N2 [NOS] with no other information on regional lymph nodes	^	*	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
700	Stated as N3 with no other information on regional lymph nodes	^	*	RN	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NX	U	U

^ For CS Lymph Nodes codes 100-700 ONLY, the N category for AJCC 7 staging is assigned based on the value of CS Site-Specific Factor 1, Size of Lymph Nodes, as shown in the Lymph Nodes Size Table for this schema.

\* For CS Lymph Nodes codes 100-700 ONLY, the N category for AJCC 6 staging is assigned based on the value of CS Site-Specific Factor 1, Size of Lymph Nodes, as shown in the Lymph Nodes Size Table for this schema.

#### Nasal Cavity

#### CS Lymph Nodes Eval

See Standard Table

#### Nasal Cavity

#### Regional Nodes Positive

See Standard Table

Note: Record this field even if there has been preoperative treatment.

#### Nasal Cavity

#### Regional Nodes Examined

See Standard Table

#### Nasal Cavity

#### CS Mets at DX

**Note:** Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	M0	NONE	NONE
10	Distant lymph node(s):	M1	M1	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
10 cont'd	Mediastinal (excluding superior mediastinal nodes) Distant lymph node(s), NOS	M1	M1	D	D
40	Distant metastases except distant lymph node(s) Carcinomatosis	M1	M1	D	D
50	40+10 Distant metastasis plus distant lymph node(s)	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1 with no other information on distant metastasis	M1	M1	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

**Nasal Cavity****CS Mets Eval****See Standard Table**

**Note:** This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed.

**Nasal Cavity****CS Site-Specific Factor 1****Size of Lymph Nodes****Note: See page A-96**

**Note:** Code the largest diameter, whether measured clinically or pathologically, of any involved regional lymph node(s). Do not code the size of any nodes coded in CS Mets at DX.

Code	Description
000	No involved regional nodes
001-979	001 - 979 millimeters (mm) (Exact size of lymph node to nearest mm)

Code	Description
980	980 mm or larger (Includes cases converted from codes 981-989 during conversion to V0200)
981-987	<b>OBSOLETE DATA CONVERTED V0200</b> See code 980 981 - 987 mms
988	Not applicable: Information not collected for this case (If this item is required by your standard setter, use of code 988 will result in an edit error)
989	<b>OBSOLETE DATA CONVERTED V0200</b> See code 980 989 mm or larger
990	Microscopic focus or foci only and no size of focus given
991	Described as "less than 1centimeter (cm)"
992	Described as "less than 2cm" or "greater than 1cm" or "between 1cm and 2cm"
993	Described as "less than 3cm" or "greater than 2cm" or "between 2cm and 3cm"
994	Described as "less than 4cm" or "greater than 3cm" or "between 3cm and 4cm"
995	Described as "less than 5cm" or "greater than 4cm" or "between 4cm and 5cm"
996	Described as "less than 6cm" or "greater than 5cm" or "between 5cm and 6cm"
997	Described as "more than 6cm"
999	Regional lymph node(s) involved, size not stated Unknown if regional lymph nodes involved Not documented in patient record