

Melanoma Nasal Cavity**Malignant Melanoma of Nasal Cavity****C30.0****M-8720-8790****C30.0 Nasal cavity (excludes nose, NOS C76.0)**

Note: Laterality must be coded for this site, except subsites nasal cartilage and nasal septum, for which laterality is coded 0.

Melanoma Nasal Cavity**CS Tumor Size**

See Standard Table

Melanoma Nasal Cavity**CS Extension**

Note 1: AJCC does not include a Tis or TX category for melanoma of mucosa of head and neck sites. CS Extension codes of 000 and 999 are mapped to NA and AJCC stage group is derived as NA.

Note 2: AJCC does not include a T1 or T2 category for mucosal melanoma of head and neck sites.

Note 3: The bones of the lateral wall of the nasal cavity include the maxilla, the perpendicular plate of the palatine bone, the medial pterygoid plate, the labyrinth and inferior concha of the ethmoid. The roof of the nasal cavity is formed by the nasal bone. The floor of the nasal cavity, which forms the roof of the mouth, is composed of the bones of the hard palate: the horizontal plate of the palatine bone posteriorly and the palatine process of the maxilla anteriorly.

Note 4: "Bony invasion" does not include extension to palate, cribriform plate, or pterygoid plates. Extension to these structures is coded separately.

Note 5: Use codes 330 and 340 for extension involving the mucosa only of adjacent sites. Use higher codes for extension involving the deeper tissues of the primary or adjacent sites.

Note 6: Use code 300 for localized tumor only if no information is available to assign code 105, 110, 200, 350, or 380.

Note 7: Use code 350, 725, 810, or 815 if the physician's assignment of T category is the only information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive	NA	NA	IS	IS
100	OBSOLETE DATA RETAINED V0200 Invasive tumor confined to site of origin Meatus (superior, middle, inferior) Nasal chonchae (superior, middle, inferior) Septum Tympanic membrane	ERROR	NA	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
105	Tumor confined to mucosa of one of the following subsites: Septum Floor Lateral wall, including: Meatus (superior, middle, inferior) Nasal conchae (superior, middle, inferior) Vestibule (edge of naris to mucocutaneous junction)	T3	NA	L	L
110	Confined to mucosa of nasal cavity, NOS	T3	NA	L	L
200	Tumor confined to mucosa of two or more subsites listed in code 105	T3	NA	L	L
300	Localized, NOS	T3	NA	L	L
330	Extension involving mucosa only: Ethmoid sinus Choana Frontal sinus Nasopharynx	T3	NA	RE	RE
340	Extension involving mucosa only: Maxillary sinus Sphenoid sinus	T3	NA	D	D
350	Stated as T3 with no other information on extension	T3	NA	L	L
380	Involvement of deep tissues of any structure in code 105 or 110	T4a	NA	L	L
385	380 + 330 Involvement of deep tissues of any structure in code 105 or 110 plus mucosal involvement of any structure in code 330	T4a	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
390	Involvement of any structure in code 105, 110 WITH bony invasion	T4a	NA	RE	RE
400	Extending to adjacent connective tissue within the nasoethmoidal complex Nasolacrimal duct	T4a	NA	RE	RE
450	Hard palate	T4a	NA	RE	RE
490	(385 - 450) + 340 Involvement of any structure in codes 385 - 450 plus mucosal involvement of any structure in code 340	T4a	NA	D	D
500	Involvement of deep tissues or bony involvement of any structure in code 340	T4a	NA	D	D
600	OBSOLETE DATA REVIEWED AND CHANGED V0203 Extension to frontal sinus and extension to nasopharynx were each included in two codes in CSv1. All structures in code 600 should be reviewed and recoded to 610 or 690 as appropriate. Adjacent organs/structures including: Bone of skull Choana Frontal sinus Hard palate Nasopharynx	ERROR	ERROR	ERROR	ERROR
610	OBSOLETE DATA RETAINED V0203 Adjacent organs/structures including: Bone of skull Choana Frontal sinus Hard palate	ERROR	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
650	OBSOLETE DATA CONVERTED V0200 See code 750 Cribiform plate	ERROR	ERROR	ERROR	ERROR
660	OBSOLETE DATA RETAINED V0200 Maxillary sinus	ERROR	NA	RE	RE
670	Medial wall or floor of the orbit	T4a	NA	D	D
690	OBSOLETE DATA RETAINED V0203 Nasopharynx	ERROR	NA	RE	RE
700	OBSOLETE DATA REVIEWED AND CHANGED V0203 Frontal sinus included in codes 600 and 700 in CSv1. Review and recode involvement of frontal sinus to code 610, other structures to code 705. Tumor invades: Anterior orbital contents Skin of nose Skin of cheek Minimal extension to: Anterior cranial fossa Pterygoid plates Sphenoid or frontal sinuses	ERROR	ERROR	ERROR	ERROR
705	OBSOLETE DATA RETAINED V0203 Anterior orbital contents Skin of nose Skin of cheek Anterior cranial fossa (minimal extension) Pterygoid plates Sphenoid sinus	ERROR	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
710	<p>OBSOLETE DATA REVIEWED AND CHANGED V0203</p> <p>Nasopharynx included in codes 600 and 710 in CSv1. Review and recode involvement of nasopharynx to code 690, other structures to code 750 or 795</p> <p>Tumor invades: Orbital apex Dura Brain Middle cranial fossa Cranial nerves other than (V2), nasopharynx, or clivus</p>	ERROR	ERROR	ERROR	ERROR
715	<p>Anterior orbital contents Skin of nose Skin of cheek Pterygoid plates</p>	T4a	NA	D	D
725	Stated as T4a with no other information on extension	T4a	NA	L	L
750	<p>Anterior cranial fossa Base of skull Cribriform plate Clivus Middle cranial fossa</p>	T4b	NA	RE	RE
760	<p>750 + (340, 500, 670, or 705) Involvement of structures in code 750 plus mucosal or deep involvement of structures in code 340 or involvement of structures in code 670 or 705</p>	T4b	NA	D	D
795	<p>Contiguous extension including: Brain Dura Lower cranial nerves (IX, X, XI, XII)</p>	T4b	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
800	<p>OBSOLETE DATA REVIEWED AND CHANGED V0203</p> <p>Middle cranial fossa included in codes 750 and 800 in CSv2:V0201, V0202. Review and recode involvement of middle cranial fossa to code 750 or 760, other structures to code 795. Contiguous extension including:</p> <ul style="list-style-type: none"> Brain Dura Lower cranial nerves (IX, X, XI, XII) Middle cranial fossa Orbital apex 	ERROR	ERROR	ERROR	ERROR
801	<p>Further contiguous extension including:</p> <ul style="list-style-type: none"> Carotid artery (encased) Masticator space Mediastinal structures Prevertebral space 	T4b	NA	D	D
810	Stated as T4b with no other information on extension	T4b	NA	D	D
815	Stated as T4 [NOS] with no other information on extension	T4NOS	NA	L	L
950	<p>OBSOLETE DATA RETAINED V0200</p> <p>No evidence of primary tumor</p>	ERROR	NA	U	U
999	<p>Unknown; extension not stated</p> <p>Primary tumor cannot be assessed</p> <p>Not documented in patient record</p>	NA	NA	U	U

Melanoma Nasal Cavity
CS Tumor Size/Ext Eval
 See Standard Table

Melanoma Nasal Cavity**CS Lymph Nodes**

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Rules, Section 2.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in CS Site-Specific Factors 1, 3-9.

Note 3: For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

Note 4: The description of lymph nodes has been standardized across the head and neck schemas. All lymph node levels and groups listed here are considered regional nodes for AJCC staging.

Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

Note 5: Mandibular nodes are included with Facial nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	NA	NONE	NONE
100	Positive regional node(s): Level I: Level IA - Submental Level IB - Submandibular (submaxillary), sublingual Level II - Upper jugular: Jugulodigastric (subdigastric) Upper deep cervical Level IIA - Anterior Level IIB - Posterior Retropharyngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node(s), NOS	N1	NA	RN	RN
120	Positive regional node(s): Level III - Middle jugular: Middle deep cervical Level IV - Lower jugular: Jugulo-omohyoid (supraomohyoid) Lower deep cervical Virchow node	N1	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	Level V - Posterior triangle group: Posterior cervical Level VA - Spinal accessory Level VB - Transverse cervical, supraclavicular (see Note 3) Level VI - Anterior compartment group: Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal Pretracheal - above suprasternal notch Recurrent laryngeal Level VII - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX): Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups: Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preparotid Parapharyngeal Retroauricular (mastoid) Suboccipital	N1	NA	D	D
180	Stated as N1 with no other information on regional lymph nodes	N1	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
190	OBSOLETE DATA RETAINED V0200 Stated as N2a, no other information	ERROR	NA	RN	RN
200	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 100	ERROR	NA	RN	RN
220	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 120	ERROR	NA	D	D
290	OBSOLETE DATA RETAINED V0200 Stated as N2b, no other information	ERROR	NA	RN	RN
300	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	RN	RN
320	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	D
400	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive bilateral or contralateral nodes	ERROR	NA	RN	RN
420	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120	ERROR	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
490	OBSOLETE DATA RETAINED V0200 Stated as N2c, no other information	ERROR	NA	RN	RN
500	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	RN	RN
520	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	D	D
600	OBSOLETE DATA RETAINED V0200 ; Stated as N2, NOS	ERROR	NA	RN	RN
700	OBSOLETE DATA RETAINED V0200 Stated as N3, no other information	ERROR	NA	RN	RN
800	Lymph nodes, NOS	N1	NA	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NA	U	U

Melanoma Nasal Cavity**CS Lymph Nodes Eval**

See Standard Table

**Melanoma Nasal Cavity
Regional Nodes Positive
See Standard Table**

Note: Record this field even if there has been preoperative treatment.

**Melanoma Nasal Cavity
Regional Nodes Examined
See Standard Table**

**Melanoma Nasal Cavity
CS Mets at DX**

Note: Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	NA	NONE	NONE
10	Distant lymph node(s): Mediastinal (excluding superior mediastinal nodes) Distant lymph node(s), NOS	M1	NA	D	D
40	Distant metastasis except distant lymph node(s) Carcinomatosis	M1	NA	D	D
50	40 + 10 Distant metastasis plus distant lymph node(s)	M1	NA	D	D
60	Distant metastasis, NOS Stated as M1 with no other information on distant metastasis	M1	NA	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	NA	U	U

**Melanoma Nasal Cavity
CS Mets Eval
See Standard Table**