

Melanoma Sinus Maxillary
Malignant Melanoma of Maxillary Sinus
C31.0

M-8720-8790

C31.0 Maxillary sinus

Laterality must be coded for this site.

Melanoma Sinus Maxillary
CS Tumor Size
See Standard Table

Melanoma Sinus Maxillary
CS Extension

Note 1: AJCC does not include a Tis or TX for melanoma of mucosa of head and neck sites. CS Extension codes of 000 and 999 are mapped to NA and AJCC stage group is derived as NA.

Note 2: AJCC does not include a T1 or T2 category for mucosal melanoma of head and neck sites.

Note 3: Use codes 320 and 325 for extension involving the mucosa only of adjacent sites. Use higher codes for extension involving the deeper tissues of the primary or adjacent sites.

Note 4: Use code 300 for localized tumor only if no information is available to assign code 100, 350, or 360.

Note 5: Use code 350, 725, 810, or 815 if the physician's assignment of T category is the only information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive	NA	NA	IS	IS
100	Tumor confined to mucosa of maxillary antrum (sinus)	T3	NA	L	L
300	Localized, NOS	T3	NA	L	L
320	Extension involving mucosa only: Frontal sinus Sphenoid sinus Ethmoid sinus	T3	NA	RE	RE
325	Extension involving mucosa only:: Nasal cavity Nasopharynx	T3	NA	RE	RE
350	Stated as T3 with no other information on extension	T3	NA	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
360	Involvement of deep tissue or mucoperiosteum of maxillary sinus	T4a	NA	L	L
365	360 + (320 or 325) Involvement of deep tissue or mucoperiosteum of maxillary sinus plus mucosal involvement of any structure in code 320 or 325	T4a	NA	RE	RE
400	OBSOLETE DATA RETAINED V0200 Invasion of infrastructure: Hard palate except extension to posterior wall of sinus and pterygoid plates (code 680) Middle nasal meatus, except extension to posterior wall of sinus and pterygoid plates (code 680) Nasal cavity (floor, lateral wall, septum, turbinates) Palatine bone Tumor causing bone erosion or destruction, except for the posterior antral wall	ERROR	NA	RE	RE
500	Involvement of deep tissues, mucoperiosteum, cartilage, or bony wall of any structures in code 320	T4a	NA	RE	RE
510	Involvement of deep soft tissues, cartilage, or bony wall of any structures in code 325	T4a	NA	RE	RE
520	Involvement of palatine bone	T4a	NA	RE	RE
600	OBSOLETE DATA RETAINED V0200 Invasion of suprastructure: Ethmoid sinus, anterior Floor or medial wall of orbit Floor or posterior wall of maxillary sinus Subcutaneous tissues	ERROR	NA	RE	RE
600 cont'd		ERROR	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
650	OBSOLETE DATA RETAINED V0200 Bone of the posterior wall of maxillary sinus Invasion of maxilla, NOS	ERROR	NA	RE	RE
660	OBSOLETE DATA RETAINED V0200 Ethmoid sinus Posterior ethmoid, NOS Pterygoid sinus	ERROR	NA	RE	RE
670	Infratemporal fossa Pterygoid plates Pterygoid fossa	T4a	NA	RE	RE
675	Subcutaneous tissues Skin of cheek Skin of nose	T4a	NA	RE	RE
680	OBSOLETE DATA RETAINED V0200 Anterior orbital contents Cribriform plate Frontal sinus Infratemporal fossa Pterygoid plates Skin of cheek Sphenoid sinus	ERROR	NA	RE	RE
690	Orbital contents including eye Soft palate	T4a	NA	RE	RE
700	OBSOLETE DATA RETAINED V0200; Base of skull Orbital contents , including eye Pterygomaxillary (temporal) fossa Soft palate	ERROR	NA	RE	RE
725	Stated as T4a with no other information on extension	T4a	NA	L	L
740	Anterior cranial fossa	T4b	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
740 cont'd	Base of skull Clivus Cribriform plate Middle cranial fossa Orbital apex Pterygomaxillary (temporal) fossa	T4b	NA	RE	RE
750	OBSOLETE DATA RETAINED V0200 Brain Clivus Cranial nerves other than (V2) Dura Middle cranial fossa Nasopharynx Orbital apex	ERROR	NA	U	U
790	Contiguous extension to: Dura Brain Lower cranial nerves (IX, X, XI, XII) Middle cranial fossa	T4b	NA	RE	RE
800	OBSOLETE DATA RETAINED V0200 Further contiguous extension	ERROR	NA	D	D
801	Further contiguous extension : Carotid artery (encased) Masticator space Mediastinal structures Prevertebral space	T4b	NA	D	D
810	Stated as T4b with no other information on extension	T4b	NA	D	D
815	Stated as T4 [NOS] with no other information on extension	T4NOS	NA	L	L
950	OBSOLETE DATA RETAINED V0200 No evidence of primary tumor	ERROR	NA	U	U

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	NA	NA	U	U

Melanoma Sinus Maxillary
CS Tumor Size/Ext Eval
 See Standard Table

Melanoma Sinus Maxillary
CS Lymph Nodes

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Rules, Section 2.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in CS Site-Specific Factors 1, 3-9.

Note 3: For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

Note 4: The description of lymph nodes has been standardized across the head and neck schemas. All lymph node levels and groups listed here are considered regional nodes for AJCC staging.

Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

Note 5: Levels III and IV nodes have been moved from code 100 in CS Version 1 to code 120.

Mandibular nodes are included with Facial nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	NA	NONE	NONE
100	Positive regional node(s): Level I: Level IA - Submental Level IB - Submandibular (submaxillary), sublingual Level II - Upper jugular: Jugulodigastric (subdigastric) Upper deep cervical Level IIA-Anterior Level IIB - Posterior Retropharyngeal	N1	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node(s), NOS	N1	NA	RN	RN
120	Positive regional node(s): Level III - Middle jugular: Middle deep cervical Level IV - Lower jugular: Jugulo-omohyoid (supraomohyoid) Lower deep cervical Virchow node Level V - Posterior triangle group: Posterior cervical Level VA - Spinal accessory Level VB - Transverse cervical, supraclavicular (see Note 3) Level VI - Anterior compartment group: Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal Pretracheal - above suprasternal notch Recurrent laryngeal Level VII - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX): Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups: Facial: Buccinator (buccal) Mandibular	N1	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preparotid Parapharyngeal Retroauricular (mastoid) Suboccipital	N1	NA	D	D
180	Stated as N1 with no other information on regional lymph nodes	N1	NA	RN	RN
190	OBSOLETE DATA RETAINED V0200 Stated as N2a, no other information	ERROR	NA	RN	RN
200	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 100	ERROR	NA	RN	RN
220	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 120	ERROR	NA	D	D
290	OBSOLETE DATA RETAINED V0200 Stated as N2b, no other information	ERROR	NA	RN	RN
300	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	RN	RN
320	OBSOLETE DATA RETAINED V0200	ERROR	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
320 cont'd	Regional lymph nodes as listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	D
400	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive bilateral or contralateral nodes	ERROR	NA	RN	RN
420	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive bilateral or contralateral nodes	ERROR	NA	D	D
490	OBSOLETE DATA RETAINED V0200 Stated as N2c, no other information	ERROR	NA	RN	RN
500	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	RN	RN
520	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	D	D
600	OBSOLETE DATA RETAINED V0200 Stated as N2, NOS	ERROR	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
700	OBSOLETE DATA RETAINED V0200 Stated as N3, no other information	ERROR	NA	RN	RN
800	Lymph nodes, NOS	N1	NA	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NA	U	U

**Melanoma Sinus Maxillary
CS Lymph Nodes Eval
See Standard Table**

**Melanoma Sinus Maxillary
Regional Nodes Positive
See Standard Table**

Note: Record this field even if there has been preoperative treatment.

**Melanoma Sinus Maxillary
Regional Nodes Examined
See Standard Table**

**Melanoma Sinus Maxillary
CS Mets at DX**

Note: Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	NA	NONE	NONE
10	Distant lymph node(s): Mediastinal (excluding superior mediastinal nodes) Distant lymph node(s), NOS	M1	NA	D	D
40	Distant metastasis except distant lymph	M1	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
40 cont'd	node(s) Carcinomatosis	M1	NA	D	D
50	40 + 10; Distant metastasis plus distant lymph node(s)	M1	NA	D	D
60	Distant metastasis, NOS Stated as M1 with no other information on distant metastasis	M1	NA	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	NA	U	U

Melanoma Sinus Maxillary**CS Mets Eval****See Standard Table**

Note: This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed.