

Vagina**C52.9****C52.9 Vagina, NOS**

Note: AJCC TNM values correspond to the stages accepted by the Federation Internationale de Gynecologic et d'Obstetrique (FIGO). Note that FIGO uses a single stage value which corresponds to different groupings of T, N, and M values.

Vagina**CS Tumor Size**

See Standard Table

Vagina**CS Extension**

Note 1: When both the Federation Internationale de Gynecologie et d'Obstetrique (FIGO) stage and extension detail are available, record the code with extension detail in preference to a statement of FIGO stage. FIGO Stage III is assigned based on tumor extension and/or regional lymph node involvement. Code CS Extension based on a physician's statement of FIGO Stage III only if it is known that the stage value is assigned because of tumor extension.

Note 2: FIGO no longer includes Stage 0 (Tis) for this site.

Note 3: According to AJCC, pelvic wall is defined as muscle, fascia, neurovascular structures, or skeletal portions of the bony pelvis.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive	Tis	Tis	IS	IS
100	OBSOLETE DATA RETAINED AND REVIEWED V0203 See codes 150, 250 Invasive cancer confined to Submucosa (stroma) (vagina) FIGO Stage I	T1	T1	L	L
150	Invasive cancer confined to: Submucosa (stroma) (vagina)	T1	T1	L	L
200	Musculature involved	T1	T1	L	L
250	FIGO Stage I	T1	T1	L	L
300	Localized, NOS	T1	T1	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
400	OBSOLETE DATA RETAINED V0200 Cervix Paravaginal soft tissue Rectovaginal septum Vesicovaginal septum Vulva FIGO Stage II	ERROR	T2	RE	RE
410	Cervix	T2	T2	RE	RE
420	Paravaginal soft tissue Rectovaginal septum Vesicovaginal septum Vulva	T2	T2	RE	RE
500	Cul de sac (rectouterine pouch)	T2	T2	RE	RE
510	FIGO Stage II	T2	T2	RE	RE
520	Extension to bladder wall or bladder, NOS excluding mucosa Rectal wall or rectum, NOS excluding mucosa	T3	T3	D	RE
600	OBSOLETE DATA RETAINED AND REVIEWED V0203 See codes 620, 650 Extension to pelvic wall Described clinically as "frozen pelvis", NOS FIGO Stage III	T3	T3	D	RE
620	Extension to pelvic wall Described clinically as "frozen pelvis", NOS	T3	T3	D	RE
650	FIGO Stage III based on tumor extension	T3	T3	D	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
700	Extension to bladder mucosa (excluding bullous edema) or rectal mucosa	T4	T4	D	D
800	Extension beyond true pelvis Extension to urethra	T4	T4	D	D
850	FIGO Stage IVA	T4	T4	D	D
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

Vagina**CS Tumor Size/Ext Eval**

See Standard Table

Vagina**CS Lymph Nodes**

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in CS Mets at DX. For the lower third of vagina, iliac (common, external, internal (hypogastric), and NOS), and pelvic, NOS lymph nodes are coded in CS Mets at DX. For the upper two thirds of vagina, inguinal and femoral lymph nodes are coded in CS Mets at DX.

Note 2: When both the Federation Internationale de Gynecologie et d'Obstetrique (FIGO) stage and regional lymph node detail are available, record the code with regional lymph node detail in preference to a statement of FIGO stage. FIGO Stage III is assigned based on tumor extension and/or regional lymph node involvement. Code CS Lymph Nodes based on a physician's statement of FIGO Stage III based on regional lymph node involvement or if the basis is not stated.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	OBSOLETE DATA REVIEWED AND CHANGED V0200 The specified nodes are coded to 150 if the primary is in the upper two	ERROR	ERROR	ERROR	ERROR

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	thirds of the vagina; coded to 425 if unknown if the primary is in the upper two thirds or lower one third; and coded to 20 in CS Mets at DX if the primary is in the lower third. All parts of vagina, regional nodes: Pelvic lymph nodes: Iliac, NOS: Common External Internal (hypogastric) Obturator Middle sacral (promontorial) (Gerota's node)	ERROR	ERROR	ERROR	ERROR
150	Upper two thirds of vagina, regional nodes: Pelvic lymph nodes: Iliac, NOS: Common External Internal (hypogastric) Obturator Middle sacral (promontorial) (Gerota's node)	N1	N1	RN	RN
200	Lower third of vagina, regional nodes: Ipsilateral: Inguinal, NOS: Superficial inguinal (femoral)	N1	N1	D	RN
300	Lower third of vagina, regional nodes: Bilateral: Inguinal, NOS: Superficial inguinal (femoral)	N1	N1	D	RN
400	Upper two-thirds of vagina, regional nodes: Pelvic lymph node(s), NOS	N1	N1	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
425	Unknown whether primary is in upper two-thirds or lower third of vagina: Pelvic lymph nodes: Iliac, NOS: Common External Internal (hypogastric) Obturator Middle sacral (promontorial) (Gerota's node)	N1	N1	RN	RN
430	Unknown whether primary is in upper two-thirds or lower third of vagina: Ipsilateral: Inguinal, NOS: Superficial inguinal (femoral)	N1	N1	RN	RN
450	Unknown whether primary is in upper or lower vagina: Bilateral: Inguinal, NOS: Superficial inguinal (femoral)	N1	N1	RN	RN
475	Unknown whether primary is in upper two-thirds or lower third of vagina: Pelvic lymph nodes, NOS	N1	N1	D	RN
500	OBSOLETE DATA RETAINED AND REVIEWED V0203 See codes 510, 520, 530 Regional lymph node(s), unknown whether primary is in upper or lower vagina Regional lymph node(s), NOS	N1	N1	RN	RN
510	Primary is in upper two-thirds of vagina: Regional lymph node(s), NOS	N1	N1	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
520	Primary is in lower third of vagina: Regional lymph node(s), NOS	N1	N1	RN	RN
530	Unknown whether primary is in upper two-thirds or lower third of vagina: Regional lymph node(s), NOS	N1	N1	RN	RN
600	FIGO Stage III based on lymph node involvement	N1	N1	RN	RN
620	FIGO Stage III not stated if based on extension or lymph nodes	N1	N1	RN	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; regional lymph nodes not stated; Regional lymph node(s) cannot be assessed; Not documented in patient record	NX	NX	U	U

Vagina**CS Lymph Nodes Eval**

See Standard Table

Vagina**Regional Nodes Positive**

See Standard Table

Note: Record this field even if there has been preoperative treatment.**Vagina****Regional Nodes Examined**

See Standard Table

Vagina**CS Mets at DX****Note:** When both the Federation Internationale de Gynecologie et d'Obstetrique (FIGO) stage and metastatic detail are available, record the code with metastatic detail in preference to a statement of FIGO stage.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	M0	NONE	NONE
10	Distant lymph node(s), NOS	M1	M1	D	D
11	OBSOLETE DATA RETAINED V0200 Distant lymph nodes: Aortic, NOS: Lateral (lumbar) Para-aortic Periaortic Inguinal (for primary in upper two-thirds of vagina only) Retroperitoneal, NOS	ERROR	M1	D	D
12	OBSOLETE DATA RETAINED V0200 Distant lymph node(s) other than code 11	ERROR	M1	D	D
20	Distant lymph nodes (for primary in lower third of vagina): Pelvic lymph nodes: Iliac, NOS: Common External Internal (hypogastric) Obturator Middle sacral (promontorial) (Gerota's node)	M1	M1	D	D
22	Distant lymph nodes (for primary in lower third of vagina): Pelvic lymph nodes, NOS	M1	M1	D	D
25	OBSOLETE DATA RETAINED V0200 Distant lymph nodes: Aortic, NOS: Lateral (lumbar) Para-aortic	ERROR	M1	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
25 cont'd	Periaortic Inguinal (for primary in upper two-thirds of vagina only) Retroperitoneal, NOS	ERROR	M1	D	D
27	Distant lymph nodes (for primary in upper two-thirds of vagina): Inguinal, NOS: Superficial inguinal (femoral)	M1	M1	D	D
30	Distant lymph nodes: Aortic, NOS: Lateral (lumbar) Para-aortic Periaortic Retroperitoneal, NOS	M1	M1	D	D
35	Distant lymph node(s) other than code 11-30	M1	M1	D	D
40	Distant metastasis except distant lymph nodes Carcinomatosis	M1	M1	D	D
50	OBSOLETE DATA RETAINED V0200 (40) + any of [(10) to (12)] Distant lymph node(s) plus other distant metastases	ERROR	M1	D	D
55	40+ any of (20, 22, 27, 30, 35) Distant metastasis plus distant lymph node(s)	M1	M1	D	D
58	FIGO Stage IVB	M1	M1	D	D
60	Distant metastasis, NOS	M1	M1	D	D
70	FIGO Stage IV [NOS] based on distant metastasis	M1	M1	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

Vagina**CS Mets Eval****See Standard Table**

Note: This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed.