

**Corpus Adenosarcoma**

**Adenocarcinoma of the Corpus Uteri; Uterus, NOS (excluding Placenta, Carcinoma, Carcinosarcoma, Leiomyosarcoma, and Endometrial Stromal Sarcoma (ESS)) (Adenosarcomas)**

**C54.0-C54.3, C54.8-C54.9, C55.9**

**M-8933**

**C54.0 Isthmus uteri**

**C54.1 Endometrium**

**C54.2 Myometrium**

**C54.3 Fundus uteri**

**C54.8 Overlapping lesion of corpus uteri**

**C54.9 Corpus uteri**

**C55.9 Uterus, NOS**

**Note 1:** AJCC 7th Edition TNM staging reflects the new staging adopted by the Federation Internationale de Gynecologie et d'Obstetrique (FIGO) and utilizes three new staging schemas for cancer of the Corpus Uteri based on histology. This is a change from the AJCC 6th Edition TNM staging. The three new schemas are: 1. Carcinoma and carcinosarcoma 2. Leiomyosarcoma and endometrial stromal sarcoma (ESS) 3. Adenosarcoma

**Note 2:** This schema is for adenosarcoma ONLY. When coding pay attention to the FIGO Editions and descriptions about cell and tumor types, disease extension, lymph node status and metastasis.

**Note 3:** AJCC TNM values correspond to the stages accepted by FIGO. Note that FIGO uses a single stage value which corresponds to different groupings of T, N, and M values.

**Corpus Adenosarcoma****CS Tumor Size**

**See Standard Table**

**Corpus Adenosarcoma****CS Extension**

**Note 1:** Adenosarcomas of the corpus uteri were not staged in AJCC 6.

**Note 2:** When both FIGO stage and extension detail are available, record the code with extension detail in preference to a statement of FIGO stage.

**Note 3:** FIGO and AJCC 7 stage do not include Tis for this site and histology. Any cases with a CS Extension code of 000 will derive TX for AJCC 7 staging, though In Situ will be derived Summary Stage.

**Note 4:** FIGO Stage IV, NOS is assigned based on tumor extension and/or metastasis. Code CS Extension based on a physician's statement of FIGO Stage IV, NOS only if it is known that the stage value is assigned because of tumor extension.

**Note 5:** Positive cytology should be reported in CS Site-Specific Factor 2. It is not a staging element for AJCC 7 staging, but is a staging element for Summary Stage. Since "cancer cells in ascites or in peritoneal washings" was not specifically categorized in the 1977 Summary Staging Guide, is unclear to which stage previous cases may have been coded in that staging system.

**Note 6:** According to the AJCC, extension to the bowel or bladder mucosa must be proven by biopsy in order to rule out bullous edema.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive, preinvasive	TX	NA	IS	IS
100	Invasive cancer confined to corpus uteri	T1NOS	NA	*	*
110	Confined to endometrium (Glandular, stromal or both)	T1a	NA	*	*
113	Confined to endocervix (Glandular, stromal, or both)	T1a	NA	RE	RE
115	FIGO Stage IA	T1a	NA	*	*
120	Tumor invades less than one-half of myometrium Invasion of inner half of myometrium	T1b	NA	*	*
123	Invasion of less than one-half of myometrium <b>WITH</b> involvement of endocervix	T1b	NA	RE	RE
125	FIGO Stage IB	T1b	NA	*	*
130	Tumor invades one-half or more of myometrium Invasion of outer half of myometrium	T1c	NA	*	*
133	Invasion of one-half or more of myometrium <b>WITH</b> involvement of endocervix	T1c	NA	RE	RE
135	FIGO Stage IC	T1c	NA	*	*
140	Invasion of myometrium, NOS	T1NOS	NA	*	*
143	Invasion of myometrium, NOS <b>WITH</b> involvement of endocervix	T1NOS	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
160	Tunica serosa of the visceral peritoneum (serosa covering the corpus)	T1NOS	NA	*	*
170	FIGO Stage I [NOS]	T1NOS	NA	*	*
400	Localized, NOS	T1NOS	NA	*	*
500	Cervix uteri, NOS, but not beyond uterus	T1NOS	NA	RE	RE
510	<b>OBSOLETE DATA RETAINED AND REVIEWED V0203</b> See codes 113, 123, 133, and 143 Endocervical glandular involvement only	T1a	NA	RE	RE
520	<b>OBSOLETE DATA RETAINED AND REVIEWED V0203</b> See codes 113, 123, 133, and 143 Cervical stromal invasion	T1a	NA	RE	RE
550	Adnexal involvement, NOS Extension or metastasis within true pelvis: Adnexa Fallopian tube(s) Ligaments: Broad Round Uterosacral Ovary(ies) Parametrium Visceral peritoneum of pelvic organs excluding serosa of corpus uteri	T2a	NA	RE	RE
600	<b>OBSOLETE DATA RETAINED AND REVIEWED V0203</b> See codes 160, 550, 655, 665, and	T2a	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
600 cont'd	688 Adnexal involvement, NOS Extension or metastasis within true pelvis: Adnexa Fallopian tube(s) Ligaments: Broad, round, uterosacral Ovary(ies) Parametrium Pelvic serosa Tunica serosa (parietal lining of the pelvic or abdominal cavity)	T2a	NA	RE	RE
605	FIGO Stage IIA	T2a	NA	RE	RE
610	<b>OBSOLETE DATA RETAINED V0200</b> ; See Note 4 and CS Site-Specific Factor 2 Cancer cells in ascites Cancer cells in peritoneal washings FIGO Stage IIIA	ERROR	NA	RE	RE
620	<b>OBSOLETE DATA CONVERTED V0203</b> ; See code 645 Ureter Vulva	ERROR	ERROR	ERROR	ERROR
640	Extension or metastasis to vagina	T2b	NA	D	RE
645	Extension or metastasis to: Ureter Vulva	T2b	NA	D	RE
650	<b>OBSOLETE DATA RETAINED AND REVIEWED V0203</b> See codes 655 and 662 Extension or metastasis to pelvic wall(s) Described clinically as "frozen pelvis", NOS	T2b	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
655	Extension or metastasis to: Pelvic wall(s) Parietal serosa of pelvic cavity	T2b	NA	RE	RE
660	<b>OBSOLETE DATA RETAINED AND REVIEWED V0203</b> See codes 705 and 708 Extension or metastasis to: Bladder wall Bladder, NOS excluding mucosa Rectal wall Rectum, NOS excluding mucosa	T4	NA	RE	RE
662	Described clinically as "frozen pelvis", NOS	T2b	NA	D	RE
663	(655 or 662) + (640 or 645)	T2b	NA	D	RE
665	Extension or metastasis to: Cul de sac (rectouterine pouch)	T2b	NA	RE	RE
670	<b>OBSOLETE DATA RETAINED AND REVIEWED V0203</b> See code 663 and 705 [(650) or (660)] and [(620) or (640)]	T2b	NA	D	RE
675	FIGO Stage IIB	T2b	NA	RE	RE
680	<b>OBSOLETE DATA CONVERTED V0203</b> ; See code 683 FIGO Stage II [NOS]	ERROR	ERROR	ERROR	ERROR
682	Extension beyond uterus, within pelvis, NOS	T2NOS	NA	RE	RE
683	FIGO Stage II [NOS]	T2NOS	NA	RE	RE
685	<b>OBSOLETE DATA REVIEWED V0203</b> ; See codes 665 and 688 Contiguous extension to abdominal	T3a	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
685 cont'd	tissues, one of the following sites: Abdominal serosa (peritoneum) Cul de sac Sigmoid colon Small intestine Other abdominal tissues	T3a	NA	D	D
688	Infiltration of abdominal tissues, one of the following sites: Abdominal serosa (visceral or parietal peritoneum of abdomen) Sigmoid colon Small intestine Other abdominal structures	T3a	NA	D	D
690	FIGO Stage IIIA	T3a	NA	D	D
692	<b>OBSOLETE DATA REVIEWED V0203</b> ; See codes 665 and 693 Contiguous extension to abdominal tissues, more than one site: Abdominal serosa (peritoneum) Cul de sac Sigmoid colon Small intestine Other abdominal tissues	T3b	NA	D	D
693	Infiltration of abdominal tissues in code 688, more than one site	T3b	NA	D	D
694	FIGO Stage IIIB	T3b	NA	D	D
696	<b>OBSOLETE DATA CONVERTED V0203</b> ; See code 699 FIGO Stage III [NOS]	ERROR	ERROR	ERROR	ERROR
698	Abdominal tissues involvement, NOS	T3NOS	NA	D	D
699	FIGO Stage III [NOS] based on extension	T3NOS	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
700	<b>OBSOLETE DATA CONVERTED V0200; See code 710</b> Extension to bowel mucosa or bladder mucosa (excluding bullous edema) FIGO Stage IVA FIGO Stage IV, NOS	ERROR	ERROR	ERROR	ERROR
705	Invasion of: Bladder wall Bladder, NOS excluding mucosa Rectal wall Rectum, NOS excluding mucosa	T4	NA	RE	RE
708	705 + (688, 693, or 698) Invasion of organs in code 705 plus infiltration of any abdominal tissues	T4	NA	D	D
710	<b>OBSOLETE DATA REVIEWED AND CHANGED V0203</b> See codes 715, 720, and 730 Extension to bowel mucosa or bladder (excluding bullous edema) Note: On conversion of code 700 to 710, code 710 also included FIGO Stage IVA, FIGO Stage IV, NOS	ERROR	ERROR	ERROR	ERROR
715	Extension to bowel mucosa or bladder (excluding bullous edema)	T4	NA	D	D
720	FIGO Stage IVA	T4	NA	D	D
730	FIGO Stage IV [NOS] based on extension	T4	NA	D	D
800	<b>OBSOLETE DATA RETAINED AND REVIEWED V0203</b> See codes 665, 688, 693, and 850 Further contiguous extension Abdominal serosa (peritoneum)	T3NOS	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
800 cont'd	Cul de sac Sigmoid colon Small intestine (See code 685 and 693 if number of involved sites is reported)	T3NOS	NA	D	D
850	Further contiguous extension	T3NOS	NA	D	D
950	No evidence of primary tumor	T0	NA	U	U
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	TX	NA	U	U

\* For CS Extension codes 100-110, 115-120, 125-130, 135-140, and 160-400 ONLY. The SS77 and SS2000 stages are assigned based on the value of CS Extension and peritoneal cytology status coded in CS-Site Specific Factor 2 as shown in the extra table Extension Cytology Summary Stage Table.

**Corpus Adenosarcoma**  
**CS Tumor Size/Ext Eval**  
**See Standard Table**

**Corpus Adenosarcoma**  
**CS Lymph Nodes**

**Note 1:** Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in CS Mets at DX.

**Note 2:** Regional nodes include bilateral and contralateral involvement of named nodes.

**Note 3:** The Federation Internationale de Gynecologie et d'Obstetrique (FIGO), stages are included for coding where no more specific information is available in the record. When both FIGO stage and regional lymph node detail are available, record the code with regional lymph node detail in preference to a statement of FIGO stage.

**Note 4:** Code CS Lymph Nodes based on a physician's statement of FIGO Stage IIIB if it is known that the stage value is assigned because of lymph node involvement, or if there is no statement that FIGO Stage IIIB is assigned based on extension or lymph node involvement.

**Note 5:** If the clinician says "adnexa palpated" but does not mention lymph nodes, assume lymph nodes are not involved.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	NA	NONE	NONE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100	Regional lymph node(s): Iliac, NOS: Common External Internal (hypogastric) Obturator Paracervical Parametrial Pelvic, NOS Sacral, NOS: Lateral (laterosacral) Middle (promontorial) (Gerota's node) Presacral Uterosacral	N1	NA	RN	RN
200	Regional lymph node(s): Aortic, NOS: Lateral (lumbar) Para-aortic Periaortic	N1	NA	RN	RN
500	FIGO Stage IIIC	N1	NA	RN	RN
800	Regional lymph node(s), NOS	N1	NA	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NA	U	U

**Corpus Adenosarcoma  
CS Lymph Nodes Eval  
See Standard Table**

**Corpus Adenosarcoma  
Regional Nodes Positive  
See Standard Table**

**Note:** Record this field even if there has been preoperative treatment

**Corpus Adenosarcoma**  
**Regional Nodes Examined**  
**See Standard Table**

**Corpus Adenosarcoma**  
**CS Mets at DX**

**Note 1:** When both Federation Internationale de Gynecologie et d'Obstetrique (FIGO) stage and metastatic detail are available, record the code with metastatic detail in preference to a statement of FIGO stage.

**Note 2:** FIGO Stage IV, NOS is assigned based on tumor extension and/or distant metastasis. Code CS Mets at DX based on a physician's statement of FIGO Stage IV [NOS] if it is known that the stage value is assigned because of metastatic involvement, or if there is no statement that FIGO Stage IV [NOS] is assigned based on extension.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	NA	NONE	NONE
11	Distant lymph node(s): Superficial inguinal	M1	NA	RN	D
12	Distant lymph node(s) other than code 11: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal) Distant lymph node(s), NOS (Excluding metastasis to pelvic or para-aortic lymph nodes)	M1	NA	D	D
40	Distant metastases, except distant lymph node(s) Carcinomatosis (Excluding adnexa and continuous extension to abdominal tissues)	M1	NA	D	D
50	40 + (11 and/or 12) Distant metastasis plus distant lymph node(s)	M1	NA	D	D
55	FIGO Stage IVB	M1	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
60	Distant metastasis NOS	M1	NA	D	D
70	FIGO Stage IV [NOS]	M1	NA	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	NA	U	U

**Corpus Adenosarcoma****CS Mets Eval****See Standard Table**

**Note:** This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed.

**Corpus Adenosarcoma****CS Site-Specific Factor 2****Peritoneal Cytology****Note: See page A-132**

**Note:** Cytologic examination for malignant cells may be performed on ascites (fluid that has accumulated in the peritoneal cavity in excess amount) or the fluid (saline) that is introduced into the peritoneal cavity, and then removed by suction. The introduction of fluid may be termed peritoneal washing or peritoneal lavage.

Code	Description
000	Negative
010	Positive, malignant cells positive
020	Test done, results suspicious or undetermined if negative or positive
888	<b>OBSOLETE DATA CONVERTED V0200</b> See code 988 Not applicable for this site
988	Not applicable: Information not collected for this case (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)

Code	Description
997	Test ordered, results not in patient record
998	Test not done (test not ordered and not performed) No pathologic specimen available
999	Unknown or no information Not documented in patient record

**CorpusAdenosarcoma****CS Site-Specific Factor 3****Number of Positive Pelvic Nodes****Note: See page A-67**

**Note:** Record the number of positive pelvic lymph nodes documented in the patient record. Apply the same instructions in General Rules, Part I for coding Regional Nodes Positive to this data item.

Code	Description
000	All pelvic nodes examined negative.
001-089	1 - 89 pelvic nodes positive (Exact number of nodes positive)
090	90 or more pelvic nodes positive
095	Positive aspiration or core biopsy of pelvic lymph node(s)
097	Positive pelvic nodes, number not specified
098	No pelvic nodes examined
888	OBSOLETE DATA CONVERTED V0200 See code 988  Not applicable for this site
988	Not applicable: Information not collected for this case (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
999	Unknown if pelvic nodes are positive

<b>Code</b>	<b>Description</b>
999 cont'd	Not documented in patient record