

Scrotum**Scrotum (excluding Malignant Melanoma, Merkel Cell Carcinoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas)****C63.2****C63.2 Scrotum, NOS**

Note: Melanoma (M-8720-8790) of scrotum is included in the melanoma schema. Merkel cell carcinoma (M-8247) of the scrotum is included in the Merkel cell of the scrotum schema. Mycosis Fungoides (M-9700) or Sezary disease (M-9701) of scrotum is included in the Mycosis Fungoides schema. Kaposi sarcoma (M-9140) of the scrotum is included in the Kaposi Sarcoma schema. Lymphoma of the scrotum is included in the lymphoma schema.

Scrotum**CS Tumor Size****See Standard Table**

Note: The assignment of the T1 category for cutaneous squamous cell carcinomas with one or no high-risk features is based on tumor size. A physician's statement of the T category may be used to code both CS Tumor Size and/or CS Extension if this is the only information in the medical record regarding one or both of these fields. However the two fields are coded independently; for example, the record may document size but not extension. Use code 992 as appropriate to code CS Tumor Size based on a statement of T when no other size information is available

Scrotum**CS Extension**

Note 1: AJCC 7th Edition T1 and T2 categories are based on size and high risk features and not depth of invasion or extension. AJCC 7th Edition does not include a T3 category for scrotum.

Note 2: The assignment of the T1 category for cutaneous squamous cell carcinomas with one or no high-risk features is based on tumor size. A physician's statement of the T1 category may be used to code both CS Tumor Size and/or CS Extension if this is the only information in the medical record regarding one or both of these fields. However the two fields are coded independently; for example, the record may document size but not extension. Use codes 310, 320, and 810 as appropriate to code CS Extension based on a statement of T when no other extension information is available.

Note 3: Use code 300 (Localized, NOS) when no further information is available to assign code 100, 305, 310, or 320.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepidermal, intraepithelial, noninvasive Bowen disease	Tis	Tis	IS	IS
100	Confined to scrotum	^	*	L	L
300	Localized, NOS	^	*	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
305	Subcutaneous tissue	^	*	L	L
310	Stated as T1 with no other information on extension	^	*	L	L
320	Stated as T2 with no other information on extension	T2	T2	L	L
400	OBsolete DATA RETAINED AND REVIEWED V0203 See codes 450 and 500 Adjacent connective tissue (See definition of connective tissue in General Rules, Part I)	^	*	RE	RE
450	Adjacent connective tissue excluding skeletal muscle	^	*	RE	RE
500	Skeletal muscle	^	T4	RE	RE
600	Adjacent organs/structures: Male genital organs: Epididymis Penis Prostate Spermatic cord Testis	^	T4	RE	RE
650	Underlying cartilage	^	T4	D	D
800	Further contiguous extension: Other organs and structures in male pelvis: Bladder Rectum Urethra	^	T4	D	D
805	Bone: Axial or appendicular skeleton	T4	T4	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
810	Stated as T4 with no other information on extension	T4	T4	RE	RE
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

^ For CS Extension codes 100-310 and 400-800 ONLY, the T category for AJCC 7 staging is assigned based on the value of CS Tumor Size and CS Site-Specific Factor 12, High Risk Features, as shown in the Extension Size High Risk Table for this schema.

* For CS Extension codes 100-310, 400, and 450 ONLY, the T category for AJCC 6 staging is assigned based on the value of CS Tumor Size, as shown in the Extension Size AJCC 6 Table for this schema.

Scrotum

CS Tumor Size/Ext Eval

See Standard Table

Scrotum

CS Lymph Nodes

Note: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in CS Mets at DX.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	OBSOLETE DATA RETAINED V0200 Regional lymph nodes Iliac, NOS: External Internal (hypogastric), NOS: Obturator Inguinal, NOS: Deep inguinal, NOS Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial inguinal (femoral)	ERROR	N1	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Regional lymph node(s), NOS	ERROR	N1	RN	RN
150	SINGLE IPSILATERAL regional lymph node: Iliac, NOS: External Internal (hypogastric), NOS: Obturator Inguinal, NOS: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial inguinal (femoral) Regional lymph node, NOS	^	N1	RN	RN
180	Stated as N1 with no other information on regional lymph nodes	^	N1	RN	RN
190	Stated as N2a with no other information on regional lymph nodes	^	N1	RN	RN
250	MULTIPLE IPSILATERAL regional lymph nodes listed in code 150	^	N1	RN	RN
290	Stated as N2b with no other information on regional lymph nodes	^	N1	RN	RN
350	IPSILATERAL regional lymph nodes listed in code 150, not stated if single or multiple	^	N1	RN	RN
450	BILATERAL or CONTRALATERAL regional lymph node(s) listed in code 150	^	N1	RN	RN
490	Stated as N2c with no other information on regional lymph nodes	^	N1	RN	RN
550	Regional lymph nodes listed in code	^	N1	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
550 cont'd	150, Not stated if ipsilateral, bilateral or contralateral AND not stated if single or multiple	^	N1	RN	RN
600	Stated as N2 [NOS] with no other information on regional lymph nodes	^	N1	RN	RN
700	Stated as N3 with no other information on regional lymph nodes	^	N1	RN	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NX	U	U

^ For CS Lymph Nodes codes 150-700 ONLY, the N category for AJCC 7 staging is assigned based on the value of CS Site-Specific Factor 16, Size of Lymph Nodes, using the Lymph Nodes Size AJCC 7 Table for this schema.

Scrotum

CS Lymph Nodes Eval

See Standard Table

Scrotum

Regional Nodes Positive

See Standard Table

Note: Record this field even if there has been preoperative treatment.

Scrotum

Regional Nodes Examined

See Standard Table

Scrotum**CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	M0	NONE	NONE
10	Distant lymph node(s)	M1	M1	D	D
40	Distant metastasis except distant lymph node(s) Carcinomatosis	M1	M1	D	D
50	40 + 10 Distant metastasis plus distant lymph node(s)	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1 with no other information on distant metastasis	M1	M1	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

Scrotum**CS Mets Eval****See Standard Table**

Note: This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed.

Scrotum**CS Site-Specific Factor 12****High Risk Features****Note: See page A-112**

Note 1: For AJCC 7 staging, the T category is not only dependent on tumor size but also on several high-risk features that can upgrade the T category.

Note 2: Based on the information in the medical record, the registrar is required to count and code the number of high risk features (each feature equals 1 risk factor). If specific information is available about some but not all of the high risk features, count the number of features documented in the record.

Poorly differentiated/Undifferentiated (grade 3 or 4)

Depth greater than 2 millimeters (mm) thickness

Clark level IV or V

Perineural invasion

Note 3: Use codes 990, 991, and 992 only if no specific information is available about the high risk features, but the record contains a general statement about the presence of high risk features.

Code	Description
000	No high risk features
001	1 high risk feature
002	2 high risk features
003	3 high risk features
004	4 high risk features
005	<p>OBSOLETE DATA CONVERTED V0203 The list of high risk features in CS Version 2: V0201, V0202 included depth equal to or greater than 4 millimeters (mm) and lymph-vascular invasion. Depth was changed to greater than 2 mm and lymph-vascular invasion removed in the final list of high risk features published by AJCC. Cases coded 005 are converted to 004 in CS Version 2: V0203.</p> <p>5 high risk features</p>
988	<p>Not applicable: Information not collected for this case (If this information is required by your standard setter, use of code 988 may result in an edit error.)</p>
991	Stated as less than 2 high risk features
992	Stated as 2 or more high risk features
993	Stated as high risk features, NOS
998	No histologic examination of primary site
999	<p>Unknown or no information Not documented in patient record</p>

Scrotum**CS Site-Specific Factor 16****Size of Lymph Nodes****Note: See page A-112****Note:** Code the largest diameter, whether measured clinically or pathologically, of any involved regional lymph node(s). Do not code the size of any nodes coded in CS Mets at DX.

Code	Description
000	No involved regional lymph nodes
001-979	001 - 979 millimeters (mm) (Exact size to nearest mm)
980	980 mm or larger
988	Not applicable: Information not collected for this case (If this information is required by your standard setter, use of code 988 may result in an edit error.)
990	Microscopic focus or foci only and no size of focus given
991	Described as "less than 1 centimeter (cm)"
992	Described as "less than 2 cm" or "greater than 1 cm" or between 1 cm and 2 cm"
993	Described as "less than 3 cm" or "greater than 2 cm" or "between 2 cm and 3 cm"
994	Described as "less than 4 cm" or "greater than 3 cm" or "between 3 cm and 4 cm"
995	Described as "less than 5 cm" or "greater than 4 cm" or "between 4 cm and 5 cm"
996	Described as "less than 6 cm" or "greater than 5 cm" or "between 5 cm and 6 cm"
997	Described as "more than 6 cm"
999	Regional lymph node(s) involved, size not stated Unknown if regional lymph node(s) involved Not documented in patient record