

Urethra**C68.0****C68.0 Urethra**

Note: Transitional cell carcinoma of the prostatic ducts and prostatic urethra are to be coded to urethra (C68.0) according to this schema.

Urethra**CS Tumor Size**

See Standard Table

Urethra**CS Extension**

Note 1: In case of multifocal noninvasive Ta and Tis tumors, use code 060, 070, or 080 in preference to code 050.

Note 2: If CS Extension code is 050-080, Behavior Code ICD-O-3 must be coded as 2. If CS Extension code is 100 or greater, Behavior Code ICD-O-3 must be coded as 3.

Note 3: The presence of muscle around the urethra varies between males and females and, in males, varies among the segments of the urethra. The outer muscular coat (muscularis) is absent in most of the male urethra except for the membranous portion. In females, the muscle coat is continuous from the bladder wall. In addition, in both males and females, there is sphincteric muscle, which may be smooth or skeletal muscle. Invasion of periurethral muscle is coded 200, unless it is specified as invasion of sphincter muscle, which is coded 400. Invasion of muscle at the neck of the bladder is coded with the bladder neck in 600. If the only information is "invasion of muscle", NOS, or "invasion of periurethral muscle", NOS, assign code 200.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	OBSOLETE DATA CONVERTED V0203; See code 060 Carcinoma in situ, NOS	ERROR	ERROR	ERROR	ERROR
010	OBSOLETE DATA CONVERTED V0203; See code 070 Carcinoma in situ, involvement of prostatic urethra	ERROR	ERROR	ERROR	ERROR
020	OBSOLETE DATA CONVERTED V0203; See code 080 Carcinoma in situ, involvement of prostatic ducts	ERROR	ERROR	ERROR	ERROR
050	Noninvasive papillary, polypoid, or verrucous carcinoma	Ta	Ta	IS	IS

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
050 cont'd	Note: Code 050 does not apply to transitional cell carcinoma of prostatic urethra or prostatic ducts , see codes 070 and 080	Ta	Ta	IS	IS
060	In situ, intraepithelial, noninvasive (flat, sessile), NOS	Tis	Tis	IS	IS
070	In situ, intraepithelial, noninvasive: Involvement of prostatic urethra	Tispu	Tispu	IS	IS
080	In situ, intraepithelial, noninvasive: Involvement of prostatic ducts	Tispd	Tispd	IS	IS
100	Subepithelial connective tissue (lamina propria, submucosa) invaded Stated as T1 with no other information on extension	T1	T1	L	L
200	Muscularis invaded	T2	T2	L	L
300	Localized, NOS	T1	T1	L	L
400	Corpus spongiosum Prostate Sphincter muscle; periurethral muscle specified as sphincter	T2	T2	RE	RE
450	Stated as T2 with no other information on extension	T2	T2	L	L
600	Beyond the prostatic capsule Bladder neck Corpus cavernosum Vagina, anterior or NOS Stated as T3 with no other information on extension	T3	T3	RE	RE
700	Other adjacent organs, including Bladder (excluding bladder neck)	T4	T4	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
700 cont'd	Seminal vesicle(s)	T4	T4	D	D
800	Further contiguous extension	T4	T4	D	D
810	Stated as T4 with no other information on extension	T4	T4	D	D
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

Urethra**CS Tumor Size/Ext Eval**

See Standard Table

Urethra**CS Lymph Nodes**

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in CS Mets at DX.

Note 2: Regional nodes include bilateral and contralateral involvement of named nodes.

Note 3: Determine the size of the largest metastasis in a lymph node as documented in the pathology report to assign codes 100-300, not the size of the lymph node itself. If the size of the metastasis is not documented, determine the size of the largest involved lymph node as documented pathologically or clinically with pathology taking priority. Do not code the size of any node(s) coded in CS Mets at DX.

Note 4: The assignment of the N category is based both on number and size of metastasis. Use codes as described here if the number and/or size of nodes involved is unknown:

Code 110: Single node involved, size not stated.

Code 210: Multiple nodes involved, size not stated.

Code 200: Single or multiple nodes not stated, size stated and greater than 2 cm but less than or equal to 5 cm.

Code 300: Single or multiple nodes not stated, size stated and greater than 5 cm.

Code 505: Single or multiple nodes not stated, size not stated.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100	<p>SINGLE regional lymph node, less than or equal to 2 cm:</p> <p>Iliac, NOS:</p> <p> Common</p> <p> External</p> <p> Internal (hypogastric), NOS:</p> <p> Obturator</p> <p>Inguinal, NOS:</p> <p> Deep inguinal, NOS</p> <p> Node of Cloquet or Rosenmuller (highest deep inguinal)</p> <p> Superficial (femoral)</p> <p>Pelvic, NOS</p> <p>Sacral, NOS</p> <p> Presacral</p> <p> Regional lymph node, NOS</p> <p>Stated as N1 with no other information on regional lymph nodes</p>	N1	N1	RN	RN
110	SINGLE regional node listed in code 100, size not stated	N1	N1	RN	RN
200	<p>SINGLE regional lymph node listed in code 100, greater than 2 cm but less than or equal to 5 cm</p> <p>OR</p> <p>MULTIPLE regional nodes listed in code 100, none greater than 5 cm</p>	N2	N2	RN	RN
210	MULTIPLE regional nodes listed in code 100, size not stated	N2	N2	RN	RN
300	Regional lymph node(s) listed in code 100, at least one greater than 5 cm	N2	N2	RN	RN
400	Stated as N2 with no other information on regional lymph nodes	N2	N2	RN	RN
500	<p>OBSOLETE DATA RETAINED AND REVIEWED V0203</p> <p>See codes 110, 200, 210, 300, and 505</p>	N1	N1	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
500 cont'd	Regional lymph node(s), NOS (size and/or number not stated)	N1	N1	N1	N1
505	Regional lymph node(s), NOS: Size and/or number not stated (See Note 4 for exceptions)	N1	N1	RN	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NX	U	U

Urethra**CS Lymph Nodes Eval**

See Standard Table

Urethra**Regional Nodes Positive**

See Standard Table

Note: Record this field even if there has been preoperative treatment.**Urethra****Regional Nodes Examined**

See Standard Table

Urethra**CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	M0	NONE	NONE
10	Distant lymph node(s)	M1	M1	D	D
40	Distant metastasis except distant lymph node(s)	M1	M1	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
40 cont'd	Carcinomatosis	M1	M1	D	D
50	40 + 10 Distant metastasis plus distant lymph node(s)	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1 with no other information on distant metastasis	M1	M1	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

Urethra**CS Mets Eval****See Standard Table**

Note: This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed.