

Lymphoma Ocular Adnexa**Lymphoma of the Ocular Adnexa and Skin of Eyelid****C44.1, C69.0, C69.5-C69.6****M-9590-9734, 9762, 9820-9837, 9940****C44.1 Skin of Eyelid****C69.0 Conjunctiva****C69.5 Lacrimal Gland****C69.6 Orbit****Note 1:** Laterality must be coded for this site.**Note 2:** Ocular lymphomas are assigned a stage grouping but no TNM values in AJCC 6th Edition staging. Ocular lymphomas are assigned TNM values but no stage grouping in AJCC 7th Edition staging.**Lymphoma Ocular Adnexa****CS Tumor Size****Note:** CS Tumor Size is collected for ocular adnexal lymphomas.

Code	Description
000	No mass/tumor found
001-979	001 - 979 millimeters (mm); (Exact size in mm)
980	980 mm or larger
988	Not applicable: Information not collected for this case (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
990	Microscopic focus or foci only and no size of focus given
991	Described as "less than 1 centimeter (cm)"
992	Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm"
993	Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm"
994	Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm"
995	Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm"
999	Unknown; size not stated; Size of tumor cannot be assessed

Code	Description
999 cont'd	Not documented in patient record

Lymphoma Ocular Adnexa

CS Extension

Note 1: Ocular adnexal lymphomas (OAL) originate in conjunctiva, eyelids, lacrimal gland, lacrimal drainage apparatus, and other orbital tissues surrounding the eye. This schema should not be used for secondary lymphomatous involvement of ocular adnexa or for intraocular lymphomas.

Note 2: Preseptal eyelid involvement includes infiltration of the outer three layers of the eyelid: skin, subcutaneous connective tissue, and orbicularis oculi muscle.

Note 3: The orbit is the bony cavity containing the eye, lacrimal gland, lacrimal sac, nasolacrimal duct, extraocular muscles, fat, arteries, veins, and nerves, but no lymphatics.

Note 4: Unknown extension is coded 989. Code 999, used for lymphoma staging in CS Version 1, is an obsolete code for this schema.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200 Involvement of a single lymph node region Stage I	ERROR	*	L	L
105	Lymphoma involving bulbar conjunctiva only WITHOUT orbital involvement Stated as T1a with no other information on extension	T1a	**	L	L
110	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200 Localized involvement of a single extralymphatic organ/site in the absence of any lymph node involvement Multifocal involvement of one extralymphatic organ/site Stage IE	ERROR	*	L	L
115	Palpebral conjunctiva WITHOUT	T1b	**	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
115 cont'd	orbital involvement: With or without involvement of the fornix With or without involvement of the caruncle Stated as T1b with no other information on extension	T1b	**	L	L
120	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200 Involvement of spleen only Stage IS	ERROR	*	RNOS	RNOS
125	Extensive conjunctival involvement Stated as T1c with no other information on extension	T1c	**	L	L
150	Conjunctiva alone WITHOUT orbital involvement, Conjunctiva, NOS Stated as T1[NOS] with no other information on extension	T1NOS	**	L	L
200	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200 Involvement of two or more lymph node regions on the SAME side of the diaphragm Stage II	ERROR	*	RNOS	RNOS
210	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200 Localized involvement of a single extralymphatic organ/site WITH involvement of its regional lymph node(s) or WITH or without involvement of other lymph node(s) on the SAME site of the diaphragm	ERROR	*	RNOS	

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
210 cont'd	Direct extension to adjacent organs or tissues Stage IIE	ERROR	*	RNOS	RNOS
220	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200 Involvement of spleen PLUS lymph node(s) BELOW the diaphragm Stage IIS	ERROR	*	RNOS	RNOS
230	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200 Involvement of spleen PLUS involvement of a single extralymphatic organ/site BELOW the diaphragm WITH/WITHOUT involvement of lymph node(s) BELOW the diaphragm Stage IIES	ERROR	*	RNOS	RNOS
300	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200 Involvement of lymph node regions on BOTH sides of the diaphragm Stage III	ERROR	*	D	D
305	Anterior orbit WITH/WITHOUT conjunctival involvement; Stated as T2a with no other information on extension	T2a	**	L	L
310	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200 Involvement of an extralymphatic organ/site PLUS involvement of lymph node(s) on the OPPOSITE side of the diaphragm Stage IIIE	ERROR	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
315	Anterior orbit WITH lacrimal involvement: With or without conjunctival involvement Stated as T2b with no other information on extension	T2b	**	L	L
320	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200 Involvement of the spleen PLUS lymph node(s) ABOVE the diaphragm Involvement of spleen PLUS lymph nodes on both sides of the diaphragm Stage IIIS	ERROR	*	D	D
325	Posterior orbit: With or without conjunctival involvement With or without anterior involvement With or without extraocular muscle involvement Stated as T2c with no other information on extension	T2c	**	L	L
330	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200 (310 + 320) OR Involvement of the spleen PLUS a single extralymphatic site ABOVE the diaphragm WITH/WITHOUT involvement of lymph node(s) Involvement of the spleen PLUS involvement of lymph node region(s) ABOVE the diaphragm PLUS involvement of a single extralymphatic organ/site on either side of the diaphragm Stage IIIES	ERROR ERROR	* *	D D	D D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
335	Nasolacrimal drainage system: With or without conjunctival involvement Without nasopharynx involvement Stated as T2d with no other information on extension	T2d	**	L	L
350	Orbital involvement: With or without conjunctival involvement Stated as T2 [NOS] with no other information on extension	T2NOS	**	L	L
500	Pre-septal eyelid involvement: With or without orbital involvement With or without conjunctival involvement Stated as T3 with no other information on extension	T3	**	L	L
700	Nasopharynx Stated as T4a with no other information on extension	T4a	**	D	D
710	Osseous involvement including periosteum Stated as T4b with no other information on extension	T4b	**	D	D
720	Maxillofacial, ethmoidal, and/or frontal sinuses Stated as T4c with no other information on extension	T4c	**	D	D
730	Intracranial spread Stated as T4d with no other information on extension	T4d	**	D	D
750	Extension beyond orbit to adjacent structures, NOS; Stated as T4 [NOS]	T4NOS	**	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
750 cont'd	with no other information on extension	T4NOS	**	D	D
800	OBSOLETE DATA RETAINED V0200; New schema for site/histology V0200; Diffuse or disseminated (multifocal) involvement of ONE OR MORE extralymphatic organ(s)/site(s) WITH OR WITHOUT associated lymph node involvement; Multifocal involvement of MORE THAN ONE extralymphatic organ/site; Involvement of isolated extralymphatic organ in absence of involvement of adjacent lymph nodes, but in conjunction with disease in distant sites Metastasis/involvement: Bone marrow Liver Nodular involvement of lung(s) Stage IV	ERROR	*	D	D
805	Further contiguous extension beyond any structure in codes 700 - 730	T4NOS	**	D	D
950	No evidence of primary tumor	T0	**	U	U
989	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	TX	**	U	U
999	OBSOLETE DATA RETAINED V0200; New schema for site/histology V0200; Unknown extension; Primary tumor cannot be assessed; Not documented in patient record	ERROR	*	U	U

* Stage grouping for AJCC 6 staging of ocular adnexal lymphoma for cases using obsolete codes is derived directly from the CS Extension code as shown in the AJCC TNM 6 Stage CSv1 table. A or B classification is appended to Stage I-IV based on coding of CS Site-Specific Factor 2, Systemic Symptoms at Diagnosis.

** Stage grouping for AJCC 6 staging of ocular adnexal lymphoma is derived from a combination of

CS Extension, CS Lymph Nodes, and CS Mets at DX codes as shown in the AJCC TNM 6 Stage table. A or B classification is appended to Stage I-IV based on coding of CS Site-Specific Factor 2, Systemic Symptoms at Diagnosis.

Lymphoma Ocular Adnexa

CS Tumor Size/Ext Eval

Note: CS Tumor Size/Ext Eval for ocular adnexal lymphomas is based on the standard table for AJCC 7th Edition staging. Code 3 is appropriate ONLY for 2004-2009 cases where a staging laparotomy is performed. The AJCC 6th Edition noted: "Staging laparotomy and pathologic staging have been essentially abandoned as useful procedures."

Code	Description	Staging Basis 7	Staging Basis 6
0	Does not meet criteria for AJCC pathologic staging: No surgical resection done. Evaluation based on physical examination, imaging examination, other non-invasive clinical evidence, endoscopic examination, fine-needle aspiration, or other invasive techniques including surgical observation without biopsy. No autopsy evidence used	c	c
1	Meets criteria for AJCC pathologic staging: No surgical resection done. Evaluation based on diagnostic biopsy excluding fine-needle aspiration. No autopsy evidence used.	p	c
2	Meets criteria for AJCC pathologic staging: No surgical resection done, but evidence derived from autopsy (tumor was suspected or diagnosed prior to autopsy).	p	c
3	Staging laparotomy done Note: This code is retained for compatibility with lymphoma data collected under AJCC 6 definitions. The code is available for 2004-2009 cases where a staging laparotomy is performed. See code 4 for pathologic criteria for cases diagnosed in 2010 and later.	p	p
4	Meets criteria for AJCC pathologic staging: Surgical resection performed WITHOUT pre-surgical systemic treatment or radiation, OR surgical resection performed, unknown if pre-surgical systemic treatment or radiation performed, AND evaluation based on evidence acquired before treatment, supplemented or modified by the additional evidence acquired during and from surgery, particularly from pathologic examination of the resected	p	c

Code	Description	Staging Basis 7	Staging Basis 6
4 cont'd	specimen. No surgical resection done. Evaluation based on positive biopsy of highest T classification.	p	c
5	Does not meet criteria for AJCC y-pathologic (yp) staging: Surgical resection performed AFTER neoadjuvant therapy and tumor size/extension based on clinical evidence, unless the pathologic evidence at surgery (AFTER neoadjuvant treatment) is more extensive (see code 6).	c	c
6	Meets criteria for AJCC y-pathologic (yp) staging: Surgical resection performed AFTER neoadjuvant therapy AND tumor size/extension based on pathologic evidence, because pathologic evidence at surgery is more extensive than clinical evidence before treatment.	yp	c
8	Meets criteria for AJCC autopsy staging: Evidence from autopsy only (tumor was unsuspected or undiagnosed prior to autopsy).	a	a
9	Unknown if surgical resection done Not assessed; cannot be assessed Unknown if assessed; Not documented in patient record	c	c

Lymphoma Ocular Adnexa

CS Lymph Nodes

Note 1: Peripheral nodes are located in the upper and lower limbs, including axillary and inguinal nodes. Central lymph nodes are located in the trunk, including mediastinal, para-aortic, and mesenteric nodes.

Note 2: Involvement of peripheral and central lymph nodes, distant nodes for ocular adnexal lymphomas, is coded in CS Lymph Nodes and not in CS Mets at DX.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	*	NONE	NONE
100	Ipsilateral regional lymph nodes: Cervical NOS Submandibular (submaxillary)	N1	*	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Parotid, NOS: Preauricular Regional lymph node(s), NOS Stated as N1 with no other information on regional lymph nodes	N1	*	RE	RE
300	Contralateral or bilateral regional nodes listed in code 100 Stated as N2 with no other information on regional lymph nodes	N2	*	RE	RE
600	Peripheral lymph nodes not draining ocular adnexal region Stated as N3 with no other information on regional lymph nodes	N3	*	RE	RE
700	Central lymph nodes Stated as N4 with no other information on regional lymph nodes	N4	*	RE	RE
800	Lymph nodes, NOS	N1	*	RE	RE
888	OBSELETE DATA CONVERTED V0200; See code 988; Not applicable	ERROR	ERROR	ERROR	ERROR
988	OBSELETE DATA RETAINED V0200; New schema for site, histology V0200 Not applicable for this schema	ERROR	*	U	U
999	Unknown; regional and distant lymph nodes not stated not stated Regional and distant lymph nodes cannot be assessed Not documented in patient record	NX	*	U	U

*Stage grouping for AJCC 6 staging of ocular adnexal lymphoma is derived from a combination of CS Extension, CS Lymph Nodes, and CS Mets at DX codes as shown in the AJCC TNM 6 Stage table. A or B classification is appended to Stage I-IV based on coding of CS Site-Specific Factor 2, Systemic Symptoms at Diagnosis.

Lymphoma Ocular Adnexa**CS Lymph Nodes Eval****See Standard Table**

Note 1: This item reflects the validity of the classification of the item CS Lymph Nodes only according to diagnostic methods employed.

Note 2: CS Lymph Nodes Eval is an applicable data item for ocular adnexal lymphomas in AJCC 7th Edition staging. The data item is not applicable for all lymphomas in AJCC 6th Edition staging.

Lymphoma Ocular Adnexa**Regional Nodes Positive****See Standard Table**

Note: Record this field even if there has been preoperative treatment.

Lymphoma Ocular Adnexa**Regional Nodes Examined****See Standard Table****Lymphoma Ocular Adnexa****CS Mets at DX**

Note: Involvement of peripheral and central lymph nodes, distant nodes for ocular adnexal lymphomas, is coded in CS Lymph Nodes and not in CS Mets at DX.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No involvement of other extranodal sites	M0	*	NONE	NONE
20	Spleen	M1a	*	D	D
30	Non-contiguous involvement of other extranodal sites excluding bone marrow, including: Parotid gland Submandibular gland Lung Liver Kidney Breast	M1a	*	D	D
35	Stated as M1a with no other information on metastasis	M1a	*	D	D
40	Bone marrow	M1b	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
40 cont'd	Stated as M1b with no other information on metastasis	M1b	*	D	D
50	40 + (20, 30, or 35) Bone marrow plus other extranodal site Stated as M1c with no other information on metastasis	M1c	*	D	D
60	Distant metastasis NOS Stated as M1 [NOS] with no other information on metastasis	M1NOS	*	D	D
88	OBSOLETE DATA CONVERTED V0200 See code 98 Not applicable for this site	ERROR	ERROR	ERROR	ERROR
98	OBSOLETE DATA RETAINED V0200 New schema for site/histology V0200 Not applicable for this schema	ERROR	NA	U	U
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	*	U	U

* Stage grouping for AJCC 6 staging of ocular adnexal lymphoma for cases collected in CSv2 is derived from a combination of CS Extension, CS Lymph Nodes, and CS Mets at DX codes as shown in the AJCC TNM 6 Stage table . A or B categories is appended to Stage I-IV based on coding of CS Site-Specific Factor 2, Systemic Symptoms at Diagnosis.

Lymphoma Ocular Adnexa CS Mets Eval

Note 1: This item reflects the validity of the classification of the item CS Mets at DX only according to diagnostic methods employed.

Note 2: CS Lymph Mets Eval is an applicable data item for ocular adnexal lymphomas in AJCC 7th Edition staging. The data item is not applicable for all lymphomas in AJCC 6th Edition staging.

Code	Description	Staging Basis 7	Staging Basis 6
0	<p>Does not meet criteria for AJCC pathologic staging of distant metastasis: No pathologic examination of metastatic tissue performed. Evaluation based on physical examination, imaging examination, and/or other non-invasive clinical evidence. No autopsy evidence used.</p>	c	
1	<p>Does not meet criteria for AJCC pathologic staging of distant metastasis: Evaluation of distant metastasis based on endoscopic examination or other invasive technique, including surgical observation without biopsy. No pathologic examination of metastatic tissue performed or pathologic examination was negative.</p>	c	
2	<p>Meets criteria for AJCC pathologic staging of distant metastasis: No pathologic examination of metastatic tissue done prior to death, but evidence derived from autopsy (tumor was suspected or diagnosed prior to autopsy).</p>	p	
3	<p>Meets criteria for AJCC pathologic staging of distant metastasis: Specimen from metastatic site microscopically positive WITHOUT pre-surgical systemic treatment or radiation OR specimen from metastatic site microscopically positive, unknown if pre-surgical systemic treatment or radiation performed.</p>	p	
5	<p>Does not meet criteria for AJCC y-pathologic (yp) staging of distant metastasis: Specimen from metastatic site microscopically positive WITH pre-surgical systemic treatment or radiation, BUT metastasis based on clinical evidence.</p>	c	
6	<p>Meets criteria for AJCC y-pathologic (yp) staging of distant metastasis: Specimen from metastatic site microscopically positive WITH pre-surgical systemic treatment or radiation, and metastasis based on pathologic evidence.</p>	yp	
8	<p>Meets criteria for AJCC autopsy (a) staging of distant metastasis: Evidence from autopsy based on examination of</p>	a	

Code	Description	Staging Basis 7	Staging Basis 6
8 cont'd	positive metastasis tissue AND tumor was unsuspected or undiagnosed prior to autopsy.	a	
9	Not assessed; cannot be assessed Unknown if assessed Not documented in patient record	c	

Lymphoma Ocular Adnexa**CS Site-Specific Factor 2****Systemic Symptoms at Diagnosis****Note: See page A-152**

Note 1: Each stage should be classified as either A or B according to the absence or presence of defined constitutional symptoms, such as:

1. Fevers: Unexplained fever with temperature above 38 degrees C;
2. Night sweats: Drenching sweats that require change of bedclothes;
3. Weight loss: Unexplained weight loss of more than 10% of the usual body weight in the 6 months prior to diagnosis.

Note 2: Pruritus alone does not qualify for B classification, nor does alcohol intolerance, fatigue, or a short, febrile illness associated with suspected infections.

Note 3: Use code 000 if the History and Physical, progress notes, or consultations make no mention of B symptoms.

Code	Description	Stage Class
000	No B symptoms (asymptomatic)	A
010	Any B symptom(s): Night sweats Unexplained fever (above 38 degrees C) Unexplained weight loss (generally greater than 10% of body weight in the six months before admission) B symptoms, NOS	B
020	Pruritis (recurrent and unexplained)	A
030	020 + 010 Pruritis plus any B symptom(s)	B
988	Not applicable: Information not collected for this case	ERROR

Code	Description	Stage Class
988 cont'd	(If this item is required by your standard setter, use of code 988 will result in an edit error.)	
999	Unknown or no information Not documented in patient record	BLANK

The A or B stage classification is appended to the Stage I-IV as shown in the AJCC TNM 6 Stage and AJCC TNM 6 Stage CSv1 tables.