

## Texas Health Care Information Collection

### Lower-Extremity Amputation Among Patients With Diabetes Admission Rate, 2010

Rates not calculated for counties with fewer than 5 admissions

\* Risk-adjusted admission rate is significantly lower than state average rate based on 95 percent confidence interval

\*\* Risk-adjusted admission rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Admissions
State of Texas	7,778	18,166,742	42.81	27.08	43.71	(42.92, 44.50)
Anderson	22	46,995	46.81	26.98	49.03	(33.48, 64.58)
Andrews	Less than 5					
Angelina	40	63,035	63.46	31.26	57.36**	(44.88, 69.83)
Aransas	13	20,480	63.48	40.76	44.00	(24.84, 63.16)
Archer	Less than 5					
Armstrong	Less than 5					
Atascosa	25	32,628	76.62	29.45	73.51**	(55.65, 91.37)
Austin	8	20,981	38.13	32.36	33.30	(12.05, 54.54)
Bailey	Less than 5					
Bandera	6	16,608	36.13	35.86	28.47	(5.78, 51.15)
Bastrop	17	56,364	30.16	28.89	29.50*	(15.78, 43.23)
Baylor	Less than 5					
Bee	17	26,740	63.58	24.52	73.26**	(51.64, 94.89)
Bell	70	201,264	34.78	24.88	39.50	(31.67, 47.32)
Bexar	763	1,201,887	63.48	26.88	66.74**	(63.66, 69.82)
Blanco	Less than 5					
Borden	Less than 5					
Bosque	Less than 5					
Bowie	30	72,978	41.11	30.13	38.55	(26.75, 50.36)
Brazoria	72	223,933	32.15	26.98	33.68*	(26.56, 40.80)
Brazos	53	140,081	37.84	17.90	59.74**	(48.68, 70.80)
Brewster	Less than 5					
Briscoe	Less than 5					
Brooks	8	5,604	142.76	35.51	113.61**	(74.36, 152.86)
Brown	9	30,365	29.64	33.32	25.14*	(7.73, 42.54)
Burleson	11	13,205	83.30	35.24	66.80	(41.13, 92.46)
Burnet	11	36,129	30.45	38.70	22.23*	(7.43, 37.04)
Caldwell	19	28,096	67.63	29.08	65.72**	(46.35, 85.09)
Calhoun	7	15,467	45.26	33.94	37.68	(13.52, 61.85)
Callahan	6	11,006	54.52	35.07	43.92	(15.74, 72.10)
Cameron	201	267,658	75.10	28.26	75.09**	(68.72, 81.46)
Camp	5	9,492	52.68	33.06	45.02	(13.77, 76.28)

**Texas Health Care Information Collection**  
**Lower-Extremity Amputation Among Patients With Diabetes Admission Rate, 2010**

Rates not calculated for counties with fewer than 5 admissions

\* Risk-adjusted admission rate is significantly lower than state average rate based on 95 percent confidence interval  
 \*\* Risk-adjusted admission rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Admissions
Carson	Less than 5					
Cass	9	23,758	37.88	36.70	29.17	(10.42, 47.92)
Castro	Less than 5					
Chambers	Less than 5					
Cherokee	27	37,102	72.77	31.31	65.69**	(49.44, 81.93)
Childress	Less than 5					
Clay	Less than 5					
Cochran	Less than 5					
Coke	Less than 5					
Coleman	Less than 5					
Collin	98	565,319	17.34	24.54	19.96*	(15.26, 24.66)
Collingsworth	Less than 5					
Colorado	Less than 5					
Comal	26	85,963	30.25	30.93	27.64*	(16.90, 38.37)
Comanche	Less than 5					
Concho	Less than 5					
Cooke	Less than 5					
Coryell	9	56,394	15.96	18.49	24.39*	(7.24, 41.54)
Cottle	Less than 5					
Crane	Less than 5					
Crockett	Less than 5					
Crosby	Less than 5					
Culberson	Less than 5					
Dallam	Less than 5					
Dallas	765	1,785,027	42.86	25.44	47.60**	(45.00, 50.20)
Dawson	Less than 5					
Deaf Smith	Less than 5					
Delta	Less than 5					
Denton	105	474,442	22.13	22.21	28.16*	(22.76, 33.55)
Dewitt	13	15,966	81.42	34.37	66.94	(43.30, 90.57)
Dickens	Less than 5					
Dimmit	10	7,110	140.65	31.25	127.16**	(90.02, 164.30)
Donley	Less than 5					

## Texas Health Care Information Collection

### Lower-Extremity Amputation Among Patients With Diabetes Admission Rate, 2010

Rates not calculated for counties with fewer than 5 admissions

\* Risk-adjusted admission rate is significantly lower than state average rate based on 95 percent confidence interval

\*\* Risk-adjusted admission rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Admissions
Duval	8	9,256	86.43	32.91	74.21	(42.49, 105.93)
Eastland	Less than 5					
Ector	47	95,714	49.10	28.03	49.50	(38.81, 60.19)
Edwards	Less than 5					
Ellis	35	110,986	31.54	26.50	33.63	(23.42, 43.84)
El Paso	251	528,324	47.51	27.33	49.12**	(44.51, 53.72)
Erath	10	28,396	35.22	26.96	36.91	(16.90, 56.92)
Falls	7	13,260	52.79	32.82	45.45	(18.91, 71.99)
Fannin	16	26,930	59.41	33.27	50.47	(31.97, 68.97)
Fayette	6	18,600	32.26	38.23	23.84	(3.08, 44.60)
Fisher	Less than 5					
Floyd	Less than 5					
Foard	Less than 5					
Fort Bend	117	397,061	29.47	24.51	33.97*	(28.36, 39.58)
Franklin	Less than 5					
Freestone	Less than 5					
Frio	15	12,267	122.28	28.23	122.39**	(92.64, 152.14)
Gaines	5	10,744	46.54	28.33	46.42	(14.68, 78.15)
Galveston	86	221,152	38.89	28.97	37.93	(31.01, 44.85)
Garza	Less than 5					
Gillespie	5	19,785	25.27	41.24	17.32*	(0.00, 36.70)
Glasscock	Less than 5					
Goliad	Less than 5					
Gonzales	Less than 5					
Gray	5	17,563	28.47	34.24	23.50	(0.92, 46.08)
Grayson	49	93,162	52.60	32.16	46.21	(36.10, 56.32)
Gregg	56	89,344	62.68	30.49	58.08**	(47.48, 68.69)
Grimes	10	20,701	48.31	32.87	41.52	(20.30, 62.75)
Guadalupe	45	89,840	50.09	28.77	49.20	(38.31, 60.09)
Hale	7	25,775	27.16	29.79	25.76	(5.78, 45.74)
Hall	Less than 5					
Hamilton	Less than 5					
Hansford	Less than 5					

## Texas Health Care Information Collection

### *Lower-Extremity Amputation Among Patients With Diabetes Admission Rate, 2010*

Rates not calculated for counties with fewer than 5 admissions

\* Risk-adjusted admission rate is significantly lower than state average rate based on 95 percent confidence interval

\*\* Risk-adjusted admission rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Admissions
Hardeman	Less than 5					
Hardin	7	40,694	17.20	30.35	16.02*	(0.26, 31.77)
Harris	1,109	2,927,978	37.88	25.45	42.05	(40.02, 44.08)
Harrison	14	49,876	28.07	30.81	25.74*	(11.62, 39.87)
Hartley	Less than 5					
Haskell	Less than 5					
Hays	46	116,389	39.52	21.52	51.89	(40.83, 62.95)
Hemphill	Less than 5					
Henderson	16	62,848	25.46	35.35	20.35*	(8.61, 32.10)
Hidalgo	367	480,586	76.37	25.69	83.98**	(79.00, 88.97)
Hill	15	27,840	53.88	33.75	45.11	(27.05, 63.17)
Hockley	8	16,857	47.46	29.62	45.27	(20.49, 70.04)
Hood	6	40,918	14.66	35.99	11.51*	(0.00, 25.94)
Hopkins	Less than 5					
Houston	13	18,716	69.46	35.83	54.77	(33.39, 76.15)
Howard	13	25,817	50.35	30.57	46.55	(26.84, 66.26)
Hudspeth	Less than 5					
Hunt	25	64,803	38.58	30.37	35.89	(23.41, 48.37)
Hutchinson	10	16,623	60.16	34.32	49.53	(26.35, 72.71)
Irion	Less than 5					
Jack	Less than 5					
Jackson	6	11,036	54.37	34.18	44.95	(16.44, 73.46)
Jasper	12	27,014	44.42	34.06	36.85	(18.60, 55.10)
Jeff Davis	Less than 5					
Jefferson	93	190,312	48.87	30.38	45.46	(38.17, 52.74)
Jim Hogg	Less than 5					
Jim Wells	25	30,444	82.12	30.66	75.68**	(57.56, 93.80)
Johnson	46	117,484	39.15	27.88	39.69	(30.01, 49.36)
Jones	6	16,000	37.50	29.73	35.64	(10.26, 61.03)
Karnes	9	12,461	72.23	27.52	74.17**	(44.27, 104.07)
Kaufman	33	75,367	43.79	25.78	47.99	(35.43, 60.56)
Kendall	10	26,046	38.39	32.91	32.96	(14.05, 51.87)
Kenedy	Less than 5					

## Texas Health Care Information Collection

### *Lower-Extremity Amputation Among Patients With Diabetes Admission Rate, 2010*

Rates not calculated for counties with fewer than 5 admissions

\* Risk-adjusted admission rate is significantly lower than state average rate based on 95 percent confidence interval

\*\* Risk-adjusted admission rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Admissions
Kent	Less than 5					
Kerr	12	39,470	30.40	40.61	21.15*	(7.33, 34.98)
Kimble	Less than 5					
King	Less than 5					
Kinney	Less than 5					
Kleberg	14	23,716	59.03	26.28	63.47	(41.29, 85.65)
Knox	Less than 5					
Lamar	8	38,580	20.74	33.55	17.47*	(2.08, 32.85)
Lamb	Less than 5					
Lampasas	Less than 5					
La Salle	6	4,463	134.44	29.80	127.46**	(79.46, 175.47)
Lavaca	6	15,069	39.82	38.67	29.10	(6.16, 52.03)
Lee	Less than 5					
Leon	8	13,541	59.08	37.24	44.83	(20.17, 69.48)
Liberty	41	57,826	70.90	28.06	71.39**	(57.65, 85.14)
Limestone	5	17,564	28.47	32.00	25.14	(1.79, 48.50)
Lipscomb	Less than 5					
Live Oak	Less than 5					
Llano	6	15,878	37.79	45.15	23.65	(2.97, 44.33)
Loving	Less than 5					
Lubbock	51	203,606	25.05	26.16	27.06*	(19.47, 34.65)
Lynn	Less than 5					
McCulloch	Less than 5					
McLennan	79	176,821	44.68	27.77	45.46	(37.56, 53.37)
McMullen	Less than 5					
Madison	Less than 5					
Marion	Less than 5					
Martin	Less than 5					
Mason	Less than 5					
Matagorda	18	28,319	63.56	32.56	55.17	(36.93, 73.40)
Maverick	33	35,647	92.57	28.52	91.73**	(74.36, 109.09)
Medina	10	34,071	29.35	30.28	27.39	(10.16, 44.63)
Menard	Less than 5					

## Texas Health Care Information Collection

### *Lower-Extremity Amputation Among Patients With Diabetes Admission Rate, 2010*

Rates not calculated for counties with fewer than 5 admissions

\* Risk-adjusted admission rate is significantly lower than state average rate based on 95 percent confidence interval

\*\* Risk-adjusted admission rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Admissions
Midland	26	96,376	26.98	29.36	25.96*	(15.56, 36.37)
Milam	Less than 5					
Mills	Less than 5					
Mitchell	Less than 5					
Montague	Less than 5					
Montgomery	91	323,387	28.14	27.04	29.41*	(23.49, 35.33)
Moore	Less than 5					
Morris	Less than 5					
Motley	Less than 5					
Nacogdoches	22	49,051	44.85	26.31	48.16	(32.75, 63.57)
Navarro	25	38,031	65.74	30.59	60.73**	(44.49, 76.96)
Newton	5	11,203	44.63	33.02	38.20	(9.41, 66.99)
Nolan	Less than 5					
Nueces	150	243,419	61.62	29.67	58.70**	(52.18, 65.21)
Ochiltree	Less than 5					
Oldham	Less than 5					
Orange	38	65,021	58.44	32.22	51.25	(39.16, 63.35)
Palo Pinto	13	21,465	60.56	33.31	51.38	(30.67, 72.08)
Panola	Less than 5					
Parker	24	88,006	27.27	28.74	26.82*	(15.81, 37.83)
Parmer	Less than 5					
Pecos	Less than 5					
Polk	22	37,366	58.88	34.94	47.61	(32.29, 62.93)
Potter	35	88,759	39.43	28.50	39.09	(28.09, 50.10)
Presidio	Less than 5					
Rains	Less than 5					
Randall	19	89,289	21.28	27.45	21.90*	(10.72, 33.09)
Reagan	Less than 5					
Real	Less than 5					
Red River	7	10,650	65.73	36.80	50.47	(22.51, 78.44)
Reeves	Less than 5					
Refugio	Less than 5					
Roberts	Less than 5					

## Texas Health Care Information Collection

### *Lower-Extremity Amputation Among Patients With Diabetes Admission Rate, 2010*

Rates not calculated for counties with fewer than 5 admissions

\* Risk-adjusted admission rate is significantly lower than state average rate based on 95 percent confidence interval

\*\* Risk-adjusted admission rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Admissions
Robertson	10	12,056	82.95	34.72	67.51	(40.45, 94.57)
Rockwall	7	58,047	12.06	25.73	13.24*	(0.00, 27.57)
Runnels	10	8,115	123.23	38.05	91.50**	(59.99, 123.00)
Rusk	16	38,941	41.09	32.28	35.97	(20.35, 51.58)
Sabine	Less than 5					
San Augustine	Less than 5					
San Jacinto	Less than 5					
San Patricio	25	50,319	49.68	30.84	45.52	(31.47, 59.57)
San Saba	Less than 5					
Schleicher	Less than 5					
Scurry	7	12,529	55.87	31.23	50.54	(22.56, 78.53)
Shackelford	Less than 5					
Shelby	7	20,350	34.40	32.10	30.28	(8.62, 51.95)
Sherman	Less than 5					
Smith	89	154,835	57.48	31.17	52.11**	(44.14, 60.08)
Somervell	Less than 5					
Starr	33	40,694	81.09	26.63	86.03**	(69.22, 102.85)
Stephens	Less than 5					
Sterling	Less than 5					
Stonewall	Less than 5					
Sutton	Less than 5					
Swisher	Less than 5					
Tarrant	463	1,296,096	35.72	25.73	39.24*	(36.21, 42.27)
Taylor	44	96,786	45.46	29.16	44.05	(33.63, 54.48)
Terrell	Less than 5					
Terry	12	9,303	128.99	32.11	113.52**	(81.48, 145.55)
Throckmorton	Less than 5					
Titus	Less than 5					
Tom Green	43	83,468	51.52	29.82	48.82	(37.72, 59.91)
Travis	245	767,160	31.94	22.39	40.31	(36.09, 44.54)
Trinity	5	11,480	43.55	39.27	31.34	(5.27, 57.42)
Tyler	8	16,686	47.94	34.43	39.35	(16.25, 62.45)
Upshur	14	30,142	46.45	32.72	40.12	(22.49, 57.75)

## Texas Health Care Information Collection

### *Lower-Extremity Amputation Among Patients With Diabetes Admission Rate, 2010*

Rates not calculated for counties with fewer than 5 admissions

\* Risk-adjusted admission rate is significantly lower than state average rate based on 95 percent confidence interval

\*\* Risk-adjusted admission rate is significantly higher than state average rate based on 95 percent confidence interval

County	Admissions	Population	Observed Admissions per 100,000 Population	Expected Admissions per 100,000 Population	Risk-Adjusted Admissions per 100,000 Population	95% Confidence Interval for Risk-Adjusted Admissions
Upton	Less than 5					
Uvalde	10	19,355	51.67	31.64	46.14	(23.77, 68.51)
Val Verde	19	34,776	54.64	33.85	45.61	(29.47, 61.75)
Van Zandt	14	41,639	33.62	34.90	27.23*	(12.70, 41.75)
Victoria	40	65,463	61.10	31.53	54.77	(42.58, 66.95)
Walker	26	55,082	47.20	23.19	57.51	(42.02, 73.00)
Waller	8	27,798	28.78	25.89	31.41	(10.77, 52.04)
Ward	Less than 5					
Washington	12	25,891	46.35	33.62	38.96	(20.19, 57.73)
Webb	115	152,835	75.24	24.51	86.76**	(77.71, 95.81)
Wharton	28	31,023	90.26	31.90	79.95**	(62.35, 97.55)
Wheeler	Less than 5					
Wichita	47	98,389	47.77	28.83	46.82	(36.42, 57.21)
Wilbarger	Less than 5					
Willacy	30	15,008	199.89	29.75	189.86**	(163.66, 216.06)
Williamson	67	290,870	23.03	25.15	25.88*	(19.40, 32.35)
Wilson	11	31,217	35.24	29.55	33.69	(15.46, 51.92)
Winkler	Less than 5					
Wise	11	45,677	24.08	29.33	23.20*	(8.08, 38.33)
Wood	33	35,038	94.18	37.68	70.63**	(55.39, 85.87)
Yoakum	Less than 5					
Young	7	13,954	50.16	35.63	39.78	(14.95, 64.61)
Zapata	Less than 5					
Zavala	Less than 5					