



# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=1




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=2




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=3




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=4




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=5




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=6




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=7




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=8




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=9




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=10




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=11




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=12




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=13




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=14




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=15




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=16




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=17




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=18




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=19




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=20




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=21




# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=22



# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=23



# Iatrogenic Pneumothorax: Risk-adjusted Complication Rate, 2010

Better quality may be associated with lower rates  
 \* Significantly below the State Rate (by hospital type); \*\* Significantly above the State Rate (by hospital type)  
 (C) Comment submitted by hospital  
 page=24

