


Lower-Extremity Amputation Among Patients with Diabetes Rate (Observed, Adult Population Age 18 and older), 2016

Lower extremity amputation (LEA) is a costly and disabling procedure. According to the American Diabetes Association, about 60-70% of people with diabetes have mild to severe forms of diabetic nerve damage, which in severe forms, can lead to the need for lower limb amputations. In fact, diabetes is the most frequent cause of lower limb amputations that were not made necessary by an injury. The risk of a leg amputation is 15-40 times greater for a person with diabetes than for a non-diabetic. Each year, 56,200 people lose a foot or leg to diabetes.

Lower-Extremity Amputation Among Patients with Diabetes Rate (Observed, Adult Population Age 18 and older), 2016



Texas Health Care Information Collection
Lower-Extremity Amputation Among Patients with Diabetes Rate (Observed, Adult Population Age 18 and older), 2016

Rates not calculated for counties with fewer than 5 admissions

County	Admissions	Population	Observed Admissions per 100 Admissions for Appendicitis	Mean Charge per Admission
STATE OF TEXAS	6,474	20,599,866	31.43	\$123,857
Anderson	19	46,240	41.09	\$151,210
Andrews	Less than 5			
Angelina	21	64,981	32.32	\$200,901
Aransas	Less than 5			
Archer	Less than 5			
Armstrong	Less than 5			
Atascosa	32	35,238	90.81	\$141,096
Austin	5	22,441	22.28	\$162,056
Bailey	Less than 5			
Bandera	10	18,058	55.38	\$90,418
Bastrop	25	61,541	40.62	\$203,681
Baylor	Less than 5			
Bee	13	25,771	50.44	\$126,676
Bell	87	246,094	35.35	\$78,523
Bexar	687	1,427,088	48.14	\$110,895
Blanco	Less than 5			
Borden	Less than 5			
Bosque	Less than 5			
Bowie	33	71,579	46.10	\$81,480
Brazoria	66	259,312	25.45	\$100,274
Brazos	33	174,198	18.94	\$80,441
Brewster	Less than 5			
Briscoe	Less than 5			
Brooks	Less than 5			
Brown	8	29,376	27.23	\$87,019
Burleson	Less than 5			
Burnet	9	35,872	25.09	\$110,360
			0.00 50.00 100.00 150.00	\$0 \$100,000 \$200,000
			Observed Rate	Mean Charge per Admission

Source: Texas Health Care Information Collection. Texas Hospital Inpatient Discharge Public Use Data File, 2016.

Texas Health Care Information Collection
Lower-Extremity Amputation Among Patients with Diabetes Rate (Observed, Adult Population Age 18 and older), 2016

Rates not calculated for counties with fewer than 5 admissions

County	Admissions	Population	Observed Admissions per 100 Admissions for Appendicitis	Mean Charge per Admission
Caldwell	21	31,313	67.06	\$90,841
Calhoun	5	16,424	30.44	\$128,907
Callahan	5	10,628	47.05	\$208,111
Cameron	135	290,356	46.49	\$148,804
Camp	Less than 5			
Carson	Less than 5			
Cass	6	23,231	25.83	\$66,894
Castro	Less than 5			
Chambers	11	29,046	37.87	\$131,672
Cherokee	19	38,555	49.28	\$115,287
Childress	Less than 5			
Clay	Less than 5			
Cochran	Less than 5			
Coke	Less than 5			
Coleman	Less than 5			
Collin	67	691,617	9.69	\$116,980
Collingsworth	Less than 5			
Colorado	8	16,166	49.49	\$91,834
Comal	30	103,416	29.01	\$79,123
Comanche	Less than 5			
Concho	Less than 5			
Cooke	14	29,824	46.94	\$162,381
Coryell	7	57,397	12.20	\$127,387
Cottle	Less than 5			
Crane	Less than 5			
Crockett	Less than 5			
Crosby	Less than 5			
Culberson	Less than 5			
			0.00 50.00 100.00 150.00	\$0 \$100,000 \$200,000
			Observed Rate	Mean Charge per Admission

Source: Texas Health Care Information Collection. Texas Hospital Inpatient Discharge Public Use Data File, 2016.

Texas Health Care Information Collection
Lower-Extremity Amputation Among Patients with Diabetes Rate (Observed, Adult Population Age 18 and older), 2016

Rates not calculated for counties with fewer than 5 admissions

County	Admissions	Population	Observed Admissions per 100 Admissions for Appendicitis	Mean Charge per Admission
Dallam	Less than 5			
Dallas	596	1,898,344	31.40	\$129,652
Dawson	Less than 5			
Deaf Smith	Less than 5			
Delta	Less than 5			
Denton	101	602,527	16.76	\$186,385
DeWitt	Less than 5			
Dickens	Less than 5			
Dimmit	Less than 5			
Donley	Less than 5			
Duval	6	8,513	70.48	\$114,213
Eastland	6	14,413	41.63	\$124,789
Ector	45	110,248	40.82	\$84,050
Edwards	Less than 5			
El Paso	24	123,064	19.50	\$118,183
Ellis	174	604,972	28.76	\$185,389
Erath	Less than 5			
Falls	6	13,651	43.95	\$54,198
Fannin	Less than 5			
Fayette	12	19,872	60.39	\$93,701
Fisher	Less than 5			
Floyd	Less than 5			
Foard	Less than 5			
Fort Bend	106	535,668	19.79	\$122,185
Franklin	Less than 5			
Freestone	Less than 5			
Frio	7	14,746	47.47	\$114,150
Gaines	7	13,139	53.28	\$144,728
			0.00 50.00 100.00 150.00	\$0 \$100,000 \$200,000
			Observed Rate	Mean Charge per Admission

Source: Texas Health Care Information Collection. Texas Hospital Inpatient Discharge Public Use Data File, 2016.

Texas Health Care Information Collection
Lower-Extremity Amputation Among Patients with Diabetes Rate (Observed, Adult Population Age 18 and older), 2016

Rates not calculated for counties with fewer than 5 admissions

County	Admissions	Population	Observed Admissions per 100 Admissions for Appendicitis	Mean Charge per Admission
Galveston	58	248,249	23.36	\$154,415
Garza	Less than 5			
Gillespie	Less than 5			
Glasscock	Less than 5			
Goliad	Less than 5			
Gonzales	7	15,155	46.19	\$18,097
Gray	7	16,935	41.33	\$111,675
Grayson	30	97,674	30.71	\$98,234
Gregg	36	91,473	39.36	\$114,112
Grimes	8	21,374	37.43	\$80,310
Guadalupe	19	114,706	16.56	\$76,446
Hale	8	24,722	32.36	\$130,337
Hall	Less than 5			
Hamilton	Less than 5			
Hansford	Less than 5			
Hardeman	Less than 5			
Hardin	10	42,338	23.62	\$111,915
Harris	1,044	3,372,504	30.96	\$130,071
Harrison	6	49,701	12.07	\$130,519
Hartley	Less than 5			
Haskell	Less than 5			
Hays	30	156,784	19.13	\$164,064
Hemphill	Less than 5			
Henderson	30	62,684	47.86	\$141,337
Hidalgo	238	566,998	41.98	\$135,518
Hill	9	26,889	33.47	\$104,037
Hockley	10	17,028	58.73	\$147,358
Hood	10	44,661	22.39	\$113,618
			0.00 50.00 100.00 150.00	\$0 \$100,000 \$200,000
			Observed Rate	Mean Charge per Admission

Source: Texas Health Care Information Collection. Texas Hospital Inpatient Discharge Public Use Data File, 2016.

Texas Health Care Information Collection
Lower-Extremity Amputation Among Patients with Diabetes Rate (Observed, Adult Population Age 18 and older), 2016

Rates not calculated for counties with fewer than 5 admissions

County	Admissions	Population	Observed Admissions per 100 Admissions for Appendicitis	Mean Charge per Admission
Hopkins	6	27,119	22.12	\$64,106
Houston	5	18,447	27.10	\$42,063
Howard	9	28,550	31.52	\$64,085
Hudspeth	Less than 5			
Hunt	24	70,013	34.28	\$96,279
Hutchinson	8	16,011	49.97	\$50,168
Irion	Less than 5			
Jack	Less than 5			
Jackson	6	11,050	54.30	\$152,582
Jasper	6	26,847	22.35	\$86,190
Jeff Davis	Less than 5			
Jefferson	72	194,870	36.95	\$106,416
Jim Hogg	5	3,656	136.76	\$148,668
Jim Wells	21	29,427	71.36	\$98,520
Johnson	38	120,448	31.55	\$96,177
Jones	Less than 5			
Karnes	10	12,083	82.76	\$91,773
Kaufman	18	85,396	21.08	\$132,289
Kendall	12	32,097	37.39	\$45,732
Kenedy	Less than 5			
Kent	Less than 5			
Kerr	13	41,283	31.49	\$146,601
Kimble	Less than 5			
King	Less than 5			
Kinney	Less than 5			
Kleberg	10	23,710	42.18	\$93,924
Knox	Less than 5			
La Salle	11	37,686	29.19	\$81,441
			0.00 50.00 100.00 150.00	\$0 \$100,000 \$200,000
			Observed Rate	Mean Charge per Admission

Source: Texas Health Care Information Collection. Texas Hospital Inpatient Discharge Public Use Data File, 2016.

Texas Health Care Information Collection
Lower-Extremity Amputation Among Patients with Diabetes Rate (Observed, Adult Population Age 18 and older), 2016

Rates not calculated for counties with fewer than 5 admissions

County	Admissions	Population	Observed Admissions per 100 Admissions for Appendicitis	Mean Charge per Admission
Lamar	5	9,547	52.37	\$124,213
Lamb	6	15,881	37.78	\$69,187
Lampasas	Less than 5			
Lavaca	6	15,212	39.44	\$49,400
Lee	Less than 5			
Leon	Less than 5			
Liberty	28	60,546	46.25	\$169,892
Limestone	9	18,125	49.66	\$71,356
Lipscomb	Less than 5			
Live Oak	Less than 5			
Llano	10	17,447	57.32	\$127,059
Loving	Less than 5			
Lubbock	73	229,306	31.84	\$132,735
Lynn	Less than 5			
Madison	5	6,265	79.81	\$78,591
Marion	94	185,977	50.54	\$74,195
Martin	Less than 5			
Mason	Less than 5			
Matagorda	5	8,217	60.85	\$147,548
Maverick	Less than 5			
McCulloch	Less than 5			
McLennan	14	27,623	50.68	\$70,424
McMullen	28	39,482	70.92	\$105,738
Medina	14	37,583	37.25	\$68,613
Menard	Less than 5			
Midland	25	117,213	21.33	\$80,276
Milam	18	18,591	96.82	\$83,240
Mills	Less than 5			
			0.00 50.00 100.00 150.00	\$0 \$100,000 \$200,000
			Observed Rate	Mean Charge per Admission

Source: Texas Health Care Information Collection. Texas Hospital Inpatient Discharge Public Use Data File, 2016.

Texas Health Care Information Collection
Lower-Extremity Amputation Among Patients with Diabetes Rate (Observed, Adult Population Age 18 and older), 2016

Rates not calculated for counties with fewer than 5 admissions

County	Admissions	Population	Observed Admissions per 100 Admissions for Appendicitis	Mean Charge per Admission
Mitchell	Less than 5			
Montague	7	14,978	46.74	\$135,026
Montgomery	75	407,011	18.43	\$130,251
Moore	5	14,952	33.44	\$44,861
Morris	6	9,625	62.34	\$149,089
Motley	Less than 5			
Nacogdoches	6	50,302	11.93	\$110,070
Navarro	11	35,641	30.86	\$104,492
Newton	Less than 5			
Nolan	Less than 5			
Nueces	121	271,103	44.63	\$134,442
Ochiltree	Less than 5			
Oldham	Less than 5			
Orange	37	63,437	58.33	\$132,887
Palo Pinto	12	21,496	55.82	\$77,849
Panola	Less than 5			
Parker	16	97,035	16.49	\$107,425
Parmer	Less than 5			
Pecos	7	11,973	58.46	\$60,937
Polk	15	37,945	39.53	\$169,379
Potter	29	87,337	33.20	\$83,542
Presidio	Less than 5			
Rains	Less than 5			
Randall	27	100,493	26.87	\$73,524
Reagan	Less than 5			
Real	Less than 5			
Red River	Less than 5			
Reeves	7	11,722	59.72	\$46,302
			0.00 50.00 100.00 150.00	\$0 \$100,000 \$200,000
			Observed Rate	Mean Charge per Admission

Source: Texas Health Care Information Collection. Texas Hospital Inpatient Discharge Public Use Data File, 2016.

Texas Health Care Information Collection
Lower-Extremity Amputation Among Patients with Diabetes Rate (Observed, Adult Population Age 18 and older), 2016

Rates not calculated for counties with fewer than 5 admissions

County	Admissions	Population	Observed Admissions per 100 Admissions for Appendicitis	Mean Charge per Admission
Refugio	Less than 5			
Roberts	Less than 5			
Robertson	5	12,798	39.07	\$48,906
Rockwall	10	67,833	14.74	\$88,616
Runnels	Less than 5			
Rusk	10	40,635	24.61	\$149,138
Sabine	Less than 5			
San Augustine	Less than 5			
San Jacinto	7	21,696	32.26	\$141,955
San Patricio	30	48,961	61.27	\$123,772
San Saba	Less than 5			
Schleicher	Less than 5			
Scurry	Less than 5			
Shackelford	Less than 5			
Shelby	8	18,949	42.22	\$121,134
Sherman	Less than 5			
Smith	58	169,522	34.21	\$154,108
Somervell	Less than 5			
Starr	17	42,730	39.78	\$169,687
Stephens	Less than 5			
Sterling	Less than 5			
Stonewall	Less than 5			
Sutton	Less than 5			
Swisher	Less than 5			
Tarrant	421	1,481,154	28.42	\$108,405
Taylor	53	102,299	51.81	\$154,303
Terrell	Less than 5			
Terry	Less than 5			
			0.00 50.00 100.00 150.00	\$0 \$100,000 \$200,000
			Observed Rate	Mean Charge per Admission

Source: Texas Health Care Information Collection. Texas Hospital Inpatient Discharge Public Use Data File, 2016.

Texas Health Care Information Collection
Lower-Extremity Amputation Among Patients with Diabetes Rate (Observed, Adult Population Age 18 and older), 2016

Rates not calculated for counties with fewer than 5 admissions

County	Admissions	Population	Observed Admissions per 100 Admissions for Appendicitis	Mean Charge per Admission
Throckmorton	Less than 5			
Titus	11	23,121	47.58	\$96,791
Tom Green	38	89,853	42.29	\$98,330
Travis	187	934,564	20.01	\$161,752
Trinity	6	11,622	51.63	\$119,452
Tyler	9	17,306	52.01	\$195,860
Upshur	15	31,101	48.23	\$108,783
Upton	Less than 5			
Uvalde	13	19,609	66.30	\$69,656
Val Verde	17	34,911	48.70	\$87,065
Van Zandt	17	41,740	40.73	\$146,489
Victoria	31	68,612	45.18	\$113,528
Walker	25	60,632	41.23	\$98,487
Waller	11	37,932	29.00	\$133,532
Ward	Less than 5			
Washington	7	27,372	25.57	\$103,771
Webb	75	180,619	41.52	\$214,300
Wharton	19	30,791	61.71	\$155,114
Wheeler	Less than 5			
Wichita	50	101,840	49.10	\$65,132
Wilbarger	Less than 5			
Willacy	21	16,474	127.47	\$115,536
Williamson	55	388,389	14.16	\$109,980
Wilson	10	36,370	27.50	\$118,038
Winkler	Less than 5			
Wise	15	48,401	30.99	\$123,328
Wood	13	35,214	36.92	\$95,083
Yoakum	Less than 5			
			0.00 50.00 100.00 150.00	\$0 \$100,000 \$200,000
			Observed Rate	Mean Charge per Admission

Source: Texas Health Care Information Collection. Texas Hospital Inpatient Discharge Public Use Data File, 2016.

Texas Health Care Information Collection
Lower-Extremity Amputation Among Patients with Diabetes Rate (Observed, Adult Population Age 18 and older), 2016

Rates not calculated for counties with fewer than 5 admissions

County	Admissions	Population	Observed Admissions per 100 Admissions for Appendicitis	Mean Charge per Admission
Young	5	13,666	36.59	\$59,714
Zapata	10	9,603	104.13	\$164,601
Zavala	7	8,469	82.65	\$160,263
			0.00 50.00 100.00 150.00	\$0 \$100,000 \$200,000
			Observed Rate	Mean Charge per Admission

Source: Texas Health Care Information Collection. *Texas Hospital Inpatient Discharge Public Use Data File, 2016.*